

Report of the Project “*Entomofauna of Old World*” 2- Index of the species of the pterygot Insects in the Continent Africa

Ahmet Ömer Koçak¹ Muhabbet Kemal²

The new research projects of the Cesa³ were announced in early September 2008. More information were published in the Cesa News Nr. 31 (23 October, 2008). These projects entitled as *Entomofauna of Turkey* (ET)⁴ and *Entomofauna of Old World* (EOW).

Entomofauna of Asia (EOW) is also a faunistical Project of some pterygot orders, based upon the Info-System of the Cesa. Info-System of the Cesa possesses mainly Library and Reference Collection of Insecta. The articles of native and foreigner researchers are the basic literary sources of the Project (EOW). Besides, the faunistical results based upon the insect materials of the Cesa collection will be published by the authors at irregular intervals.⁵

The Project (EOW)⁶ is currently supported by the Cesa only. Previous temporary results of the Project were published in the earlier issues of the Cesa News⁷. In the latest report on the same subject, totally 2977 species of Insects in the Old World (Turkey and the order *Lepidoptera* excluded) are listed without synonyms and distribution information.⁸ In the present report, totally

¹ <http://www.cesa-tr.org/Kocak.htm>

² <http://www.cesa-tr.org/Kemal.htm>

³ Cesa: <http://www.cesa-tr.org/>

⁴ Entomofauna of Turkey (ET) is a faunistical Project of the 24 pterygot orders, based upon the Info-System of the Cesa. Temporary results and the News about the Project were published in the related serials of the Cesa at irregular intervals.

⁵ Kemal, M. & A.Ö. Koçak, 2008, Occurences of some species of *Glycyphana* Burm. in North Thailand (*Coleoptera*, *Cetoniidae*). Cesa News 35: 1-5, 6 figs. - Kemal, M. & A.Ö. Koçak, 2008, *Macroceroea grandis* (Gray, 1832) in North Thailand (*Hemiptera*, *Lagridae*). Cesa News 35: 6-8, 3 figs. - Kemal, M. & A.Ö. Koçak, 2008, A record of *Gerania boscii* (Fabr.) in North Thailand (*Coleoptera*, *Cerambycidae*). Cesa News 36: 1-3, figs. 1-4. - M. Kemal, M. & A.Ö. Koçak, 2009, Notes on *Arthropoda* of Soutpansberg Mountains (South Africa). - Cesa News 43: 1-18, 34 figs.

⁶ <http://www.acronymfinder.com/EOW.html>

⁷ <http://www.cesa-tr.org/Cesanews.htm>

⁸ Koçak, A.Ö. & M. Kemal, 2008, Report on the “Entomofauna of Old World” 1- Index of the recorded species of the Pterygot Insects of Old World (Turkey excluded). Cesa News 38: 2-54, 1 fig.

1629 species from the Continent Africa only⁹, are listed alphabetically. Family name to each taxon is also mentioned. Synonymous names are arranged chronologically. Range of each species are given as codes.¹⁰

This temporary list is of course at the beginning; therefore many species are missing below. However, the studies on this Project are progressing gradually.

Currently, there is no similar scientific attempt on the Insect fauna of the Old World, neither in Turkey, nor in abroad. Therefore, this Project has a special position among the faunal researches on Entomology in the World.

One of the most important Natural History Museum in the World is Transvaal Museum in Pretoria (South Africa) (Figs. 1-7). The authors visited this Museum, and carried out their planned studies on the old and rare books of the Library in late August 2004. The results of this visiting program contributed greatly to the Info-system of the Cesa regarding the African Insect fauna. For that reason, our sincere thanks are to Mrs. Tersia Perregil, the Chief Librarian of the Transvaal Museum for her very kind helps during our stay and studies in the Museum.



Fig. 1 – Transvaal Museum in Pretoria (South Africa) 29 August, 2004 photo M. Kemal (Cesa)

⁹ Total number of the species recorded by the Info-system of the Cesa for the Old World countries, reached to 4782 (except Turkey, and the order *Lepidoptera*). For the Cesa Projects on African Lepidoptera see: <http://www.cesa-tr.org/Afrolep.htm> - **Koçak, A.Ö. & M. Kemal**, 2007, Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Databank of the Cesa. stand 27.7.2007 [totally 18,385 sp. & ssp. listed] Cesa Publ. on African Lepid. 20: 1-277, 1 map 1 table http://www.metafro.be/Members/Cesa/Cesapublafr20.pdf/base_view

¹⁰ For the explanation of the codes, see <http://www.members.tripod.com/Cesa88/Code.pdf>



Fig. 2 – Transvaal Museum in Pretoria (South Africa) 29 August, 2004 photo A. Koçak (Cesa)




Fig. 3 – Garden of Transvaal Museum in Pretoria (South Africa) 29 August, 2004 photo M.Kemal (Cesa)




Fig. 4 – Entrance of Transvaal Museum in Pretoria (South Africa) 29 August, 2004 photo M.Kemal (Cesa)



Fig. 5 – Part of the Library Transvaal Museum in Pretoria (South Africa) 29 August, 2004 photo M.Kemal (Cesa)



Fig. 6 – Part of the Library Transvaal Museum in Pretoria (South Africa) 29 August, 2004 photo A.Koçak (Cesa)




Fig. 7 – Part of the Library Transvaal Museum in Pretoria (South Africa) 29 August, 2004 photo M.Kemal (Cesa)

Index of the 1629 Species in Africa with synonyms and distributions

1. **Acantothereva rungsi** Séguy,1935
(*Therevidae*) Synonym(s): rungsi Séguy,1935 MA
2. **Acasilus tigrimontis** Londt,2005
(*Asilidae*) Synonym(s): tigrimontis Londt,2005 ZA
3. **Achaetothorax abyssinicus** (Duda,1923) (*Sphaeroceridae*) Synonym(s): abyssinicus Duda,1923 ET
4. **Achaetothorax acrostichalis** Papp & Norrbom,1992 (*Sphaeroceridae*) Synonym(s): acrostichalis Papp & Norrbom,1992 UG ZR
5. **Achaetothorax completus** Norrbom & Papp,1994 (*Sphaeroceridae*) Synonym(s): completus Norrbom & Papp,1994 KE ZR
6. **Achaetothorax concavus** Norrbom & Papp,1994 (*Sphaeroceridae*) Synonym(s): concavus Norrbom & Papp,1994 UG ZR
7. **Achaetothorax coninckae** Norrbom & Papp,1994 (*Sphaeroceridae*) Synonym(s): coninckae Norrbom & Papp,1994 ZR
8. **Achaetothorax crypticus** Papp & Norrbom,1992 (*Sphaeroceridae*) Synonym(s): crypticus Papp & Norrbom,1992 RW UG TZ ZR
9. **Achaetothorax flavipes** Papp & Norrbom,1992 (*Sphaeroceridae*) Synonym(s): flavipes Papp & Norrbom,1992 UG ZR
10. **Achaetothorax grootaerti** Norrbom & Papp,1994 (*Sphaeroceridae*) Synonym(s): grootaerti Norrbom & Papp,1994 UG ZR
11. **Achaetothorax medialis** Norrbom & Papp,1994 (*Sphaeroceridae*) Synonym(s): medialis Norrbom & Papp,1994 ZR
12. **Achaetothorax pectinatus** Norrbom & Papp,1994 (*Sphaeroceridae*) Synonym(s): pectinatus Norrbom & Papp,1994 ZR
13. **Achaetothorax rhinocerotis** (Richards,1939) (*Sphaeroceridae*) Synonym(s): rhinocerotis Richards,1939 ET KE MZ TZ ZA ZW ZR
14. **Achaetothorax straeleninus** (Richards,1980) (*Sphaeroceridae*) Synonym(s): straeleni Vanschuytbroeck,1959 nec Vansch.,1948; straeleninus Richards,1980 ZR
15. **Achaetothorax trochanteratus** Papp & Norrbom,1992 (*Sphaeroceridae*) Synonym(s): trochanteratus Papp & Norrbom,1992 ZR
16. **Achaetothorax vojnitzi** Papp & Norrbom,1992 (*Sphaeroceridae*) Synonym(s): vojnitzi Papp & Norrbom,1992 KE ZR
17. **Achaetothorax whittingtoni** Norrbom & Papp,1994 (*Sphaeroceridae*) Synonym(s): whittingtoni Norrbom & Papp,1994 ZA
18. **Achlaena grandis** (Westwood,1889) (*Mantidae*) Synonym(s): grandis Westwood,1889; chrysichroma Karsch,1892; rhodii Werner,1908 CI GH GN CM ZR
19. **Achlaenella adolphifrederici** (Rehn,1914) (*Mantidae*) Synonym(s): adolphifrederici Rehn,1914 ZR
20. **Acithespis gigas** Giglio-Tos,1916 (*Mantidae*) Synonym(s): gigas Giglio-Tos,1916 BF GM NG SN
21. **Acnephalum andrenoides** (Wiedemann,1828) (*Asilidae*) Synonym(s): andrenoides Wiedemann,1828 ZA
22. **Acnephalum cockerelli** Curran,1934 (*Asilidae*) Synonym(s): cockerelli Curran,1934 ZA
23. **Acnephalum cylindricum** Oldroyd,1974 (*Asilidae*) Synonym(s): cylindricum Oldroyd,1974 NA
24. **Acnephalum dorsale** Macquart,1838 (*Asilidae*) Synonym(s): dorsale Macquart,1838 ZA
25. **Acnephalum gracilis** (Hermann,1908) (*Asilidae*) Synonym(s): gracilis Hermann,1908 NA ZA BW
26. **Acnephalum platygaster** Loew,1858 (*Asilidae*) Synonym(s): platygaster Loew,1858 NA
27. **Acnephalum quadratum** (Wiedemann,1828) (*Asilidae*) Synonym(s): quadratum Wiedemann,1828 ZA
28. **Aconura amitina** (Melichar,1902) (*Cicadellidae*) Synonym(s): amitina Melichar,1902; inustus Haupt,1927 EG IR IL AZ Cc TM UZ
29. **Aconurella prolixa** (Lethierry,1885) (*Cicadellidae*) Synonym(s): prolixa Lethierry,1885; minutus Haupt,1917; simplex Haupt,1917 (praeocc.); sanguisuga Lindberg,1927; obtusus Metcalf,1955 AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
30. **Acrida bicolor** (Thunberg,1815) (*Acrididae*) Synonym(s): bicolor Thunberg,1815; pellucida Klug,1830; stalii Bolivar,1893; orientalis Bolivar,1919; deminula Bolivar,1922; tessellata Sjöstedt,1931; leopoldi Sjöstedt,1934; algeriana Dirsh,1949; bosporica Dirsh,1949; lombardica Dirsh,1949 SL BF ZA ZR ET DZ EG FR SE TR BF IT
31. **Acrita turrita** (Linnaeus,1758) (*Acrididae*) Synonym(s): turrita Linnaeus,1758; rufescens Beauvois,1805; tenuis Beauvois,1805; carinulata Bolivar,1889; uvarovi Bolivar,1936; maroccana Dirsh,1949; sicula Dirsh,1949; tunetana Dirsh,1949 CV NG BJ MA TN IT Si

- 32. *Acrochordomerus engeli***
Efflatoun,1937 (*Asilidae*) Synonym(s):
engeli Efflatoun,1937 **EG**
- 33. *Acrometopa syriaca* Brunner von Wattenwyl,1878** (*Tettigoniidae*)
Synonym(s): syriaca Brunner von Wattenwyl,1878;
festae Giglio-Tos,1893; elsa Werner,1937 **GR CY**
EG IL Pa LB SY TR IQ
- 34. *Acrospilus brevitatus* (Parent,1937)**
(*Dolichopodidae*) Synonym(s): brevitatus
Parent,1937 **IL Pa ZR TZ**
- 35. *Acrospilus niger* (Loew,1869)**
(*Dolichopodidae*) Synonym(s): niger Loew,1869;
perplexus Becker,1917 **BG RO RU DZ TN**
- 36. *Acrotylus insubricus* (Scopoli,1786)**
(*Acrididae*) Synonym(s): insubricus Scopoli,1786;
maculatum Olivier,1791; fasciatus Fabricius,1793;
maderae Audinet-Serville,1838; inficitus Walker,1870;
variegata Walker,1870; versicolor Burr,1898; biskrensis
Maran,1958 **DZ MA TN ES FR IT HU GR Cr**
RO UA SA EG TR Cc GG AM IQ Bgd Er Shq
CY IR AF PK BI SO
- 37. *Actenodia peyroni* (Reiche,1866)**
(*Meloidae*) Synonym(s): peyroni Reiche,1866;
#peyronis Reiche,1866 **TR SY IL Pa Hf LB EG**
Sn LY Cy
- 38. *Adarrus multinotatus* (Boheman,1847)**
(*Cicadellidae*) Synonym(s): multinotatus
Boheman,1847; micantulus Kirschbaum,1868;
thoracicus Fieber,1869; mayri Fieber,1869 **DZ AT**
BE CS FR DE GB HU IT KP NL PL RO SE
SW TN TR KG RU Sb UA YU
- 39. *Adarrus ocellaris* (Fallén,1806)**
(*Cicadellidae*) Synonym(s): ocellata Scopoli,1763
(praeocc.); ocellaris Fallén,1806; notatifrons
Kirschbaum,1868; sachaninensis Matsumura,1915
DZ AT BE CN CS DK FI FR DE GB HU IE IT
KP MN NL NO PL RO SE SW TN EE GG Cc
Kmt KG LV MD RU Sb Sh UA CA
- 40. *Adelostoma* (s.str.) *abyssinicum***
Haag,1875 (*Tenebrionidae*) Synonym(s):
abyssinicum Haag,1875 **ET**
- 41. *Adelostoma* (s.str.) *sulcatum***
Duponchel,1827 (*Tenebrionidae*)
Synonym(s): sulcatum Duponchel,1827 **TR ES**
MA DZ CY SY EG
- 42. *Adelostoma* (Zarudnyomus)**
abyssinicum (Haag-Rutenberg,1875)
(*Tenebrionidae*) Synonym(s): abyssinicum
Haag-Rutenberg,1875 **ET SO EG**
- 43. *Adelostoma* (Zarudnyomus)**
abyssinicum hirsutum (Koch,1935)
(*Tenebrionidae*) Synonym(s): hirsutum
Koch,1935 **EG**
- 44. *Adelostoma* (Zarudnyomus) *gilloni***
Ardoïn,1976 (*Tenebrionidae*) Synonym(s):
gilloni Ardoïn,1976 **SN NE**
- 45. *Adesmia* (Oteroscelis) *bicarinata***
Klug,1830 (*Tenebrionidae*) Synonym(s):
bicarinata Klug,1830; villae Osculati,1844 **EG IR**
- 46. *Adesmia* (Oteroscelis) *elevata***
Solier,1835 (*Tenebrionidae*) Synonym(s):
elevata Solier,1835 **SY EG**
- 47. *Adesmia* (Oteroscelis) *lacunosa***
Klug,1830 (*Tenebrionidae*) Synonym(s):
lacunosa Klug,1830 **SY IR SA EG**
- 48. *Adesmia* (s.str.) *abyssinica***
Reiche,1850 (*Tenebrionidae*) Synonym(s):
abyssinica Reiche,1850 **ET**
- 49. *Adesmia* (s.str.) *aethiopia* Allard,1885**
(*Tenebrionidae*) Synonym(s): aethiopia
Allard,1885 **ET**
- 50. *Adesmia* (s.str.) *metallica* Klug,1830**
(*Tenebrionidae*) Synonym(s): metallica
Klug,1830; syriaca Baudi,1874 **EG SY IR**
- 51. *Adesmia* (s.str.) *monilis* Klug,1830**
(*Tenebrionidae*) Synonym(s): monilis Klug,1830
SY EG
- 52. *Adesmia* (s.str.) *montana* Klug,1830**
(*Tenebrionidae*) Synonym(s): montana
Klug,1830; parallela Miller,1861 **SA EG Sn IR**
- 53. *Adesmia* (s.str.) *paiva* Haag,1875**
(*Tenebrionidae*) Synonym(s): paiva Haag,1875
ZA
- 54. *Adesmia* (s.str.) *porcata***
(Fabricius,1781) (*Tenebrionidae*)
Synonym(s): porcata Fabricius,1781 **ZA**
- 55. *Adesmia* (s.str.) *punctigera***
(Allard,1885) (*Tenebrionidae*) Synonym(s):
punctigera Allard,1885 **AO**
- 56. *Adesmia* (s.str.) *reticulata* Klug,1830**
(*Tenebrionidae*) Synonym(s): reticulata
Klug,1830 **SA ET**
- 57. *Adesmia* (s.str.) *solieri* Lucas,1844**
(*Tenebrionidae*) Synonym(s): solieri Lucas,1844
DZ
- 58. *Adrastus limbatus* (Fabricius,1776)**
(*Elateridae*) Synonym(s): limbatus Fabricius,1776
DZ TR RU Sb GR
- 59. *Aeoloderma crucifer* (Rossi,1790)**
(*Elateridae*) Synonym(s): crucifer Rossi,1790
DZ GR TR RU
- 60. *Aeoloides figuratus* (Germar,1844)**
(*Elateridae*) Synonym(s): figuratus Germar,1844;
turcomanus Candèze,1889 **DZ TR TM SY IR IQ**
TM TJ
- 61. *Aethiessa feralis* Erichson,1871**
(*Scarabaeidae*) Synonym(s): feralis Erichson,1871
DZ MA
- 62. *Aethiessa floralis* (Fabricius,1787)**
(*Scarabaeidae*) Synonym(s): floralis
Fabricius,1787; refulgens Herbst,1790; aupick Gory &
Percheson,1833; barbara Gory & Percheson,1833;
doguerau Gory & Percheson,1833; viridiflua
Motschulsky,1835; deserticola Walzl,1838 **DZ TN**
MA LY Cy ES IT Si
- 63. *Aethiessa martini* Bedel,1889**
(*Scarabaeidae*) Synonym(s): martini Bedel,1889
DZ

64. **Aethiessa mesopotamica**
Burmeister,1842 (*Scarabaeidae*)
Synonym(s): mesopotamica Burmeister,1842;
inhumata Brasavola,1939 **DZ SA TR Cc AM IR**
RU TM
65. **Afroepitriptus beckeri Lehr,1992**
(*Asilidae*) Synonym(s): beckeri Lehr,1992 **MA**
66. **Afroestricus abyssinia**
Scarbrough,2005 (*Asilidae*) Synonym(s):
abyssinia Scarbrough,2005 **ET**
67. **Afroestricus chiasoneurus**
(Speiser,1910) (*Asilidae*) Synonym(s):
chiasoneurus Speiser,1910; senex Bromley,1936 **TZ**
ZA BF ZR ET KE MW MZ ZW
68. **Afroestricus eminentis**
Scarbrough,2005 (*Asilidae*) Synonym(s):
eminentis Scarbrough,2005 **MW MZ**
69. **Afroestricus fulaui Scarbrough,2005**
(*Asilidae*) Synonym(s): fulaui Scarbrough,2005
SN GM
70. **Afroestricus hamulus**
Scarbrough,2005 (*Asilidae*) Synonym(s):
hamulus Scarbrough,2005 **MW**
71. **Afroestricus insectaris**
Scarbrough,2005 (*Asilidae*) Synonym(s):
insectaris Scarbrough,2005 **UG RW KE**
72. **Afroestricus kimerus Scarbrough,2005**
(*Asilidae*) Synonym(s): kimerus Scarbrough,2005
UG KE
73. **Afroestricus macroscelis (Bezzi,1906)**
(*Asilidae*) Synonym(s): macroscelis Bezzi,1906
ET
74. **Afroestricus minutus (Bromley,1936)**
(*Asilidae*) Synonym(s): minutus Bromley,1936
ZA BW MW ML NA ZW
75. **Afroestricus morani Scarbrough,2005**
(*Asilidae*) Synonym(s): morani Scarbrough,2005
UG TZ
76. **Afroestricus persuasus (Oldroyd,1960)**
(*Asilidae*) Synonym(s): persuasus Oldroyd,1960
MG
77. **Afroestricus sadaukii**
Scarbrough,2005 (*Asilidae*) Synonym(s):
sadaukii Scarbrough,2005 **NG GH**
78. **Afroestricus sankofa Scarbrough,2005**
(*Asilidae*) Synonym(s): sankofa Scarbrough,2005
GH
79. **Afroestricus variabilis (Engel,1929)**
(*Asilidae*) Synonym(s): variabilis Engel,1929;
munori Bromley,1936; bevisis Bromley,1947 **ZA MZ**
ZM
80. **Afroestricus varipes (Curran,1927)**
(*Asilidae*) Synonym(s): varipes Curran,1927;
garambensis Oldroyd,1970 **ZR AO BF CM CG NG**
RW UG
81. **Afroestricus velatus Scarbrough,2005**
(*Asilidae*) Synonym(s): velatus Scarbrough,2005
NG NA ZR AO
82. **Afroestricus verutus Scarbrough,2005**
(*Asilidae*) Synonym(s): verutus Scarbrough,2005
ZR
83. **Afroestricus victus Scarbrough,2005**
(*Asilidae*) Synonym(s): victus Scarbrough,2005
TZ KE
84. **Afroestricus vittatus (Curran,1927)**
(*Asilidae*) Synonym(s): vittatus Curran,1927 **TD**
ZR AO GA ML SN UG YE
85. **Afroestricus vorax Scarbrough,2005**
(*Asilidae*) Synonym(s): vorax Scarbrough,2005
UG NE
86. **Afroholopogon africanus**
(Ricardo,1925) (*Asilidae*) Synonym(s):
africanus Ricardo,1925 **NA ZA**
87. **Afroholopogon anassa Londt,2005**
(*Asilidae*) Synonym(s): anassa Londt,2005 **ZA**
88. **Afroholopogon argos Londt,2005**
(*Asilidae*) Synonym(s): argos Londt,2005 **ZA**
89. **Afroholopogon aspros Londt,2005**
(*Asilidae*) Synonym(s): aspros Londt,2005 **ZA**
90. **Afroholopogon capensis**
(Lindner,1961) (*Asilidae*) Synonym(s):
capensis Lindner,1961; tomentosus Oldroyd,1974 **ZA**
Ec
91. **Afroholopogon chirundu Londt,2005**
(*Asilidae*) Synonym(s): chirundu Londt,2005
ZA ZW
92. **Afroholopogon dasys Londt,2005**
(*Asilidae*) Synonym(s): dasys Londt,2005 **OM**
Sk YE ET
93. **Afroholopogon fugax (Loew,1858)**
(*Asilidae*) Synonym(s): fugax Loew,1858 **NA**
ZA
94. **Afroholopogon mauros Londt,2005**
(*Asilidae*) Synonym(s): mauros Londt,2005 **NA**
ZA BW
95. **Afroholopogon meilloni**
(Oldroyd,1974) (*Asilidae*) Synonym(s):
meilloni Oldroyd,1974 **ZA**
96. **Afroholopogon melas Londt,2005**
(*Asilidae*) Synonym(s): melas Londt,2005 **ZA**
97. **Afroholopogon pardosoros Londt,2005**
(*Asilidae*) Synonym(s): pardosoros Londt,2005
ZA
98. **Afroholopogon peregrinus**
(Engel,1929) (*Asilidae*) Synonym(s):
peregrinus Engel,1929 **ZA**
99. **Afroholopogon tanystylos Londt,2005**
(*Asilidae*) Synonym(s): tanystylos Londt,2005
ZA
100. **Afroholopogon uranopia**
Londt,2005 (*Asilidae*) Synonym(s): uranopia
Londt,2005 **ZA**
101. **Afroholopogon vumba**
(Oldroyd,1974) (*Asilidae*) Synonym(s):
vumba Oldroyd,1974 **ZW**
102. **Afroholopogon waltlii**
(Meigen,1838) (*Asilidae*) Synonym(s):
waltlii Meigen,1838 **ES? MA?**

103. **Afroholopogon xeros** Londt,2005
(*Asilidae*) Synonym(s): xeros Londt,2005 NA ZA
104. **Afromelittodes mimos** Londt,2003
(*Asilidae*) Synonym(s): mimos Londt,2003 NA ZA
105. **Afromelittodes solis** Oldroyd & Bruggen,1963 (*Asilidae*) Synonym(s): solis Oldroyd & Bruggen,1963 ZA
106. **Afromochtherus anatolicus** Londt,2002 (*Asilidae*) Synonym(s): anatolicus Londt,2002 ZA
107. **Afromochtherus annulata** (Martin,1964) (*Asilidae*) Synonym(s): annulata Martin,1964 MG
108. **Afromochtherus astiptus** Londt,2002 (*Asilidae*) Synonym(s): astiptus Londt,2002 NA
109. **Afromochtherus atrox** (Tsacas,1969) (*Asilidae*) Synonym(s): atrox Tsacas,1969 ZR
110. **Afromochtherus fanovanensis** (Bromley,1942) (*Asilidae*) Synonym(s): fanovanensis Bromley,1942 MG
111. **Afromochtherus griseola** (Oldroyd,1960) (*Asilidae*) Synonym(s): griseola Oldroyd,1960 MG
112. **Afromochtherus kolodrilus** Londt,2002 (*Asilidae*) Synonym(s): kolodrilus Londt,2002 ZA
113. **Afromochtherus malawi** Londt,2002 (*Asilidae*) Synonym(s): malawi Londt,2002 MW
114. **Afromochtherus megastylus** Londt,2002 (*Asilidae*) Synonym(s): megastylus Londt,2002 NA
115. **Afromochtherus melanurus** Londt,2002 (*Asilidae*) Synonym(s): melanurus Londt,2002 ZA
116. **Afromochtherus mendax** (Tsacas,1969) (*Asilidae*) Synonym(s): mendax Tsacas,1969 NA ZA ZW
117. **Afromochtherus mkomazi** Londt,2002 (*Asilidae*) Synonym(s): mkomazi Londt,2002 TZ
118. **Afromochtherus peri** Londt,2002 (*Asilidae*) Synonym(s): peri Londt,2002 ZA ZW BW
119. **Afromochtherus rufinota** (Martin,1964) (*Asilidae*) Synonym(s): rufinota Martin,1964 MG
120. **Afromochtherus sathus** Londt,2002 (*Asilidae*) Synonym(s): sathus Londt,2002 ZM ZW
121. **Afromochtherus unctus** (Oldroyd,1939) (*Asilidae*) Synonym(s): unctus Oldroyd,1939 KE MW
122. **Afromochtherus zoropegus** Londt,2002 (*Asilidae*) Synonym(s): zoropegus Londt,2002 ZA
123. **Afroscleropogon armatus** (Oldroyd,1974) (*Asilidae*) Synonym(s): armatus Oldroyd,1974 NA ZA BW
124. **Afroscleropogon braunsi** (Oldroyd,1974) (*Asilidae*) Synonym(s): braunsi Oldroyd,1974 NA ZA
125. **Afroscleropogon bullingtoni** Londt,1999 (*Asilidae*) Synonym(s): bullingtoni Londt,1999 NA
126. **Afroscleropogon clements** Londt,1999 (*Asilidae*) Synonym(s): clements Londt,1999 ZA
127. **Afroscleropogon dilutus** (Walker,1851) (*Asilidae*) Synonym(s): dilutus Walker,1851; holoxanthus Hermann,1907; pygmaeus Hull,1967 ZA
128. **Afroscleropogon lavignei** Londt,1999 (*Asilidae*) Synonym(s): lavignei Londt,1999 NA ZA
129. **Afroscleropogon nagatomii** Londt,1999 (*Asilidae*) Synonym(s): nagatomii Londt,1999 ZA
130. **Afrothespis dudleyi** Roy,2006 (*Mantidae*) Synonym(s): dudleyi Roy,2006 MW
131. **Agabus (Acatodes) lapponicus** (Thomson,1867) (*Dytiscidae*) Synonym(s): lapponicus Thomson,1867; obovatus Sahlberg,1875; obscuripennis Sahlberg,1875 FI SE FR IT NO RU ES SZ TR MN
132. **Agabus (Acatodes) sturmii** Gyllenhal,1808 (*Dytiscidae*) Synonym(s): sturmii Gyllenhal,1808; goedelii A.Villa & G.B.Villa,1833; fallax Munster,1932 AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
133. **Agabus (Gaurodytes) biguttatus** (Olivier,1795) (*Dytiscidae*) Synonym(s): biguttatus Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
134. **Agabus (s.str.) labiatus** (Brahm,1790) (*Dytiscidae*) Synonym(s): labiatus Brahm,1790; femoralis Paykull,1798; impressus Zoubkoff,1833; assimilis Sturm,1834; hochhuti Zaitsev,1908; transcausicus Zaitzev,1927 AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
135. **Agallia harrarensis** Melichar,1911 (*Cicadellidae*) Synonym(s): harrarensis Melichar,1911 ES Cn EG IR IQ IT MA Cc AM
136. **Agallia hispanica** Horvath,1900 (*Cicadellidae*) Synonym(s): hispanica Horvath,1900 IL MA PT ES

137. **Agallia venosa (Fourcroy,1785)** (*Cicadellidae*) Synonym(s): venosa Fourcroy,1785 AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
138. **Agalmatium bilobum (Fieber,1877)** (*Issidae*) Synonym(s): bilobum Fieber,1877 FR GR IL IT Sa ES SY TN TR UA Cm
139. **Aglena ornata (Herrich-Schäffer,1838)** (*Cicadellidae*) Synonym(s): ornata Herrich-Schäffer,1838; pallida Walker,1851 (praeocc.); ornatula Kirkaldy,1906 AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
140. **Agrilus (Anambus) buresi Obenberger,1935** (*Buprestidae*) Synonym(s): buresi Obenberger,1935 DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
141. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (*Buprestidae*) Synonym(s): derasofasciatus Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
142. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (*Buprestidae*) Synonym(s): obscuricollis Kiesenwetter,1857 TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
143. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (*Buprestidae*) Synonym(s): roscidus Kiesenwetter,1857 DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
144. **Agrilus (s.str.) hyperici (Creutzer,1799)** (*Buprestidae*) Synonym(s): hyperici Creutzer,1799 AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
145. **Agrionopsis brachyptera Beier,1942** (*Mantidae*) Synonym(s): brachyptera Beier,1942 TZ
146. **Agrionopsis congica Giglio-Tos,1916** (*Mantidae*) Synonym(s): congica Giglio-Tos,1916 ZR
147. **Agrionopsis distanti (Kirby,1899)** (*Mantidae*) Synonym(s): distanti Kirby,1899 ZM ZW
148. **Agrionopsis modesta Werner,1908** (*Mantidae*) Synonym(s): modesta Werner,1908 KE ZR TZ UG
149. **Agriotes (s.str.) litigious (Rossi,1792)** (*Elateridae*) Synonym(s): litigious Rossi,1792 AT BG FR Co IT GR MK SL CH ES TR?
150. **Agriotes (s.str.) proximus Schwarz,1891** (*Elateridae*) Synonym(s): proximus Schwarz,1891; lineatoides Reitter,1911 MA TR
151. **Agriotes (s.str.) sputator (Linnaeus,1758)** (*Elateridae*) Synonym(s): sputator Linnaeus,1758 GR TR DZ MN US
152. **Agriotes (s.str.) ustulatus (Schaller,1783)** (*Elateridae*) Synonym(s): ustulatus Schaller,1783 SK GR TR DZ Cc BR
153. **Agrostomyia dimorpha Londt,1994** (*Asilidae*) Synonym(s): dimorpha Londt,1994 ZA
154. **Aguriahana germari (Zetterstedt,1840)** (*Cicadellidae*) Synonym(s): germari Zetterstedt,1840 DZ AT BE BG CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
155. **Aguriahana stellulata (Burmeister,1841)** (*Cicadellidae*) Synonym(s): stellulata Burmeister,1841 DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
156. **Aiolopus simulatrix (Walker,1870)** (*Acrididae*) Synonym(s): simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922 EG TR IN IR SC ZW ZM ZA
157. **Aiolopus thalassinus (Fabricius,1781)** (*Acrididae*) Synonym(s): thalassinus Fabricius,1781; grossum Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953 Cn CH GR Rd DE IT AT TR CY Cc RU ZR
158. **Akis italica Solier,1836** (*Tenebrionidae*) Synonym(s): italica Solier,1836 IT DZ MA
159. **Akis latreillei Solier,1836** (*Tenebrionidae*) Synonym(s): latreillei Solier,1836 TR SY CY EG
160. **Akis spinosa (Linnaeus,1764)** (*Tenebrionidae*) Synonym(s): spinosa Linnaeus,1764 IT Sa Si DZ TR
161. **Alalomantis coxalis (Saussure & Zehntner,1895)** (*Mantidae*) Synonym(s): coxalis Saussure & Zehntner,1895 ZR UG Rz BI
162. **Alalomantis muta (Wood-Mason,1882)** (*Mantidae*) Synonym(s): muta Wood-Mason,1882 UG
163. **Alcimus aethiopicus Bigot,1891** (*Asilidae*) Synonym(s): aethiopicus Bigot,1891 CI
164. **Alcimus anax Speiser,1924** (*Asilidae*) Synonym(s): anax Speiser,1924 TZ
165. **Alcimus angustipennis Loew,1858** (*Asilidae*) Synonym(s): angustipennis Loew,1858 ZA
166. **Alcimus brevipennis Ricardo,1922** (*Asilidae*) Synonym(s): brevipennis Ricardo,1922 ZA
167. **Alcimus cuthbertsoni Hobby,1934** (*Asilidae*) Synonym(s): cuthbertsoni Hobby,1934 ZW

- 168. *Alcimus limbatus* (Macquart,1838)**
(*Asilidae*) Synonym(s): limbatus Macquart,1838
SN GM
- 169. *Alcimus longipes* (Macquart,1838)**
(*Asilidae*) Synonym(s): longipes Macquart,1838;
alamanus Walker,1849; perlonga Walker,1851; longurio
Loew,1858 ZA
- 170. *Alcimus mimus* (Wiedemann,1828)**
(*Asilidae*) Synonym(s): mimus Wiedemann,1828
ZA
- 171. *Alcimus nigrescens* Ricardo,1922**
(*Asilidae*) Synonym(s): nigrescens Ricardo,1922
MW
- 172. *Alcimus nigropalpus* Hobby,1934**
(*Asilidae*) Synonym(s): nigropalpus Hobby,1934
TZ
- 173. *Alcimus porrectus* (Walker,1851)**
(*Asilidae*) Synonym(s): porrectus Walker,1851
ZA
- 174. *Alcimus rubicundus* Hobby,1934**
(*Asilidae*) Synonym(s): rubicundus Hobby,1934
KE
- 175. *Alcimus rubiginosus***
Gerstaecker,1871 (*Asilidae*) Synonym(s):
rubiginosus Gerstaecker,1871 UG TZ MW
- 176. *Alcimus setifemoratus* Hobby,1934**
(*Asilidae*) Synonym(s): setifemoratus Hobby,1934
ZW
- 177. *Alcimus stenurus* Loew,1858**
(*Asilidae*) Synonym(s): stenurus Loew,1858 ZA
- 178. *Alcimus taeniopus* (Rondani,1873)**
(*Asilidae*) Synonym(s): taeniopus Rondani,1873
MW NG ET
- 179. *Alcimus tigris* Karsch,1888** (*Asilidae*)
Synonym(s): tigris Karsch,1888 TZ
- 180. *Alcimus tristrigatus* Loew,1858**
(*Asilidae*) Synonym(s): tristrigatus Loew,1858
TZ ZA
- 181. *Alebra albostriella* (Fallén,1826)**
(*Cicadellidae*) Synonym(s): albostriella
Fallén,1826; elegantula Zetterstedt,1828; discicollis
Herrich-Schäffer,1834; fasciata Curtis,1837; fulveola
Herrich-Schäffer,1838; eximia Hardy,1850; fastuosa
Graff, Six & Snellen,1862; viridis Rey,1894;
flavocephala Kupka,1899; diluta Ribaut,1936; dufouri
Ribaut,1936 DZ AT Az BE BG CS DK FR DE
GB HU IE IL IT JO Md NL NO PL PT RO ES
SE SW SY TR EE Cc GG LV MD RU UA YU
- 182. *Alebra wahlbergi* (Boheman,1845)**
(*Cicadellidae*) Synonym(s): wahlbergi
Boheman,1845; insignita McAtee,1926; pallescens
Ribaut,1936; brunnea Ribaut,1936 DZ AT BE CS
DK FR DE GB HU IT NL NO PL SE SW TR
LV MD RU UA YU
- 183. *Allygidius atomarius***
(Fabricius,1794) (*Cicadellidae*) Synonym(s):
reticulata Thunberg,1784 (praeocc.); atomarius
Fabricius,1794; conspicillaris Schrank,1801; heydeni
Kirschbaum,1868 AL AT BG CS DK FR DE HU
IT NL PL RO ES TN AM AZ Cc LV MD UA
YU
- 184. *Allygidius furcatus* (Ferrari,1882)**
(*Cicadellidae*) Synonym(s): furcatus Ferrari,1882
DZ AT CS FR HU IR IT IL PL RO Cc AM MD
UA YU
- 185. *Allygus commutatus* Fieber,1872**
(*Cicadellidae*) Synonym(s): commutatus
Fieber,1872 AL DZ AT BE BG CS DK FI FR
DE GB HU IT Si NL NO PL RO SE TN GG Cc
KG LV MD RU Sb At UA YU
- 186. *Allygus mixtus* (Fabricius,1794)**
(*Cicadellidae*) Synonym(s): mixtus
Fabricius,1794; marmorata Hardy,1850; communis
Ferrari,1882; corisipennis Ferrari,1882; juvenis
Ferrari,1882; margaritinus Ferrari,1882; gracilis
Rey,1894; immunis Rey,1894 AL DZ AT BE BG
CS DK FI FR DE GB HU IE IT NL NO PL PT
RO ES SE SW TN KG LV MD UA YU TR CA
- 187. *Allygus provincialis* (Ferrari,1882)**
(*Cicadellidae*) Synonym(s): provincialis
Ferrari,1882 BG FR IT MA PT
- 188. *Alosimus syriacus* (Linnaeus,1758)**
(*Meloidae*) Synonym(s): syriacus Linnaeus,1758;
austriacus Schrank,1781 LY EG Sn IL Pa TR Cc
SY RU RO BG AT
- 189. *Amathomyia persiana***
Hermann,1912 (*Asilidae*) Synonym(s):
persiana Hermann,1912; persiana Becker,1913 KG
IR TN
- 190. *Amblychirus brevior***
(Fairmaire,1897) (*Tenebrionidae*)
Synonym(s): brevior Fairmaire,1897 LS ZA Fs
- 191. *Amblychirus pseudobrevior***
Iwan,1997 (*Tenebrionidae*) Synonym(s):
pseudobrevior Iwan,1997 ZA Ec
- 192. *Amblychirus tenebrosus* (Mulsant**
& Rey,1853) (*Tenebrionidae*) Synonym(s):
tenebrosus Mulsant & Rey,1853 ZA Ec
- 193. *Ameles aegyptiaca* Werner,1913**
(*Mantidae*) Synonym(s): aegyptiaca Werner,1913
EG
- 194. *Ameles africana* Bolivar,1914**
(*Mantidae*) Synonym(s): africana Bolivar,1914
DZ MA FR Co HV IT Si Sa PT
- 195. *Ameles assoi* (Bolivar,1873)**
(*Mantidae*) Synonym(s): assoi Bolivar,1873 ES
MA TN
- 196. *Ameles decolor* (Charpentier,1825)**
(*Mantidae*) Synonym(s): decolor
Charpentier,1825 ES FR DZ IT Si MK GR
- 197. *Ameles dumonti* Chopard,1943**
(*Mantidae*) Synonym(s): dumonti Chopard,1943
MA TN
- 198. *Ameles heldreichi* Brunner von**
Wattenwyl,1882 (*Mantidae*) Synonym(s):
heldreichi Brunner von Wattenwyl,1882 TR GR IL
Pa LY CY
- 199. *Ameles maroccana* Uvarov,1931**
(*Mantidae*) Synonym(s): maroccana Uvarov,1931
MA

- 200. Ameles modesta (Bolivar,1914)**
(Mantidae) Synonym(s): modesta Bolivar,1914 MA
- 201. Ameles moralesi Bolivar,1936**
(Mantidae) Synonym(s): moralesi Bolivar,1936 MA
- 202. Ameles picteti (Saussure,1869)**
(Mantidae) Synonym(s): picteti Saussure,1869 DZ ES IT Si
- 203. Ameles poggii Lombardo,1986**
(Mantidae) Synonym(s): poggii Lombardo,1986 LY
- 204. Ameles spallanzania (Rossi,1792)**
(Mantidae) Synonym(s): spallanzania Rossi,1792 AL DZ FR GR IT HV MA PT ES
- 205. Ammodaimon acares Londt,1985**
(Asilidae) Synonym(s): acares Londt,1985 NA
- 206. Ammophilomima aequinoctialis Janssens,1953 (Asilidae)** Synonym(s): aequinoctialis Janssens,1953 ZR
- 207. Ammophilomima auripennis Janssens,1953 (Asilidae)** Synonym(s): auripennis Janssens,1953 ZR
- 208. Ammophilomima basilewskyi Janssens,1953 (Asilidae)** Synonym(s): basilewskyi Janssens,1953 ZR
- 209. Ammophilomima eumenoides Janssens,1953 (Asilidae)** Synonym(s): eumenoides Janssens,1953 ZR
- 210. Ammophilomima evanescens Janssens,1953 (Asilidae)** Synonym(s): evanescens Janssens,1953 ZR
- 211. Ammophilomima ghesquierei Janssens,1953 (Asilidae)** Synonym(s): ghesquierei Janssens,1953 ZR
- 212. Ammophilomima imitatrix Enderlein,1914 (Asilidae)** Synonym(s): imitatrix Enderlein,1914 NG CM
- 213. Ammophilomima kenyae Martin,1973 (Asilidae)** Synonym(s): kenyae Martin,1973 KE
- 214. Ammophilomima straeleni Janssens,1953 (Asilidae)** Synonym(s): straeleni Janssens,1953 NG ZR
- 215. Amnodeis confluens Miller,1858 (Tenebrionidae)** Synonym(s): confluens Miller,1858 IQ EG
- 216. Ampedus cinnabarinus (Eschscholtz,1829) (Elateridae)**
Synonym(s): cinnabarinus Eschscholtz,1829; atropilosus Reitter,1918 TR GR Cc RU Sb DZ
- 217. Ampedus sanguineus (Linnaeus,1758) (Elateridae)** Synonym(s): sanguineus Linnaeus,1758 DZ GR TR RU Sb
- 218. Amphisbetetus affinis Hermann,1906 (Asilidae)** Synonym(s): affinis Hermann,1906 DZ
- 219. Amphisbetetus dorsatus Becker,1913 (Asilidae)** Synonym(s): dorsatus Becker,1913; rufipes Engel,1930 RU KG IL Pa IR TR EG
- 220. Amphisbetetus gederati Efflatoun,1937 (Asilidae)** Synonym(s): gederati Efflatoun,1937 EG IL Pa
- 221. Anaceratogallia laevis (Ribaut,1935) (Cicadellidae)** Synonym(s): laevis Ribaut,1935 AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
- 222. Anacridium aegyptium (Linnaeus,1764) (Acrididae)** Synonym(s): aegyptium Linnaeus,1764; lineola Fabricius,1781; nubecula Thunberg,1815; campanum Costa,1836; tataricum Burmeister,1838; albidiferum Walker,1870; indecisum Walker,1870; stuardoi Liebermann,1943 IT EG Sn TR RU ZA CL AR
- 223. Anasillomos chrysopos Londt,1983 (Asilidae)** Synonym(s): chrysopos Londt,1983 NA ZA BW
- 224. Anchophthalmops brevipleurum Koch,1956 (Tenebrionidae)** Synonym(s): brevipleurum Koch,1956 ZW MZ TZ
- 225. Anchophthalmops elevatus (Gerstraecker,1871) (Tenebrionidae)** Synonym(s): elevatus Gerstraecker,1871 TZ
- 226. Anchophthalmops lundbladi (Koch,1956) (Tenebrionidae)** Synonym(s): lundbladi Koch,1956 TZ
- 227. Anchophthalmops maximus Koch,1956 (Tenebrionidae)** Synonym(s): maximus Koch,1956 TZ
- 228. Anchophthalmops menouxi (Mulsant & Rey,1953) (Tenebrionidae)** Synonym(s): menouxi Mulsant & Rey,1953; sayi Horn,1870; trivialis Gerstraecker,1871 TZ Zz KE MG
- 229. Anchophthalmops ventralis (Gebien,1910) (Tenebrionidae)** Synonym(s): ventralis Gebien,1910 TZ
- 230. Anchophthalmus algoensis Péringuey,1904 (Tenebrionidae)** Synonym(s): algoensis Péringuey,1904 MZ ZA
- 231. Anchophthalmus altioricola Koch,1956 (Tenebrionidae)** Synonym(s): altioricola Koch,1956 TZ
- 232. Anchophthalmus backlundii Ferrer,1983 (Tenebrionidae)** Synonym(s): backlundii Ferrer,1983 ZW
- 233. Anchophthalmus barbosai (Koch,1956) (Tenebrionidae)** Synonym(s): barbosai Koch,1956 MZ
- 234. Anchophthalmus bredoi Koch,1956 (Tenebrionidae)** Synonym(s): bredoi Koch,1956 ZM
- 235. Anchophthalmus brevis Koch,1956 (Tenebrionidae)** Synonym(s): brevis Koch,1956 ZR

- 236. *Anchophthalmus cariniceps***
Koch,1956 (*Tenebrionidae*) Synonym(s):
cariniceps Koch,1956 **ZR**
- 237. *Anchophthalmus clathratus***
(Fahraeus,1870) (*Tenebrionidae*)
Synonym(s): clathratus Fahraeus,1870; fahraei
Péringuey,1904 **ZA Tva Lpo BW**
- 238. *Anchophthalmus curvipes***
Koch,1956 (*Tenebrionidae*) Synonym(s):
curvipes Koch,1956 **ZR**
- 239. *Anchophthalmus dentipes***
Gerstraecker,1854 (*Tenebrionidae*)
Synonym(s): dentipes Gerstraecker,1854; indigus
Péringuey,1904 **ZW MZ**
- 240. *Anchophthalmus eurychoroides***
Koch,1956 (*Tenebrionidae*) Synonym(s):
eurychoroides Koch,1956 **ZR**
- 241. *Anchophthalmus gerstaeckeri***
Iwan,2002 (*Tenebrionidae*) Synonym(s):
clathratus Gerstraecker,1871 nec Fahr.,1870;
gerstaeckeri Iwan,2002 **KE TZ**
- 242. *Anchophthalmus katangicus***
Koch,1956 (*Tenebrionidae*) Synonym(s):
katangicus Koch,1956 **ZR**
- 243. *Anchophthalmus mittoni***
Koch,1956 (*Tenebrionidae*) Synonym(s):
mittoni Koch,1956 **ZW**
- 244. *Anchophthalmus nyassicus***
Koch,1956 (*Tenebrionidae*) Synonym(s):
nyassicus Koch,1956 **MZ**
- 245. *Anchophthalmus obsoletus***
(Ancey,1877) (*Tenebrionidae*) Synonym(s):
obsoletus Ancey,1877 **ZR TZ**
- 246. *Anchophthalmus oncotipes***
Koch,1956 (*Tenebrionidae*) Synonym(s):
oncotipes Koch,1956 **ZW**
- 247. *Anchophthalmus pedestris***
Koch,1956 (*Tenebrionidae*) Synonym(s):
pedestris Koch,1956 **ZR**
- 248. *Anchophthalmus plicipennis***
Péringuey,1904 (*Tenebrionidae*)
Synonym(s): plicipennis Péringuey,1904 **ZR TZ**
ZW
- 249. *Anchophthalmus pulvereus***
Koch,1956 (*Tenebrionidae*) Synonym(s):
pulvereus Koch,1956 **ZR**
- 250. *Anchophthalmus silphoides***
Gerstaecker,1854 (*Tenebrionidae*)
Synonym(s): silphoides Gerstaecker,1854 **ZA MZ**
BW
- 251. *Anchophthalmus simplex***
Koch,1956 (*Tenebrionidae*) Synonym(s):
simplex Koch,1956 **TZ**
- 252. *Anchophthalmus soleatus***
Koch,1956 (*Tenebrionidae*) Synonym(s):
soleatus Koch,1956 **ZR**
- 253. *Anchophthalmus spinipes***
Koch,1956 (*Tenebrionidae*) Synonym(s):
spinipes Koch,1956 **ZR**
- 254. *Anchophthalmus straeleni***
Koch,1956 (*Tenebrionidae*) Synonym(s):
straeleni Koch,1956 **ZR**
- 255. *Anchophthalmus striolipennis***
Koch,1956 (*Tenebrionidae*) Synonym(s):
striolipennis Koch,1956 **ZR**
- 256. *Ancylorhynchus braunsi***
Bromley,1936 (*Asilidae*) Synonym(s):
braunsi Bromley,1936 **ZA**
- 257. *Ancylorhynchus cruciger***
(Loew,1858) (*Asilidae*) Synonym(s):
cruciger Loew,1858 **ZA ZW**
- 258. *Ancylorhynchus crux Bezzi,1908***
(Asilidae) Synonym(s): crux Bezzi,1908; apicalis
Curran,1934; splendens Bromley,1936 **MW ZR ZW**
ZA ZM
- 259. *Ancylorhynchus elbaiensis***
Efflatoun,1937 (*Asilidae*) Synonym(s):
elbaiensis Efflatoun,1937 **EG SD**
- 260. *Ancylorhynchus fulvicollis***
(Bigot,1879) (*Asilidae*) Synonym(s):
fulvicollis Bigot,1879 **ZA**
- 261. *Ancylorhynchus funebris***
Bromley,1936 (*Asilidae*) Synonym(s):
funebris Bromley,1936 **MZ**
- 262. *Ancylorhynchus gummigutta***
Becker,1906 (*Asilidae*) Synonym(s):
gummigutta Becker,1906 **MA**
- 263. *Ancylorhynchus humeralis***
(Wiedemann,1821) (*Asilidae*) Synonym(s):
humeralis Wiedemann,1821 **ZA**
- 264. *Ancylorhynchus hylaeiformis***
Speiser,1910 (*Asilidae*) Synonym(s):
hylaeiformis Speiser,1910 **TZ**
- 265. *Ancylorhynchus insignis***
Bromley,1936 (*Asilidae*) Synonym(s):
insignis Bromley,1936 **ZA**
- 266. *Ancylorhynchus limbatus***
(Fabricius,1794) (*Asilidae*) Synonym(s):
limbatus Fabricius,1794; laufferi Strobls,1906 **ES**
MA TN
- 267. *Ancylorhynchus maculatus***
(Bigot,1879) (*Asilidae*) Synonym(s):
maculatus Bigot,1879 **ZA**
- 268. *Ancylorhynchus magnificus***
Bromley,1936 (*Asilidae*) Synonym(s):
magnificus Bromley,1936 **MW ZA ZW**
- 269. *Ancylorhynchus munroi***
Bromley,1936 (*Asilidae*) Synonym(s):
munroi Bromley,1936 **ZA**
- 270. *Ancylorhynchus nomadus***
(Wiedemann,1828) (*Asilidae*) Synonym(s):
nomadus Wiedemann,1828 **NG**
- 271. *Ancylorhynchus nyukinus***
Speiser,1910 (*Asilidae*) Synonym(s):
nyukinus Speiser,1910 **TZ**
- 272. *Ancylorhynchus oldroydi***
Lindner,1961 (*Asilidae*) Synonym(s):
oldroydi Lindner,1961 **TZ**

273. **Ancylorhynchus pretoriensis**
Bromley,1936 (*Asilidae*) Synonym(s):
pretoriensis Bromley,1936 **ZA Gau Pre**
274. **Ancylorhynchus prunus**
Oldroyd,1974 (*Asilidae*) Synonym(s):
prunus Oldroyd,1974 **MZ**
275. **Ancylorhynchus quadrimaculatus**
(Loew,1858) (*Asilidae*) Synonym(s):
quadrimaculatus Loew,1858 **ZA**
276. **Ancylorhynchus reynaudii**
(Macquart,1838) (*Asilidae*) Synonym(s):
reynaudii Macquart,1838 **ZA**
277. **Ancylorhynchus rufocinctus**
Séguy,1930 (*Asilidae*) Synonym(s):
rufocinctus Séguy,1930 **TN IL Pa**
278. **Ancylorhynchus susurrus**
(Karsch,1879) (*Asilidae*) Synonym(s):
susurrus Karsch,1879 **AO**
279. **Ancylorhynchus tricolor**
(Loew,1863) (*Asilidae*) Synonym(s): tricolor
Loew,1863 **ZA**
280. **Ancylorhynchus unifasciatus**
(Loew,1858) (*Asilidae*) Synonym(s):
unifasciatus Loew,1858 **ZA**
281. **Ancylorhynchus variegatus**
(Bigot,1879) (*Asilidae*) Synonym(s):
variegatus Bigot,1879 **ZA**
282. **Ancylorhynchus vultur Séguy,1930**
(*Asilidae*) Synonym(s): vultur Séguy,1930 **MA**
283. **Ancylorhynchus zonalis**
Bromley,1936 (*Asilidae*) Synonym(s):
zonalis Bromley,1936 **ZA**
284. **Andrenosoma albibarbe**
(Meigen,1820) (*Asilidae*) Synonym(s):
albibarbe Meigen,1820; adustiventris Costa,1863;
erythrurum Loew,1847 **DZ CH AT CZ DE ES FR**
GR IT PL RO TR RU Ur Sb
285. **Andrenosoma atrum**
(Linnaeus,1758) (*Asilidae*) Synonym(s):
atrum Linnaeus,1758; prostratum Scopoli,1763 **AT**
BG CH CZ DE DK ES FR Co IT GR PL SE RO
RU Sb TR DZ
286. **Andrenosoma boranicum**
Corti,1895 (*Asilidae*) Synonym(s): boranicum
Corti,1895 **CI NG ZW ET**
287. **Andrenosoma complexum**
Oldroyd,1970 (*Asilidae*) Synonym(s):
complexum Oldroyd,1970 **ZR**
288. **Andrenosoma serpentina**
(Bezzi,1908) (*Asilidae*) Synonym(s):
serpentina Bezzi,1908 **ZR KE MW ZA NG**
289. **Aneomochtherus aegyptius**
(Macquart,1838) (*Asilidae*) Synonym(s):
aegyptius Macquart,1838; longitudinalis Loew,1856
EG TN DZ
290. **Aneomochtherus africanus**
(Ricardo,1919) (*Asilidae*) Synonym(s):
africanus Ricardo,1919; signatipes Lindner,1955 **KE**
TZ
291. **Aneomochtherus brevipennis**
(Séguy,1932) (*Asilidae*) Synonym(s):
brevipennis Séguy,1932 **MA**
292. **Aneomochtherus deserticolus**
(Karsch,1888) (*Asilidae*) Synonym(s):
deserticolus Karsch,1888 **KE**
293. **Aneomochtherus hybopygus**
(Tsacas,1968) (*Asilidae*) Synonym(s):
hybopygus Tsacas,1968 **DZ**
294. **Aneomochtherus monobia**
(Speiser,1910) (*Asilidae*) Synonym(s):
monobia Speiser,1910 **TZ**
295. **Aneomochtherus ochriventris**
(Loew,1854) (*Asilidae*) Synonym(s):
ochriventris Loew,1854; tenellus Becker,1923 **MA**
TN ES SY
296. **Aneomochtherus sahariensis**
(Tsacas,1968) (*Asilidae*) Synonym(s):
sahariensis Tsacas,1968 **DZ**
297. **Angolositus rufimanus**
(Harold,1879) (*Tenebrionidae*) Synonym(s):
rufimanus Harold,1879 **AO**
298. **Angolositus sadabandeirus**
Koch,1956 (*Tenebrionidae*) Synonym(s):
sadabandeirus Koch,1956 **AO**
299. **Anisopogon parvum Efflatoun,1937**
(*Asilidae*) Synonym(s): parvum Efflatoun,1937
EG IL Pa
300. **Anisopogon pulchrum**
Efflatoun,1937 (*Asilidae*) Synonym(s):
pulchrum Efflatoun,1937 **EG**
301. **Anochilia nitida Pouillaude,1915**
(*Scarabaeidae*) Synonym(s): nitida
Pouillaude,1915 **MG**
302. **Anomalipus acutangulus**
Oertzen,1897 (*Tenebrionidae*) Synonym(s):
acutangulus Oertzen,1897; turpis Péringuey,1899 **NA**
BW ZW ZA Tva Lpo
303. **Anomalipus adesmoides Endrödy-Younga,1988**
(*Tenebrionidae*) Synonym(s):
adesmoides Endrödy-Younga,1988 **ZA Nta Kzu**
304. **Anomalipus alutaceus Endrödy-Younga,1988**
(*Tenebrionidae*) Synonym(s):
alutaceus Endrödy-Younga,1988 **ZA Tva Lpo**
305. **Anomalipus asperulatus**
Harold,1878 (*Tenebrionidae*) Synonym(s):
asperulatus Harold,1878 **AO**
306. **Anomalipus benguelensis Endrödy-Younga,1988**
(*Tenebrionidae*) Synonym(s):
benguelensis Endrödy-Younga,1988 **AO**
307. **Anomalipus braini Endrödy-Younga,1988**
(*Tenebrionidae*) Synonym(s):
braini Endrödy-Younga,1988 **MZ ZW**
308. **Anomalipus capensis Endrödy-Younga,1988**
(*Tenebrionidae*) Synonym(s):
capensis Endrödy-Younga,1988 **ZA Ec**
309. **Anomalipus carinatus Oertzen,1897**
(*Tenebrionidae*) Synonym(s): carinatus

- Oerzten,1897; amplipennis Péringuey,1904;
subacutangulus Hesse,1935 **ZA Fs Ec ZW**
- 310. Anomalipus coriaceus Oerzten,1897**
(*Tenebrionidae*) Synonym(s): coriaceus
Oerzten,1897; barbertoniensis Péringuey,1904 **ZA**
Mpu Brb Tva
- 311. Anomalipus decosteri**
Péringuey,1885 (*Tenebrionidae*)
Synonym(s): decosteri Péringuey,1885 **MZ LS**
- 312. Anomalipus dentipes**
Fabricius,1794 (*Tenebrionidae*) Synonym(s):
dentipes Fabricius,1794; obscura Olivier,1795;
notaticollis Péringuey,1886 **ZA Ec**
- 313. Anomalipus elephas Fahraeus,1870**
(*Tenebrionidae*) Synonym(s): elephas
Fahraeus,1870 **ZA Tva Lpo Suw Spb Mdk BW**
NA ZW
- 314. Anomalipus endroedii Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
endroedii Endrödy-Younga,1988 **ZA Tva Lpo**
- 315. Anomalipus expansicollis**
Fairmaire,1891 (*Tenebrionidae*)
Synonym(s): expansicollis Fairmaire,1891 **ZA**
Tva Lpo Suw ZW
- 316. Anomalipus fahraei Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
fahraei Endrödy-Younga,1988 **ZA Tva Lpo ZW**
MZ
- 317. Anomalipus frater Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
frater Endrödy-Younga,1988 **ZA Nta Kzu Ptb**
- 318. Anomalipus gasanus**
Péringuey,1904 (*Tenebrionidae*)
Synonym(s): gasanus Péringuey,1904 **ZW MZ**
- 319. Anomalipus granocostatus**
Fairmaire,1894 (*Tenebrionidae*)
Synonym(s): granocostatus Fairmaire,1894;
hypocrita Péringuey,1904 **MZ ZA Tva Lpo Nta**
Kzu Suw
- 320. Anomalipus haackei Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
haackei Endrödy-Younga,1988 **MZ**
- 321. Anomalipus heraldicus**
Gerstraecker,1871 (*Tenebrionidae*)
Synonym(s): heraldicus Gerstraecker,1871 **TZ KE**
MZ MW
- 322. Anomalipus hiecki Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
hiecki Endrödy-Younga,1988 **TZ**
- 323. Anomalipus kaszabi Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
kaszabi Endrödy-Younga,1988 **ZA Tva Lpo**
- 324. Anomalipus kochi Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
kochi Endrödy-Younga,1988 **ZA Tva Lpo**
- 325. Anomalipus kolbei Oertzen,1897**
(*Tenebrionidae*) Synonym(s): kolbei
Oertzen,1897; agrestis Péringuey,1899 **ZA Tva Lpo**
- 326. Anomalipus lieselottae Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
lieselottae Endrödy-Younga,1988 **ZW ZA Tva Lpo**
- 327. Anomalipus lineatus**
(Gerstraecker,1854) (*Tenebrionidae*)
Synonym(s): lineatus Gerstraecker,1854 **MZ MW**
ZW
- 328. Anomalipus maritimus Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
maritimus Endrödy-Younga,1988 **ZA Tva Lpo**
- 329. Anomalipus mastodon**
Fahraeus,1870 (*Tenebrionidae*)
Synonym(s): mastodon Fahraeus,1870; ovalipennis
Oertzen,1897 **ZA Tva Lpo BW**
- 330. Anomalipus meles Fahraeus,1870**
(*Tenebrionidae*) Synonym(s): meles
Fahraeus,1870; talpa Fahraeus,1870 **LS ZA BW**
- 331. Anomalipus multilineatus**
(Horn,1866) (*Tenebrionidae*) Synonym(s):
multilineatus Horn,1866; lemur Fahraeus,1870;
damaricus Oertzen,1897 **ZA Tva Lpo Fs Nta Kzu**
- 332. Anomalipus mustela Fahraeus,1870**
(*Tenebrionidae*) Synonym(s): mustela
Fahraeus,1870 **ZA Tva Lpo Fs Ec BW**
- 333. Anomalipus nemoralis Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
nemoralis Endrödy-Younga,1988 **ZA Tva Lpo**
- 334. Anomalipus oertzeni Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
oertzeni Endrödy-Younga,1988 **ZA Tva Lpo**
- 335. Anomalipus parallelus**
(Solier,1836) (*Tenebrionidae*) Synonym(s):
parallelus Solier,1836; porcus Fahraeus,1870;
natalensis Fairmaire,1894 **ZA Nta Kzu Tva Mpu**
Nel MZ
- 336. Anomalipus pauxillus**
Péringuey,1904 (*Tenebrionidae*)
Synonym(s): pauxillus Péringuey,1904 **LS ZA Fs**
- 337. Anomalipus peringueyi Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
peringueyi Endrödy-Younga,1988 **ZW**
- 338. Anomalipus perinthaе Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
perinthaе Endrödy-Younga,1988 **NA AO**
- 339. Anomalipus planus Fahraeus,1870**
(*Tenebrionidae*) Synonym(s): planus
Fahraeus,1870 **ZA Tva Lpo BW**
- 340. Anomalipus plebejus**
Péringuey,1896 (*Tenebrionidae*)
Synonym(s): plebejus Péringuey,1896 **ZW ZM**
MZ BW
- 341. Anomalipus podagricus**
Péringuey,1896 (*Tenebrionidae*)
Synonym(s): podagricus Péringuey,1896 **ZW MZ**
- 342. Anomalipus polymorphus Endrödy-**
Younga,1988 (*Tenebrionidae*) Synonym(s):
polymorphus Endrödy-Younga,1988 **ZW MZ**

- 343. *Anomalipus proximus* Péringuey, 1896 (*Tenebrionidae*)**
Synonym(s): *proximus* Péringuey, 1896 **ZW**
- 344. *Anomalipus savii* (Bertolini, 1855) (*Tenebrionidae*)** Synonym(s): *savii* Bertolini, 1855; *affinis* Péringuey, 1866 **MZ Del ZA Tva Lpo Nta Kzu Mkz LS**
- 345. *Anomalipus schulzeae* Endrödy-Younga, 1988 (*Tenebrionidae*)** Synonym(s): *schulzeae* Endrödy-Younga, 1988 **ZA Tva Lpo**
- 346. *Anomalipus sculpturatus* Péringuey, 1886 (*Tenebrionidae*)**
Synonym(s): *sculpturatus* Péringuey, 1886; *marshalli* Péringuey, 1896; *costatus* Oertzen, 1897; *granatus* Fairmaire, 1897 **ZA Tva Lpo**
- 347. *Anomalipus segnis* Péringuey, 1896 (*Tenebrionidae*)** Synonym(s): *segnis* Péringuey, 1896 **ZW**
- 348. *Anomalipus seriatus* Oertzen, 1897 (*Tenebrionidae*)** Synonym(s): *seriatus* Oertzen, 1897; *spectandrus* Péringuey, 1904; *hybridus* Oertzen, 1897; *variabilis* Oertzen, 1897 **ZA Tva Lpo Spb Shw**
- 349. *Anomalipus signaticollis* Fairmaire, 1888 (*Tenebrionidae*)**
Synonym(s): *signaticollis* Fairmaire, 1888 **AO**
- 350. *Anomalipus ultimus* Endrödy-Younga, 1988 (*Tenebrionidae*)** Synonym(s): *ultimus* Endrödy-Younga, 1988 **ZA LS**
- 351. *Anomalipus urus* Fahraeus, 1870 (*Tenebrionidae*)** Synonym(s): *urus* Fahraeus, 1870 **ZA Tva Lpo Nta Kzu BW**
- 352. *Anomalipus variolosus* (Solier, 1836) (*Tenebrionidae*)** Synonym(s): *variolosus* Solier, 1836; *porcatus* Solier, 1836 **ZA Ec Nta Kzu**
- 353. *Anoplotettix fuscovenosus* (Ferrari, 1882) (*Cicadellidae*)** Synonym(s): *fuscovenosus* Ferrari, 1882; *bipuncta* Ferrari, 1882 **AL AT BG TR CS FR GR HU IT PT RO ES TN UA YU**
- 354. *Anoscopus albifrons* (Linnaeus, 1758) (*Cicadellidae*)** Synonym(s): *albifrons* Linnaeus, 1758; *costata* Panzer, 1799; *affinis* Fallén, 1806; *subrustica* Fallén, 1806; *dispar* Zetterstedt, 1828; *testudo* Curtis, 1833; *costata* Curtis, 1837; *concinna* Curtis, 1837; *arcuatus* Kirschbaum, 1868; *confusus* Kirschbaum, 1868; *interruptus* Scott, 1873; *polystolus* Scott, 1873; *apicalis* Signoret, 1879; *pelas* Signoret, 1879; *fuliginosus* Ferrari, 1882; *argus* Rey, 1891; *bifasciatus* Melichar, 1896; *limicola* Edwards, 1908; *maculata* Edwards, 1908; *irritans* Wagner, 1937; *germari* Wagner, 1937; *dimidiata* Ribaut, 1952; **AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU**
- 355. *Antiphrisson adpressus* (Loew, 1849) (*Asilidae*)** Synonym(s): *adpressus* Loew, 1849 **Cc RU KG IL Pa TR IR EG TN**
- 356. *Antiphrisson trifarius* (Loew, 1849) (*Asilidae*)** Synonym(s): *trifarius* Loew, 1849; *sareptanus* Lichtwardt, 1903; *thalhammeri* Lichtwardt, 1903 **AL DE ES FR GR TR HU IT YU CH RO BY RU Cc KG SY IL Pa MT MA EG TN**
- 357. *Anypodetus arachnoides* Oldroyd, 1974 (*Asilidae*)** Synonym(s): *arachnoides* Oldroyd, 1974 **ZA ZM ZW BW**
- 358. *Anypodetus fasciatus* Hermann, 1908 (*Asilidae*)** Synonym(s): *fasciatus* Hermann, 1908; *rigidis* Oldroyd, 1974 **NA BW**
- 359. *Anypodetus fascipennis* Engel, 1924 (*Asilidae*)** Synonym(s): *fascipennis* Engel, 1924; *semirufus* Engel, 1924; *maculipennis* Ricardo, 1925 **ZA BW NA ZW**
- 360. *Anypodetus leucothrix* Londt, 2000 (*Asilidae*)** Synonym(s): *leucothrix* Londt, 2000 **NA ZA**
- 361. *Anypodetus macroceros* Londt, 2000 (*Asilidae*)** Synonym(s): *macroceros* Londt, 2000 **NA**
- 362. *Anypodetus nigrifacies* Ricardo, 1925 (*Asilidae*)** Synonym(s): *nigrifacies* Ricardo, 1925 **MZ ZA**
- 363. *Anypodetus phalaros* Londt, 2000 (*Asilidae*)** Synonym(s): *phalaros* Londt, 2000 **NA ZA**
- 364. *Anypodetus unicolor* Oldroyd, 1974 (*Asilidae*)** Synonym(s): *unicolor* Oldroyd, 1974 **NA ZA ZW**
- 365. *Apanteles carpatus* Say, 1836 (*Braconidae*)** Synonym(s): *carpatus* Say, 1836 **TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz**
- 366. *Apanteles hemara* Nixon, 1965 (*Braconidae*)** Synonym(s): *hemara* Nixon, 1965 **TR IN IT MU ZA Nta Kzu SN AT BG**
- 367. *Aphelinus mali* (Haldeman, 1851) (*Aphelinidae*)** Synonym(s): *mali* Haldeman, 1851; *rosae* Ashmead, 1886; *varicornis* Girault, 1909; *italica* Guercio, 1925; *crocicidolomiae* Risbec, 1951 **TR US FI GB IT SN IN Pj Hp Sml Klu Ch Ass Meg SI Ben Up**
- 368. *Aphodius* (*Calamosternus*) *chobauti* (Clouet, 1896) (*Scarabaeidae*)**
Synonym(s): *chobauti* Clouet, 1896 **DZ TN LY IL Pa SY IQ SA**
- 369. *Aphodius* (*Calamosternus*) *granarius* (Linnaeus, 1767) (*Scarabaeidae*)** Synonym(s): *granarius* Linnaeus, 1767 **RU Cc Sb Us GG AZ KG TM UZ TJ LY Cy**
- 370. *Aphrodes bicinctus* (Schrank, 1776) (*Cicadellidae*)** Synonym(s): *striata* Linnaeus, 1761 (*praeocc.*); *rustica* Fabricius, 1775 (*praeocc.*); *bicinctus* Schrank, 1776; *ochromelas* Gmelin, 1790; *variegata* Fabricius, 1794; *striatella* Fabricius, 1794; *transversa* Fabricius, 1798; *strigata* Turton, 1802; *pallidus* Curtis, 1836; *cardui* Curtis, 1836; *fasciatus* Curtis, 1836;

- obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior **AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU**
- 371. Aphrodes nigrinus (Kirschbaum,1868) (Cicadellidae)**
Synonym(s): nigrinus Kirschbaum,1868; integer Wagner,1937 **DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU**
- 372. Aphrodes serratulae (Fabricius,1775) (Cicadellidae)** Synonym(s): serratulae Fabricius,1775; fuscofasciata Goeze,1778; transversalis Fourcroy,1785; bistrigata Gmelin,1790; brunneobifasciatus Signoret,1879; vicarius Horvath,1897 **AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU**
- 373. Aphrophora alni (Fallén,1805) (Cercopidae)** Synonym(s): alni Fallén,1805; fuscata Haupt,1925; umbrina Linnavuori,1950 **Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU**
- 374. Aphrophora salicina (Goeze,1778) (Cercopidae)** Synonym(s): salicina Goeze,1778 **AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU**
- 375. Aphytis diaspidis (Howard,1881) (Aphelinidae)** Synonym(s): diaspidis Howard,1881; fuscipennis Howard,1881; ovidii Girault,1919; opuntiae Risbec,1952; madagascariensis Risbec,1952; risbeci Annecke & Insley,1971 **US FI TR MG AU QAU**
- 376. Apoclea algira (Linnaeus,1767) (Asilidae)** Synonym(s): algira Linnaeus,1767; alginis Fabricius,1787; vegeta Wiedemann,1828; pallida Macquart,1838; fuscana Macquart,1838; aberrans Schiner,1867; deformis Walker,1871 **MA DZ LY TN EG NG TR? SA IL Pa IR**
- 377. Apoclea approximata Becker,1907 (Asilidae)** Synonym(s): approximata Becker,1907 **TN DZ**
- 378. Apoclea conicera Loew,1856 (Asilidae)** Synonym(s): conicera Loew,1856 **EG IL Pa**
- 379. Apoclea femoralis (Wiedemann,1828) (Asilidae)** Synonym(s): femoralis Wiedemann,1828; helva Wiedemann,1828; illustris Schiner,1867; aperta Becker,1909 **EG SA IL Pa IR YE SD**
- 380. Apoclea helvipes Loew,1873 (Asilidae)** Synonym(s): helvipes Loew,1873 **RU KG DZ IR TR**
- 381. Apoclea micracantha Loew,1856 (Asilidae)** Synonym(s): micracantha Loew,1856; arabica Becker,1910 **EG TN LY MA IL Pa YE SA IR**
- 382. Apoclea trivialis Loew,1873 (Asilidae)**
Synonym(s): trivialis Loew,1873 **RU KG DZ TN LY IR TR**
- 383. Apteromantis bolivari (Werner,1929) (Mantidae)** Synonym(s): bolivari Werner,1929 **DZ MA PT**
- 384. Arboridia parvula (Boheman,1845) (Cicadellidae)** Synonym(s): parvula Boheman,1845 **AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU**
- 385. Argyra argentina (Meigen,1824) (Dolichopodidae)** Synonym(s): diaphana Fallén,1823 nec Fabr.,1775; argentina Meigen,1824; geniculata Schummel,1837 **GG RO GR RU Cc UA IR MA**
- 386. Argyra argyria (Meigen,1824) (Dolichopodidae)** Synonym(s): argyria Meigen,1824; argentata Macquart,1834; argentellus Zetterstedt,1843; divergens Parent,1926; discedens Parent,1838 **GR Cr MD RO RU UA Cc Cm MA Cn**
- 387. Argyra leucocephala (Meigen,1824) (Dolichopodidae)** Synonym(s): leucocephala Meigen,1824; fulviventris Macquart,1827; fulgens Haliday,1832; pellucens Zetterstedt,1838 **AZ BG MD IL Pa RU Cc TR UA Cm Ur DZ**
- 388. Arocephalus languidus (Flor,1861) (Cicadellidae)** Synonym(s): languidus Flor,1861; pallipes Kirschbaum,1868; pusillus Kirschbaum,1868; productus Thomson,1869; haupti Lindberg,1924; ocellatus Cerutti,1939 **AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA**
- 389. Arocephalus punctum (Flor,1861) (Cicadellidae)** Synonym(s): punctum Flor,1861; paucinervis Sahlberg,1871 **AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU**
- 390. Arthaldeus striifrons (Kirschbaum,1868) (Cicadellidae)**
Synonym(s): striifrons Kirschbaum,1868 **AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU**
- 391. Ascalaphus festivus (Rambur,1842) (Ascalaphidae)** Synonym(s): festivus Rambur,1842 **IL Pa SA MG**
- 392. Ascalaphus krueperi (Van der Weele,1909) (Ascalaphidae)** Synonym(s): krueperi Van der Weele,1909 **SY EG Sn**
- 393. Ascalohybris oberthuri (Navas,1923) (Ascalaphidae)** Synonym(s): oberthuri Navas,1923 **VN TH CMA**
- 394. Asilus bombylius Lichtenstein,1796 (Asilidae)** Synonym(s): bombylius Lichtenstein,1796 **ZA**
- 395. Asilus forficula Macquart,1846 (Asilidae)** Synonym(s): forficula Macquart,1846 **ZA**

- 396. *Asilus melanotarsus* Lichtenstein,1796** (*Asilidae*) Synonym(s): melanotarsus Lichtenstein,1796 **ZA**
- 397. *Asilus natalicus* Macquart,1855** (*Asilidae*) Synonym(s): natalicus Macquart,1855 **ZA Nta Kzu**
- 398. *Asilus nigellus* Lichtenstein,1796** (*Asilidae*) Synonym(s): nigellus Lichtenstein,1796 **ZA**
- 399. *Asilus nigribarbis* Macquart,1846** (*Asilidae*) Synonym(s): nigribarbis Macquart,1846 **ZA**
- 400. *Asilus schedius* Walker,1849** (*Asilidae*) Synonym(s): schedius Walker,1849 **ZA**
- 401. *Asiraca clavicornis* (Fabricius,1794)** (*Delphacidae*) Synonym(s): clavicornis Fabricius,1794; divisa Rey,1891 **Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU**
- 402. *Asymmetrasca decedens* (Paoli,1932)** (*Cicadellidae*) Synonym(s): decedens Paoli,1932 **TR CY CS EG IQ IL IT Sa Si JO LY Cc GG**
- 403. *Asyndetus connexus* (Becker,1902)** (*Dolichopodidae*) Synonym(s): connexus Becker,1902 **EG IQ IR RO AT ES**
- 404. *Asyndetus separatus* (Becker,1902)** (*Dolichopodidae*) Synonym(s): separatus Becker,1902 **CY EG IQ TN ES**
- 405. *Atherix erythrapsis* Bezzi,1909** (*Athericidae*) Synonym(s): erythrapsis Bezzi,1909 **EG SY**
- 406. *Atrocates bellamyi* Iwan,1999** (*Tenebrionidae*) Synonym(s): bellamyi Iwan,1999 **ZA Ec**
- 407. *Atrocates bisinuatus* Koch,1956** (*Tenebrionidae*) Synonym(s): bisinuatus Koch,1956 **ZA Ec**
- 408. *Atrocates bredasdorpensis* Iwan,1998** (*Tenebrionidae*) Synonym(s): bredasdorpensis Iwan,1998 **ZA Ec**
- 409. *Atrocates capensis* Iwan,1998** (*Tenebrionidae*) Synonym(s): capensis Iwan,1998 **ZA Ec**
- 410. *Atrocates dentatus* Iwan,1998** (*Tenebrionidae*) Synonym(s): dentatus Iwan,1998 **ZA Ec**
- 411. *Atrocates endrodyi* Iwan,1998** (*Tenebrionidae*) Synonym(s): endrodyi Iwan,1998 **ZA Ec**
- 412. *Atrocates evestigator* Iwan,1998** (*Tenebrionidae*) Synonym(s): evestigator Iwan,1998 **ZA Ec**
- 413. *Atrocates formosus* Iwan,1998** (*Tenebrionidae*) Synonym(s): formosus Iwan,1998 **ZA Ec**
- 414. *Atrocates gansbaaiensis* Iwan & Ferrer,2000** (*Tenebrionidae*) Synonym(s): gansbaaiensis Iwan & Ferrer,2000 **ZA Ec**
- 415. *Atrocates garbarczyki* Iwan,1998** (*Tenebrionidae*) Synonym(s): garbarczyki Iwan,1998 **ZA Ec**
- 416. *Atrocates largus* Iwan,1998** (*Tenebrionidae*) Synonym(s): largus Iwan,1998 **ZA Ec**
- 417. *Atrocates latemarginatus* (Mulsant & Rey,1853)** (*Tenebrionidae*) Synonym(s): latemarginatus Mulsant & Rey,1853 **ZA Ec**
- 418. *Atrocates libidinosus* Iwan,1998** (*Tenebrionidae*) Synonym(s): libidinosus Iwan,1998 **ZA Ec**
- 419. *Atrocates medvedevi* Iwan & Ferrer,2000** (*Tenebrionidae*) Synonym(s): medvedevi Iwan & Ferrer,2000 **ZA Ec**
- 420. *Atrocates metasimius* Iwan,1998** (*Tenebrionidae*) Synonym(s): metasimius Iwan,1998 **ZA Ec**
- 421. *Atrocates montiscedri* Koch,1956** (*Tenebrionidae*) Synonym(s): montiscedri Koch,1956 **ZA Ec**
- 422. *Atrocates nudus* Iwan & Ferrer,2000** (*Tenebrionidae*) Synonym(s): nudus Iwan & Ferrer,2000 **ZA Ec**
- 423. *Atrocates occultator* Iwan,1998** (*Tenebrionidae*) Synonym(s): occultator Iwan,1998 **ZA Ec**
- 424. *Atrocates ordinarius* Iwan,1998** (*Tenebrionidae*) Synonym(s): ordinarius Iwan,1998 **ZA Ec**
- 425. *Atrocates oweni* Iwan,1998** (*Tenebrionidae*) Synonym(s): oweni Iwan,1998 **ZA Ec**
- 426. *Atrocates peringueyi* Koch,1956** (*Tenebrionidae*) Synonym(s): peringueyi Koch,1956 **ZA Ec**
- 427. *Atrocates platyderus* (Mulsant & Rey,1853)** (*Tenebrionidae*) Synonym(s): platyderus Mulsant & Rey,1853 **ZA Ec**
- 428. *Atrocates pliskoae* Iwan,1998** (*Tenebrionidae*) Synonym(s): pliskoae Iwan,1998 **ZA Ec**
- 429. *Atrocates podagricus* (Koch,1956)** (*Tenebrionidae*) Synonym(s): podagricus Koch,1956 **ZA Ec**
- 430. *Atrocates robertonensis* Iwan,1999** (*Tenebrionidae*) Synonym(s): robertonensis Iwan,1999 **ZA Ec**
- 431. *Atrocates robustus* Iwan,1998** (*Tenebrionidae*) Synonym(s): robustus Iwan,1998 **ZA Ec**
- 432. *Atrocates simius* (Mulsant & Rey,1853)** (*Tenebrionidae*) Synonym(s): simius Mulsant & Rey,1853 **ZA Ec**
- 433. *Atrocates sinuosus* Iwan,1998** (*Tenebrionidae*) Synonym(s): sinuosus Iwan,1998 **ZA Ec**

- 434. *Atrocates striatus* (Quensel,1806)** (*Tenebrionidae*) Synonym(s): striatus Quensel,1806; marginatus Mulsant & Rey,1853 **ZA Ec**
- 435. *Atrocrypticanus fraternus*** **Iwan,1999** (*Tenebrionidae*) Synonym(s): fraternus Iwan,1999 **ZA Ec**
- 436. *Atylotus agricola* (Wiedemann,1826)** (*Tabanidae*) Synonym(s): agricola Wiedemann,1826 **MA EG TR**
- 437. *Atylotus flavoguttatus* (Szilady,1915)** (*Tabanidae*) Synonym(s): flavoguttatus Szilady,1915 **DZ RO AT FR TR**
- 438. *Atylotus pulchellus* (Loew,1858)** (*Tabanidae*) Synonym(s): pulchellus Loew,1858; cyprianus Ricardo,1911; karybenthinus Szilady,1915 **TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ**
- 439. *Austroagallia avicula* (Ribaut,1935)** (*Cicadellidae*) Synonym(s): avicula Ribaut,1935 **AF FR IR IT MA TN**
- 440. *Austroagallia quadricornis* Linnavuori,1962** (*Cicadellidae*) Synonym(s): quadricornis Linnavuori,1962 **EG IL**
- 441. *Austroagallia sinuata* (Mulsant & Rey,1855)** (*Cicadellidae*) Synonym(s): sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; homeyeri Kirschbaum,1868; fieberi Vismara,1878; laevis Bergevin,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
- 442. *Austroasca (Jacobiasca) lybica* (Bergevin & Zanon,1922)** (*Cicadellidae*) Synonym(s): lybica Bergevin & Zanon,1922; citrea Haupt,1930; bodenheimeri Haupt,1930; benedetto Paoli,1932 **AL? DZ EG IL IT Sa JO LY ES TN**
- 443. *Balclutha hebe* (Kirkaldy,1906)** (*Cicadellidae*) Synonym(s): hebe Kirkaldy,1906; hortensis Lindberg,1948; virescens Haupt,1927 **ES Cn EG IQ JO TR CY**
- 444. *Balclutha punctata* (Fabricius,1775)** (*Cicadellidae*) Synonym(s): punctata Fabricius,1775; tricolor Gmelin,1790; clypeata Curtis,1837; spreta Zetterstedt,1840; confluens Rey,1894; impunctatus Rey,1894; lineolatus Horvath,1904; thalassicus Sidorski,1937; taunica Wagner,1939; langi Dlabola,1944; sagittaria Ribaut,1952 **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ**
- 445. *Balclutha rosea* (Scott,1876)** (*Cicadellidae*) Synonym(s): rosea Scott,1876; frontalis Ferrari,1882; flava Haupt,1927; pulchella Lindberg,1948; haupti Metcalf,1955 **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
- 446. *Balclutha rufofasciata* (Merino,1936)** (*Cicadellidae*) Synonym(s): rufofasciata Merino,1936 **EG IL**
- 447. *Balclutha saltuella* (Kirschbaum,1868)** (*Cicadellidae*) Synonym(s): saltuella Kirschbaum,1868; angustus Then,1886; incisus Matsumura,1902; quadriguttatus Matsumura,1908 **CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR**
- 448. *Bantodemus armatus* (Mulsant & Rey,1853)** (*Tenebrionidae*) Synonym(s): armatus Mulsant & Rey,1853 **ZA Nta Kzu Tva Lpo**
- 449. *Bantodemus bevisi* Koch,1955** (*Tenebrionidae*) Synonym(s): bevisi Koch,1955 **ZA Nta Kzu**
- 450. *Bantodemus caffer* (Fahraeus,1870)** (*Tenebrionidae*) Synonym(s): caffer Fahraeus,1870; lugubris Fahraeus,1870 **ZA Nta Kzu**
- 451. *Bantodemus calcaratus* Koch,1955** (*Tenebrionidae*) Synonym(s): calcaratus Koch,1955 **ZA Nta Kzu**
- 452. *Bantodemus dentipes* (Fahraeus,1870)** (*Tenebrionidae*) Synonym(s): dentipes Fahraeus,1870 **ZA Tva Lpo ZW**
- 453. *Bantodemus drakensbergensis* Iwan,2000** (*Tenebrionidae*) Synonym(s): drakensbergensis Iwan,2000 **ZA Tva Lpo Drb**
- 454. *Bantodemus funduzilis* Koch,1955** (*Tenebrionidae*) Synonym(s): funduzilis Koch,1955 **ZA Tva Lpo**
- 455. *Bantodemus furcatus* Koch,1955** (*Tenebrionidae*) Synonym(s): furcatus Koch,1955 **ZA Nta Kzu**
- 456. *Bantodemus goldengatensis* Iwan,2000** (*Tenebrionidae*) Synonym(s): goldengatensis Iwan,2000 **ZA Tva Lpo**
- 457. *Bantodemus hlulhluensis* Iwan,2000** (*Tenebrionidae*) Synonym(s): hlulhluensis Iwan,2000 **ZA Nta Kzu**
- 458. *Bantodemus imitator* Koch,1955** (*Tenebrionidae*) Synonym(s): imitator Koch,1955 **ZA Nta Kzu Ptb**
- 459. *Bantodemus kaszabi* Koch,1955** (*Tenebrionidae*) Synonym(s): kaszabi Koch,1955 **ZA Nta Kzu**
- 460. *Bantodemus lawrencei* Koch,1955** (*Tenebrionidae*) Synonym(s): lawrencei Koch,1955 **ZA Tva Mpu Nel**
- 461. *Bantodemus lethaeus* (Mulsant & Rey,1853)** (*Tenebrionidae*) Synonym(s): lethaeus Mulsant & Rey,1853 **ZA Nta Kzu**
- 462. *Bantodemus lucidus* Koch,1955** (*Tenebrionidae*) Synonym(s): lucidus Koch,1955 **ZA Tva Lpo Shw ZW**
- 463. *Bantodemus mariepsus* Koch,1955** (*Tenebrionidae*) Synonym(s): mariepsus Koch,1955 **ZA Tva Lpo**

464. **Bantodemus marietsensis**
Koch,1955 (*Tenebrionidae*) Synonym(s):
marietsensis Koch,1955 **ZA Nta Kzu Ptb**
465. **Bantodemus melancholicus**
Koch,1955 (*Tenebrionidae*) Synonym(s):
melancholicus Koch,1955 **ZA Nta Kzu Wnn**
466. **Bantodemus milleri Iwan,2000**
(*Tenebrionidae*) Synonym(s): milleri Iwan,2000
ZA Nta Kzu
467. **Bantodemus mocambiqueus**
Koch,1955 (*Tenebrionidae*) Synonym(s):
mocambiqueus Koch,1955 **MZ**
468. **Bantodemus moerens**
(**Fahraeus,1870**) (*Tenebrionidae*)
Synonym(s): moerens Fahraeus,1870 **ZA Ec**
469. **Bantodemus montanus Iwan,2001**
(*Tenebrionidae*) Synonym(s): montanus
Iwan,2001 **LS ZA Nta Kzu Est**
470. **Bantodemus natalensis Iwan,2000**
(*Tenebrionidae*) Synonym(s): natalensis
Iwan,2000 **ZA Nta Kzu**
471. **Bantodemus parvulus Iwan,2000**
(*Tenebrionidae*) Synonym(s): parvulus
Iwan,2000 **ZA Tva Lpo**
472. **Bantodemus pubipes Koch,1955**
(*Tenebrionidae*) Synonym(s): pubipes Koch,1955
ZA Nta Kzu Tva Lpo
473. **Bantodemus rectimanus Koch,1955**
(*Tenebrionidae*) Synonym(s): rectimanus
Koch,1955 **ZA Tva Lpo**
474. **Bantodemus rhodesianus**
Koch,1955 (*Tenebrionidae*) Synonym(s):
rhodesianus Koch,1955 **ZW**
475. **Bantodemus rudebecki Iwan,2001**
(*Tenebrionidae*) Synonym(s): rudebecki
Iwan,2001 **ZA Tva Lpo Bbg**
476. **Bantodemus similis Iwan,2000**
(*Tenebrionidae*) Synonym(s): similis Iwan,2000
ZA Tva Mpu Wv
477. **Bantodemus striatus Iwan,2000**
(*Tenebrionidae*) Synonym(s): striatus Iwan,2000
ZA Ec
478. **Bantodemus swazi Koch,1955**
(*Tenebrionidae*) Synonym(s): swazi Koch,1955
SZ
479. **Bantodemus transvaalensis**
Koch,1955 (*Tenebrionidae*) Synonym(s):
transvaalensis Koch,1955 **ZA Tva Lpo**
480. **Bantodemus tristis Koch,1955**
(*Tenebrionidae*) Synonym(s): tristis Koch,1955
ZA Tva Mpu Brb SZ
481. **Bantodemus trojani Iwan,2000**
(*Tenebrionidae*) Synonym(s): trojani Iwan,2000
ZA Tva Mpu Nel
482. **Bantodemus typhon (Mulsant & Rey,1853)** (*Tenebrionidae*) Synonym(s):
typhon Mulsant & Rey,1853 **ZA Tva Lpo ta Kzu**
483. **Bantodemus vescus Koch,1955**
(*Tenebrionidae*) Synonym(s): vescus Koch,1955
ZA Tva Lpo
484. **Bantodemus zimbabwensis**
Iwan,2000 (*Tenebrionidae*) Synonym(s):
zimbabwensis Iwan,2000 **ZW Vum ZA Tva Lpo**
485. **Bantodemus zoutpansbergianus**
Koch,1955 (*Tenebrionidae*) Synonym(s):
zoutpansbergianus Koch,1955 **ZW ZA Tva Lpo Spb**
486. **Bantodemus zulu Koch,1955**
(*Tenebrionidae*) Synonym(s): zulu Koch,1955
ZA Nta Kzu
487. **Batracomorphus signatus**
Lindberg,1923 (*Cicadellidae*) Synonym(s):
signatus Lindberg,1923 **EG IL LY TR**
488. **Betamantis aliena (Werner,1906)**
(*Mantidae*) Synonym(s): aliena Werner,1906
TZ
489. **Betamantis marginella**
(**Thunberg,1815**) (*Mantidae*) Synonym(s):
marginella Thunberg,1815 **KE**
490. **Bisanthe lagrecai Kaltenbach,1996**
(*Mantidae*) Synonym(s): lagrecai Kaltenbach,1996
ZA Tva Lpo ZW
491. **Bisanthe menyharthi**
(**Brancsik,1895**) (*Mantidae*) Synonym(s):
menyharthi Brancsik,1895 **MZ ZM ZW BW**
492. **Bisanthe pulchripennis (Stal,1875)**
(*Mantidae*) Synonym(s): pulchripennis Stal,1875
BW NA ZA Tva Lpo
493. **Blakeius bipunctatus**
(**Latreille,1792**) (*Mutillidae*) Synonym(s):
bipunctatus Latreille,1792; angusticollis Spinola,1843;
tuberculata Lepeletier,1845; bituberculata Smith,1855;
erythrothorax Sichel & Radoszowski,1870; cobosi
Suarez,1958 **FR ES IT GR CY SY MA DZ TN**
494. **Blakeius chiesi (Spinola,1839)**
(*Mutillidae*) Synonym(s): chiesi Spinola,1839;
diophthalma Costa,1882; ibericus Suarez,1958; negrei
Suarez,1958 **MA DZ TN IT Sa ES PT**
495. **Blakeius invreai (Suarez,1958)**
(*Mutillidae*) Synonym(s): invreai Suarez,1958
ES MA
496. **Blakeius leopoldinus (Invrea,1955)**
(*Mutillidae*) Synonym(s): leopoldinus Invrea,1955
IT Sa MA
497. **Blakeius ortizi (Suarez,1954)**
(*Mutillidae*) Synonym(s): ortizi Suarez,1954; otini
Giner,1959 **MA**
498. **Blaps tripolitanica Karsch,1881**
(*Tenebrionidae*) Synonym(s): tripolitanica
Karsch,1881 **LY Cy**
499. **Blepharodes candelarius**
Bolivar,1891 (*Empusidae*) Synonym(s):
candelarius Bolivar,1891 **ET SO TD**
500. **Blepharodes cornutus cornutus**
Schulthness-Rechberg,1894 (*Empusidae*)
Synonym(s): cornutus Schulthness-Rechberg,1894
ET KE SO SD
501. **Blepharodes cornutus minor**
Kevan,1954 (*Empusidae*) Synonym(s):
minor Kevan,1954 **KE**

- 502. Blepharodes cornutus Schulthness-Rechberg, 1894** (*Empusidae*) Synonym(s): cornutus Schulthness-Rechberg, 1894 KE ET KE SO SD
- 503. Blepharodes parumspinosus Beier, 1930** (*Empusidae*) Synonym(s): parumspinosus Beier, 1930 BF MR NG SN SD TD
- 504. Blepharodes sudanensis Werner, 1907** (*Empusidae*) Synonym(s): sudanensis Werner, 1907 SO SD
- 505. Blepharopsis mendica (Fabricius, 1775)** (*Empusidae*) Synonym(s): mendica Fabricius, 1775 AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
- 506. Bolbella affinis Kaltenbach, 1996** (*Mantidae*) Synonym(s): affinis Kaltenbach, 1996 ZA Nta Kzu
- 507. Bolbella brevis Beier, 1953** (*Mantidae*) Synonym(s): brevis Beier, 1953 ZA Tva Lpo
- 508. Bolbella punctigera (Stal, 1871)** (*Mantidae*) Synonym(s): punctigera Stal, 1871; natalensis Saussure, 1871; debiliata Westwood, 1889 ZA Ec LS Nta Kzu KM
- 509. Bolbella rhodesiaca Beier, 1930** (*Mantidae*) Synonym(s): rhodesiaca Beier, 1930 ZA Tva Lpo ZW
- 510. Bolbena (Bolboda) minutissima (Karny, 1908)** (*Iridopterygidae*) Synonym(s): minutissima Karny, 1908 ZA Tva Lpo NA ZW
- 511. Bolbena (s.str.) assimilis Kaltenbach, 1996** (*Iridopterygidae*) Synonym(s): assimilis Kaltenbach, 1996 NA
- 512. Bolbena (s.str.) hottentotta Karny, 1908** (*Iridopterygidae*) Synonym(s): hottentotta Karny, 1908 AO KE NA
- 513. Bolbena (s.str.) maraisi Kaltenbach, 1996** (*Iridopterygidae*) Synonym(s): maraisi Kaltenbach, 1996 NA ZW
- 514. Bolbena (s.str.) minor Giglio-Tos, 1915** (*Iridopterygidae*) Synonym(s): minor Giglio-Tos, 1915 NA
- 515. Bolbula debilis Giglio-Tos, 1915** (*Iridopterygidae*) Synonym(s): debilis Giglio-Tos, 1915 TZ
- 516. Bolbula exigua Giglio-Tos, 1915** (*Iridopterygidae*) Synonym(s): exigua Giglio-Tos, 1915 TZ
- 517. Bolbula widenmanni Werner, 1906** (*Iridopterygidae*) Synonym(s): widenmanni Werner, 1906 TZ
- 518. Borborillus vitripennis (Meigen, 1830)** (*Sphaeroceridae*) Synonym(s): saniosa Westring, 1814; vitripennis Meigen, 1830; longipennis Haliday, 1836; pilosiventris Zetterstedt, 1860 AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
- 519. Brachyceph laetus (Herrich-Schäffer, 1835)** (*Tettigometridae*) Synonym(s): laetus Herrich-Schäffer, 1835 DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
- 520. Brachytarsina flavipennis Macquart, 1851** (*Streblidae*) Synonym(s): flavipennis Macquart, 1851 MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
- 521. Bracon (Glabrobracon) discoideus (Wesmael, 1838)** (*Braconidae*) Synonym(s): discoideus Wesmael, 1838 JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
- 522. Brancsikia aeroplana Lamberton, 1911** (*Mantidae*) Synonym(s): aeroplana Lamberton, 1911 MG
- 523. Brancsikia freyi (Brancsik, 1893)** (*Mantidae*) Synonym(s): freyi Brancsik, 1893 MG
- 524. Brancsikia simplex Beier, 1935** (*Mantidae*) Synonym(s): simplex Beier, 1935 MG
- 525. Bricoptis variolosa (Gory & Percheron, 1833)** (*Scarabaeidae*) Synonym(s): variolosa Gory & Percheron, 1833 MG
- 526. Bubas bubaloides Janssens, 1938** (*Scarabaeidae*) Synonym(s): bubaloides Janssens, 1938 MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
- 527. Bubopsis hamatus (Klug, 1834)** (*Ascalaphidae*) Synonym(s): hamatus Klug, 1834 DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp
- 528. Bugraia ocularis (Mulsant & Rey, 1855)** (*Cicadellidae*) Synonym(s): ocularis Mulsant & Rey, 1855; taeniops Fieber, 1868 AL DZ CY FR IT LY MA NL? ES TN UA YU TR
- 529. Bursinia hemiptera (O. Costa, 1840)** (*Dictyopharidae*) Synonym(s): hemiptera O. Costa, 1840 AT FR HU IT ES TN YU
- 530. Caccobius (Caccobius) schreberi (Linnaeus, 1767)** (*Scarabaeidae*) Synonym(s): schreberi Linnaeus, 1767 RU Ur Sb Cc UA Cm GG TM IR SY EG TR MA DZ TN LY
- 531. Calopteryx exul Selys, 1853** (*Calopterygidae*) Synonym(s): exul Selys, 1853 MA DZ TN
- 532. Calopteryx haemorrhoidalis (Van Der Linden, 1825)** (*Calopterygidae*) Synonym(s): haemorrhoidalis Van Der Linden, 1825 ES FR IT Si Sa Co MA DZ
- 533. Calopteryx splendens (Harris, 1776)** (*Calopterygidae*) Synonym(s): splendens Harris, 1776 TR DZ
- 534. Calospilota armicollis (Karsch, 1892)** (*Mantidae*) Synonym(s): armicollis Karsch, 1892 CM

535. **Calospilota calabarica** (Westwood,1889) (*Mantidae*) Synonym(s): calabarica Westwood,1889 NG Caa Bio GO LR
536. **Calospilota duchaillui** (Rehn,1960) (*Mantidae*) Synonym(s): duchaillui Rehn,1960 NG
537. **Calospilota guineensis** Giglio-Tos,1917 (*Mantidae*) Synonym(s): guineensis Giglio-Tos,1917 GN
538. **Calospilota lolodorfana** (Giglio-Tos,1911) (*Mantidae*) Synonym(s): lolodorfana Giglio-Tos,1911 CM ZR NG
539. **Calospilota misana** (Giglio-Tos,1911) (*Mantidae*) Synonym(s): misana Giglio-Tos,1911 GH GN TG NG
540. **Calospilota pulchra** Roy,1991 (*Mantidae*) Synonym(s): pulchra Roy,1991 CF CM
541. **Calospilota tristis** (Giglio-Tos,1911) (*Mantidae*) Synonym(s): tristis Giglio-Tos,1911 CM
542. **Canthydrus diophthalmus** (Reiche & Saulcy,1855) (*Noteridae*) Synonym(s): diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; siculus Ragusa,1882; numidicus Bedel,1925 LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
543. **Capnodis carbonaria** (Klug,1829) (*Buprestidae*) Synonym(s): carbonaria Klug,1829; lefebvrei Laporte & Gory,1836; cribricollis Abeille,1904; abeillei Obenberger,1926 YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR
544. **Capnodis tenebricosa** (Olivier,1790) (*Buprestidae*) Synonym(s): tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olcese Obenberger,1945; morio Obenberger,1945 DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
545. **Capnodis tenebrionis** (Linnaeus,1761) (*Buprestidae*) Synonym(s): tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
546. **Cardiophorus** (Perrinellus) **aegyptiacus** Candeze,1860 (*Elateridae*) Synonym(s): aegyptiacus Candeze,1860 EG TN
547. **Cardiophorus** (s.str.) **marmottani** Buysson,1912 (*Elateridae*) Synonym(s): marmottani Buysson,1912 MA
548. **Cardiophorus** (s.str.) **tenellus** Reiche,1856 (*Elateridae*) Synonym(s): tenellus Reiche,1856 EG IL Pa LB SY TR?
549. **Carvilia gracilis** Kaltenbach,1996 (*Mantidae*) Synonym(s): gracilis Kaltenbach,1996 ZA Ec
550. **Carvilia saussurii** (Stal,1876) (*Mantidae*) Synonym(s): saussurii Stal,1876 NA
551. **Centroclisis cervina** Gersträcker,1863 (*Myrmeleonidae*) Synonym(s): cervina Gersträcker,1863 EG SA
552. **Cephalota** (Taenidia) **circumdata** (Dejean,1822) (*Carabidae*) Synonym(s): circumdata Dejean,1822 ES DZ TN IT Sa Si FR TR GR Cr BG
553. **Ceratitis** (s.str.) **brachychaeta** Freidberg,1991 (*Tephritidae*) Synonym(s): brachychaeta Freidberg,1991 TZ Ani Usa
554. **Ceratitis** (s.str.) **caetrata** Munro,1949 (*Tephritidae*) Synonym(s): caetrata Munro,1949 KE Nai
555. **Ceratitis** (s.str.) **capitata** (Wiedemann,1824) (*Tephritidae*) Synonym(s): capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924 TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY
556. **Ceratitis** (s.str.) **catoirii** Guérin-Méneville,1843 (*Tephritidae*) Synonym(s): catoirii Guérin-Méneville,1843 MU RE ZA
557. **Ceratitis** (s.str.) **cornuta** (Bezzi,1924) (*Tephritidae*) Synonym(s): cornuta Bezzi,1924 ZA Nta Kzu Dbn ZW
558. **Ceratitis** (s.str.) **malgassa** Munro,1939 (*Tephritidae*) Synonym(s): malgassa Munro,1939 MG MU
559. **Ceratitis** (s.str.) **manjakatempo** Hancock,1984 (*Tephritidae*) Synonym(s): manjakatempo Hancock,1984 MG
560. **Ceratitis** (s.str.) **pinax** Munro,1933 (*Tephritidae*) Synonym(s): pinax Munro,1933 ZA Nta Kzu Dbn KE
561. **Cercopis intermedia** Kirschbaum,1868 (*Cercopidae*) Synonym(s): intermedia Kirschbaum,1868; oblitterata Kirschbaum,1868; nigra Royer,1906; simulans Peneau,1912; turkestanica Lindberg,1923 Cc DZ BG FR DE? GR IR IL IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
562. **Cerdistus manii** Schiner,1867 (*Asilidae*) Synonym(s): manii Schiner,1867 TN TR
563. **Cerocoma ephesica** Reitter,1885 (*Meloidae*) Synonym(s): ephesica Reitter,1885 TR EG IR BG

- 564. Cetonia (s.str.) delangrei**
Boucard,1893 (*Scarabaeidae*) Synonym(s):
delangrei Boucard,1893; syriaca Boucard,1893;
chrysosoma Reitter,1896 **CY TR SY LB IL Pa EG**
- 565. Cetonia (s.str.) funeraria Gory & Percheron,1833** (*Scarabaeidae*)
Synonym(s): funeraria Gory & Percheron,1833;
gerardi Kraatz,1879; opaca Kraatz,1880 **DZ**
- 566. Chelonus erythrogaster Lucas,1846**
(*Braconidae*) Synonym(s): erythrogaster
Lucas,1846 **DZ RU TR**
- 567. Chelonus inanitus (Linnaeus,1767)**
(*Braconidae*) Synonym(s): inanitus Linnaeus,1767
DZ RU TR
- 568. Chiasmus conspurcatus**
(**Perris,1857**) (*Cicadellidae*) Synonym(s):
conspurcatus Perris,1857; laboulbenii Perris,1857;
gautschii Then,1886 **AF AL AT BG ES Cn EG**
FR IQ IL IT JO PT RO ES TR AZ GG Cc TJ
UZ YU
- 569. Chloriona ponticana Asche,1982**
(*Delphacidae*) Synonym(s): ponticana Asche,1982
Cr GR LB MA ES TR
- 570. Chloriona sricula Matsumura,1910**
(*Delphacidae*) Synonym(s): sricula
Matsumura,1910; flaveola Lindberg,1948 **ES FR DE**
IT Si AT BG CY TR EG IL MA TR KG
- 571. Chloriona unicolor (Herrich-Schäffer,1835)** (*Delphacidae*) Synonym(s):
unicolor Herrich-Schäffer,1835; edwardsi Le
Quesne,1960 **Cc AT FR DE GB HU IR IE IT**
TN GG KG KK RU UA UZ YU
- 572. Chlorita eremophila**
Linnavuori,1962 (*Cicadellidae*)
Synonym(s): eremophila Linnavuori,1962 **EG IL**
- 573. Chlorita popovi Zachvatkin,1953**
(*Cicadellidae*) Synonym(s): popovi
Zachvatkin,1953 **GG KG Cc ER**
- 574. Chlorita tessellata Lethierry,1884**
(*Cicadellidae*) Synonym(s): tessellata
Lethierry,1884 **BG CS GR IT RO TN TR AZ GG**
Cc KG KK RU UA
- 575. Chlorita viridula (Fallén,1806)**
(*Cicadellidae*) Synonym(s): viridula Fallén,1806
DZ AT BE BG CS DK FR DE GB HU IT NO
PL RO ES SE SW KG KK LV MD RU Sb UA
YU
- 576. Choerades aureopilosa**
(**Ricardo,1900**) (*Asilidae*) Synonym(s):
aureopilosa Ricardo,1900; variabilis Bromley,1947
ZA ZW
- 577. Choerades bella (Loew,1858)**
(*Asilidae*) Synonym(s): bella Loew,1858 **ZA**
ZW
- 578. Choerades multipunctata**
(**Oldroyd,1974**) (*Asilidae*) Synonym(s):
multipunctata Oldroyd,1974 **ZA**
- 579. Choeras dorsalis (Spinola,1808)**
(*Braconidae*) Synonym(s): dorsalis Spinola,1808
TR Cc AZ AM RU Da GG DZ CY GB SE IT Si
RO HU
- 580. Chopardempusa neglecta**
(**Paulian,1958**) (*Empusidae*) Synonym(s):
neglecta Paulian,1958 **MG**
- 581. Chopardentella backlundii**
(**Kaltenbach,1990**) (*Mantidae*)
Synonym(s): backlundii Kaltenbach,1990 **ZM**
- 582. Chopardentella royi**
Kaltenbach,1996 (*Mantidae*) Synonym(s):
royi Kaltenbach,1996 **ZR**
- 583. Chorisops tunisiae (Becker,1915)**
(*Stratiomyidae*) Synonym(s): tunisiae
Becker,1915 **DZ MA TN**
- 584. Chroicoptera longa Giglio-Tos,1915**
(*Mantidae*) Synonym(s): longa Giglio-Tos,1915
ZA
- 585. Chroicoptera saussurei (Giglio-Tos,1915)** (*Mantidae*) Synonym(s): saussurei
Giglio-Tos,1915 **ZA Ec LS Nta Kzu Fs Tva Lpo**
- 586. Chroicoptera vidua (Stal,1856)**
(*Mantidae*) Synonym(s): vidua Stal,1856 **NA**
ZA Nta Kzu Lpo Tva
- 587. Chrysobothris affinis**
(**Fabricius,1794**) (*Buprestidae*) Synonym(s):
affinis Fabricius,1794; congener Paykull,1799;
tetragramma Ménétériés,1832; hexastigma
Mannerheim,1837; assimulanus Schreiber,1843;
aeruginosa Fügner,1891; heliophila Abeille,1893;
inaqualis Reitter,1895; reitteri Kerremans,1900; tristis
Abeille,1900; adusta Abeille,1901; carinithorax
Obenberger,1916; heterochroa Obenberger,1916;
laticollis Obenberger,1916; leonhardi Obenberger,1916;
sibirica Obenberger,1916; reinecki Schirmer,1918;
eurythorax Obenberger,1934; nevstyti Richter,1944 **DE**
AL AT BE BG GR YU TN DZ CZ DK Cc AM
EE FR MA NL IR ES SE CH IT LT HU EG
NO UZ PL PT RO RU Sb TR
- 588. Chrysobothris solieri Laporte & Gory,1837** (*Buprestidae*) Synonym(s): solieri
Laporte & Gory,1837; consentacea Dejean,1836;
multipunctata Campanyo,1863; quadridens Rey,1890;
bedeli Pic,1930 **DE AT BG DZ CZ FR Cc GG**
Tbl ES CH IT Co HU PL PT RO RU TR UA
YU GR
- 589. Chrysotus albibarbus Loew,1857**
(*Dolichopodidae*) Synonym(s): albibarbus
Loew,1857 **EG GR TR DZ ES Cn FR IT RU**
Am
- 590. Chrysotus suavis Loew,1857**
(*Dolichopodidae*) Synonym(s): suavis Loew,1857
AM BG EG GG GR Cc IQ IL Pa RO RU TR
UA
- 591. Cicada orni Linnaeus,1758**
(*Cicadidae*) Synonym(s): orni Linnaeus,1758 **Cc**
AL AT CY CS EG FR GR HU IL IT JO LB RO
SW ES TN AM AZ GG RU TM UA YU
- 592. Cicadatra flavicollis Horvath,1911**
(*Cicadidae*) Synonym(s): flavicollis Horvath,1911
EG IL
- 593. Cicadatra querula (Pallas,1773)**
(*Cicadidae*) Synonym(s): querula Pallas,1773 **Cc**
AF DZ FR IR IL MN TN AM AZ GG KG KK
RU TJ TM UA UZ

- 594. Cicadetta aestuans (Fabricius, 1794)**
(Cicadidae) Synonym(s): aestuans Fabricius, 1794
DZ FR GR TN
- 595. Cicadetta flaveola (Brullé, 1832)**
(Cicadidae) Synonym(s): flaveola Brullé, 1832
Cc DZ GR IT MA PT ES GG KG TJ TM
- 596. Cicadetta mediterranea Fieber, 1876**
(Cicadidae) Synonym(s): mediterranea
Fieber, 1876 BG IT JO TN YU
- 597. Cicadetta musiva (Germar, 1830)**
(Cicadidae) Synonym(s): musiva Germar, 1830
AF DZ CY EG IR IQ IL JO MA TN TR Cc AZ
KG RU TM UZ
- 598. Cicadetta parvula Fieber, 1876**
(Cicadidae) Synonym(s): parvula Fieber, 1876
MA TR
- 599. Cicadetta prasina (Pallas, 1773)**
(Cicadidae) Synonym(s): prasina Pallas, 1773
CN MN MA? PT? Cc AM KG RU Sb
- 600. Cicadivetta tibialis (Panzer, 1798)**
(Cicadidae) Synonym(s): tibialis Panzer, 1798
AL AT BG CS FR DE GR HU IT MA PT RO
ES TN KK MD RU Cc TR UA UZ
- 601. Cicadula lineatopunctata (Matsumura, 1908) (Cicadellidae)**
Synonym(s): lineatopunctata Matsumura, 1908;
siciliensis Matsumura, 1908; divaricata Ribaut, 1952
AF DZ BG PT FR IL IT Si MA SY TN TR Cc
AZ UZ
- 602. Cicadula quadrinotata (Fabricius, 1794) (Cicadellidae)** Synonym(s):
quadrinotata Fabricius, 1794 AL DZ AT BG ES Cn
CN CS FI FR DE GB HU IS IE IT JP KP MN
NL NO PL PT RO SE SW EE GG Cc KG KK
LV MD RU Sb UA
- 603. Cicadulella pallida (Haupt, 1927) (Cicadellidae)** Synonym(s):
pallida Haupt, 1927 EG IL
- 604. Cicadulina bipunctata (Melichar, 1904) (Cicadellidae)** Synonym(s):
bipunctata Melichar, 1904; bipunctella
Matsumura, 1908; zae China, 1926 DZ ES Cn Md
CY EG IQ IL JP JO LY TN TR
- 605. Cicindela campestris Linnaeus, 1758 (Carabidae)** Synonym(s):
campestris Linnaeus, 1758 SE HV AL BG GR Rd Cr MA
DZ TN IT Si Co Sa Md CY TR
- 606. Cilnia chopardi Werner, 1927 (Mantidae)** Synonym(s):
chopardi Werner, 1927; cochlearis Sjöstedt, 1930 BW MZ NA ZA Nta Kzu
- 607. Cilnia humeralis (Saussure, 1871) (Mantidae)** Synonym(s):
humeralis Saussure, 1871; latipes Stal, 1875 AO ZA Ec Nta
Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM
- 608. Circulifer haematoceps (Mulsant & Rey, 1855) (Cicadellidae)** Synonym(s):
haematoceps Mulsant & Rey, 1855; haagi
Kirschbaum, 1868; opacus Kirschbaum, 1868;
rubrotinctus Kirschbaum, 1868; opacipennis
Lethierry, 1876; vittiventris Lethierry, 1876; diluta
Ferrari, 1882; picta Ferrari, 1882; minor Ferrari, 1884;
futilis Horvath, 1909; unicolor Haupt, 1927; haupti
Zachvatkin, 1935; viridiflavus Lindberg, 1948; interibilis
Lindberg, 1948 AF DZ AT ES Cn CY CS EG FR
DE GR HU IR IT JO LB LY Md MN MA PL
RO ES SY TN TR AM AZ GG Cc KG KK MD
RU TM UA UZ YU
- 609. Cixius cunicularius (Linnaeus, 1767) (Cixiidae)** Synonym(s):
cunicularius Linnaeus, 1767; nervosopunctata De Geer, 1773;
cynosbatis Fabricius, 1775; dionysii Panzer, 1796;
dorsalis Hardy, 1850; eurypterus Kirschbaum, 1868;
vulgaris Fieber, 1876; fusca Fieber, 1876 AL DZ AT
BL CN CZ DK FN FR DE GB IE HU IT NO
PL RO ES SE SW RU BY EE KG LV UA YU
GG Sb
- 610. Cixius nervosus (Linnaeus, 1758) (Cixiidae)** Synonym(s):
nervosus Linnaeus, 1758; hemerobioides Schrank, 1776; fasciata Fieber, 1876;
minor Ferrari, 1885 (praeocc.); atavus
Schumacher, 1912; longispinus Wagner, 1955 Cc AL
DZ TN AT BL GB CZ DK FI FR DE HU IT JP
MA NL NO PL RO ES SE SW RU AZ BY EE
GG KG LV UA UZ YU MD Krl Sh Sb
- 611. Cixius simplex (Herrich-Schäffer, 1835) (Cixiidae)** Synonym(s):
bifasciata Schrank, 1776 (praeocc.); simplex Herrich-
Schäffer, 1835; minor Kirschbaum, 1868; vitripennis
Kirschbaum, 1868; scotti Edwards, 1888 Cc DZ AT
BL BG CZ DK FR DE GB HU IT NL PL RO
ES AM AZ GG TJ YU
- 612. Clastopus eurynotoides Fairmaire, 1898 (Tenebrionidae)**
Synonym(s): eurynotoides Fairmaire, 1898;
punctipennis Fairmaire, 1902 MG
- 613. Clastopus ordinarius Iwan, 1996 (Tenebrionidae)** Synonym(s):
ordinarius Iwan, 1996 MG
- 614. Clastopus tenuiculus (Iwan, 1996) (Tenebrionidae)** Synonym(s):
tenuiculus Iwan, 1996 MG
- 615. Claudegirardius bertiae Iwan, 1999 (Tenebrionidae)** Synonym(s):
bertiae Iwan, 1999 ZA Ec
- 616. Claudegirardius costatus Iwan, 1999 (Tenebrionidae)** Synonym(s):
costatus Iwan, 1999 ZA Ec
- 617. Claudegirardius queenstowniensis Iwan, 1999 (Tenebrionidae)** Synonym(s):
queenstowniensis Iwan, 1999 ZA Ec Qt
- 618. Coenagrion puellum (Linnaeus, 1758) (Coenagrionidae)** Synonym(s):
puellum Linnaeus, 1758 TR DZ IR
- 619. Compsothespis abyssinica Beier, 1961 (Mantidae)** Synonym(s):
abyssinica Beier, 1961 ET
- 620. Compsothespis anomala Saussure, 1872 (Mantidae)** Synonym(s):
anomala Saussure, 1872 ZA Ec Nta Kzu Tva Lpo
- 621. Compsothespis cinnabarina Beier, 1955 (Mantidae)** Synonym(s):
cinnabarina Beier, 1955 ZA Nta Kzu Tva Lpo

- 622. *Compsothespis ebneri* Werner, 1918**
(*Mantidae*) Synonym(s): ebneri Werner, 1918 **SD**
- 623. *Compsothespis falcifera* Rehn, 1901**
(*Mantidae*) Synonym(s): falcifera Rehn, 1901 **KE SO**
- 624. *Compsothespis hispida* Beier, 1954**
(*Mantidae*) Synonym(s): hispida Beier, 1954 **UG**
- 625. *Compsothespis kilwana* Giglio-Tos, 1913** (*Mantidae*) Synonym(s): kilwana Giglio-Tos, 1913 **ZA Nta Kzu Tva Lpo TZ**
- 626. *Compsothespis marginipennis* Werner, 1916** (*Mantidae*) Synonym(s): marginipennis Werner, 1916 **SO TZ**
- 627. *Compsothespis michaelsoni* Werner, 1923** (*Mantidae*) Synonym(s): michaelsoni Werner, 1923 **NA**
- 628. *Compsothespis natalica* Westwood, 1889** (*Mantidae*) Synonym(s): natalica Westwood, 1889 **ZA Nta Kzu**
- 629. *Compsothespis occidentalis* Sjöstedt, 1930** (*Mantidae*) Synonym(s): occidentalis Sjöstedt, 1930 **BF CI GH GN**
- 630. *Compsothespis zavattam* La Greca, 1939** (*Mantidae*) Synonym(s): zavattam La Greca, 1939 **ET**
- 631. *Congomantis femoralis* Werner, 1929** (*Mantidae*) Synonym(s): femoralis Werner, 1929 **ZR**
- 632. *Congomochtherus elferinki* Londt & Tsacas, 1987** (*Asilidae*) Synonym(s): elferinki Londt & Tsacas, 1987 **ZA ZW**
- 633. *Congomochtherus inachus* Londt & Tsacas, 1987** (*Asilidae*) Synonym(s): inachus Londt & Tsacas, 1987 **ZA**
- 634. *Congomochtherus potamius* Londt & Tsacas, 1987** (*Asilidae*) Synonym(s): potamius Londt & Tsacas, 1987 **ZA**
- 635. *Connomyia leonina* (Engel, 1932)** (*Asilidae*) Synonym(s): leonina Engel, 1932 **ZA**
- 636. *Connomyia tsacasi* Londt, 1993** (*Asilidae*) Synonym(s): tsacasi Londt, 1993 **ZA ZR**
- 637. *Connomyia varipennis* (Ricardo, 1925)** (*Asilidae*) Synonym(s): varipennis Ricardo, 1925 **ZA**
- 638. *Conocephalus (Anisoptera) concolor* (Burmeister, 1838)** (*Tettigoniidae*) Synonym(s): concolor Burmeister, 1838 **ES EG IL Pa IQ Amara TR**
- 639. *Conomelus anceps* (Germar, 1821)** (*Delphacidae*) Synonym(s): anceps Germar, 1821; pictipennis Curtis, 1837; signifera Boheman, 1845; palliata Boheman, 1849 **Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU**
- 640. *Conophorus mauritanicus* Bigot, 1892** (*Bombyliidae*) Synonym(s): mauritanicus Bigot, 1892 **MA IT**
- 641. *Conophorus mauritanicus* Bigot, 1892** (*Bombyliidae*) Synonym(s): mauritanicus Bigot, 1892 **MA**
- 642. *Conophorus virescens* (Fabricius, 1787)** (*Bombyliidae*) Synonym(s): virescens Fabricius, 1787 **DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN**
- 643. *Conosanus obsoletus* (Kirschbaum, 1858)** (*Cicadellidae*) Synonym(s): obsoletus Kirschbaum, 1858; sejungendus Kirschbaum, 1868; covexus Kirschbaum, 1868; sexpunctatus Sahlberg, 1871; piceus Scott, 1875 **AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE SW TR LV MD UA YU**
- 644. *Copris hispanus* (Linnaeus, 1764)** (*Scarabaeidae*) Synonym(s): hispanus Linnaeus, 1764; cavolini Petagna, 1792; retusus Mulsant, 1842; sinuatus Mulsant, 1842; tridens Mulsant, 1842; persianus Miksic, 1958 **ES RU UA UZ TM TJ IR TR EG**
- 645. *Corymyia antimelas* Londt, 1994** (*Asilidae*) Synonym(s): antimelas Londt, 1994 **ZA**
- 646. *Corymyia euryops* Londt, 1994** (*Asilidae*) Synonym(s): euryops Londt, 1994 **ZA**
- 647. *Corymyia melas* Londt, 1994** (*Asilidae*) Synonym(s): melas Londt, 1994 **ZA**
- 648. *Corymyia xantha* Londt, 1994** (*Asilidae*) Synonym(s): xantha Londt, 1994 **ZA**
- 649. *Cosmogaster impressicollis* (Fairmaire, 1897)** (*Tenebrionidae*) Synonym(s): impressicollis Fairmaire, 1897 **TZ**
- 650. *Cotesia ruficrus* (Haliday, 1834)** (*Braconidae*) Synonym(s): ruficrus Haliday, 1834 **EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU**
- 651. *Cotesia telengai* (Tobias, 1972)** (*Braconidae*) Synonym(s): telengai Tobias, 1972 **DZ DE BG GB TR IR Cc NL PL HU MA**
- 652. *Crypticanus aequus* Iwan, 1999** (*Tenebrionidae*) Synonym(s): aequus Iwan, 1999 **ZA Ec**
- 653. *Crypticanus aeternus* Iwan, 1999** (*Tenebrionidae*) Synonym(s): aeternus Iwan, 1999 **ZA Ec**
- 654. *Crypticanus amaroides* (Fahraeus, 1870)** (*Tenebrionidae*) Synonym(s): amaroides Fahraeus, 1870; dilatipes Koch, 1956 **ZA Ec**
- 655. *Crypticanus amicus* (Koch, 1956)** (*Tenebrionidae*) Synonym(s): amicus Koch, 1956 **ZA Ec**
- 656. *Crypticanus bremeri* Iwan, 1999** (*Tenebrionidae*) Synonym(s): bremeri Iwan, 1999 **ZA Ec**

657. **Crypticanus brzeskii Iwan,1999**
(*Tenebrionidae*) Synonym(s): brzeskii Iwan,1999
ZA Ec
658. **Crypticanus dentatus Iwan,1999**
(*Tenebrionidae*) Synonym(s): dentatus Iwan,1999
ZA Ec
659. **Crypticanus edwardsi (Mulsant & Rey,1854)** (*Tenebrionidae*) Synonym(s): edwardsi Mulsant & Rey,1854; cuneatus Fairmaire,1897
ZA Ec Pel
660. **Crypticanus incisus (Koch,1956)**
(*Tenebrionidae*) Synonym(s): incisus Koch,1956
ZA Ec
661. **Crypticanus iubatus Iwan,1999**
(*Tenebrionidae*) Synonym(s): iubatus Iwan,1999
ZA Ec
662. **Crypticanus knysnaiensis Iwan,2001** (*Tenebrionidae*) Synonym(s): knysnaiensis Iwan,2001 ZA Wca Kny
663. **Crypticanus lacrimosus Iwan,1999**
(*Tenebrionidae*) Synonym(s): lacrimosus Iwan,1999 ZA Ec
664. **Crypticanus marginicollis (Mulsant & Rey,1854)** (*Tenebrionidae*) Synonym(s): marginicollis Mulsant & Rey,1854 ZA Ec
665. **Crypticanus robustus Iwan,1999**
(*Tenebrionidae*) Synonym(s): robustus Iwan,1999
ZA Ec
666. **Crypticanus simplex Iwan,1999**
(*Tenebrionidae*) Synonym(s): simplex Iwan,1999
ZA Ec
667. **Crypticanus supervacaneus Iwan,1999** (*Tenebrionidae*) Synonym(s): supervacaneus Iwan,1999 ZA Ec
668. **Crypticanus trivialis (Fahraeus,1870)** (*Tenebrionidae*) Synonym(s): trivialis Fahraeus,1870 ZA Ec
669. **Cryptotrogus weisei Kraatz,1888**
(*Scarabaeidae*) Synonym(s): weisei Kraatz,1888
EG JO IL Pa
670. **Cueta lineosa (Rambur,1842)**
(*Myrmeleonidae*) Synonym(s): lineosa Rambur,1842; morosus Walker,1853; ulianini McLachan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914; natti Navas,1914; anomala Navas,1915; albanica Capra. SD EG AF IR SA TR IQ IL CY AM GG AL
671. **Cueta lineosus (Rambur,1842)**
(*Myrmeleonidae*) Synonym(s): lineosus Rambur,1842; morosus Walker,1853; ulianini McLachlan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914; natti Navas,1914; anomala Navas,1915 AF IR TR SA IQ IL Pa Cc CY SD
672. **Cueta virgata (Klug,1834)**
(*Myrmeleonidae*) Synonym(s): virgata Klug,1834
SA SD
673. **Cylindera (Cicindina) trisignata (Dejean,1822)** (*Carabidae*) Synonym(s): trisignata Dejean,1822 MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
674. **Cyrtisiopsis melleus (Loew,1856)**
(*Mythicomyiidae*) Synonym(s): melleus Loew,1856 EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
675. **Damalis achilles Londt,1989**
(*Asilidae*) Synonym(s): achilles Londt,1989 ZA
676. **Damalis annulata Loew,1858**
(*Asilidae*) Synonym(s): annulata Loew,1858 ZA
677. **Damalis conspicua Curran,1934**
(*Asilidae*) Synonym(s): conspicua Curran,1934
ZA
678. **Danurella irregularis Westwood,1889** (*Mantidae*) Synonym(s): irregularis Westwood,1889 MG
679. **Danurella madagascariensis (Beier,1929)** (*Mantidae*) Synonym(s): madagascariensis Beier,1929 MG
680. **Danurella marojejyensis Paulian,1961** (*Mantidae*) Synonym(s): marojejyensis Paulian,1961 MG
681. **Danuria (Danuroides) barbozae (Bolivar,1889)** (*Mantidae*) Synonym(s): barbozae Bolivar,1889 AO KE ZR TZ
682. **Danuria (Danuroides) congica (Giglio-Tos,1917)** (*Mantidae*) Synonym(s): congica Giglio-Tos,1917 ZR
683. **Danuria (Danuroides) kilimandjarica (Sjöstedt,1909)** (*Mantidae*) Synonym(s): kilimandjarica Sjöstedt,1909 KE ZR MW RW TZ ZM ZW
684. **Danuria (s.str.) angusticollis Beier,1931** (*Mantidae*) Synonym(s): angusticollis Beier,1931 SO TZ
685. **Danuria (s.str.) buchholzi Gerstaecker,1883** (*Mantidae*) Synonym(s): buchholzi Gerstaecker,1883 GH GN CM CI ZR SN NG TG UG
686. **Danuria (s.str.) contorta Sjöstedt,1913** (*Mantidae*) Synonym(s): contorta Sjöstedt,1913 KE TZ
687. **Danuria (s.str.) gracilis (Schulthess-Rechberg,1898)** (*Mantidae*) Synonym(s): gracilis Schulthess-Rechberg,1898; kuangana Giglio-Tos,1914 AO ZR SO
688. **Danuria (s.str.) impannosa Karsch,1899** (*Mantidae*) Synonym(s): impannosa Karsch,1899; schweinfurthi Werner,1907 ET SD
689. **Danuria (s.str.) obscuripennis (Chopard,1914)** (*Mantidae*) Synonym(s): obscuripennis Chopard,1914; fusca Giglio-Tos,1914 UG
690. **Danuria (s.str.) sublineata (Werner,1929)** (*Mantidae*) Synonym(s): sublineata Werner,1929 MZ
691. **Danuria (s.str.) thunbergi (Stal,1856)** (*Mantidae*) Synonym(s):

- thunbergi Stal,1856 ET KE ZR MZ NA ZA Nta
Kzu Tva Lpo ZW TZ
692. **Dasyphora penicillata (Egger,1865)**
(*Muscidae*) Synonym(s): penicillata Egger,1865
MA DE PL CZ SK CH AT HU Cc RU TR
693. **Dasyramphus nigrinus**
(*Fabricius,1794*) (*Tabanidae*) Synonym(s):
nigrinus Fabricius,1794; alexandrinus Wiedemann,1830
DZ ES FR IT TR IL Pa SY
694. **Delphax crassicornis (Panzer,1796)**
(*Delphacidae*) Synonym(s): crassicornis
Panzer,1796; dubia Panzer,1796 (praeocc.); grisea
Latreille,1804 AT BL CZ DK FI DE HU IT JP
NL PL RO ES SE TN RU AZ EE KG KK LV
TJ UA YU
695. **Delphax inermis Ribaut,1934**
(*Delphacidae*) Synonym(s): inermis Ribaut,1934
AF DZ CY FR IL IT MA ES TN
696. **Delta unguiculatum (Villers,1789)**
(*Vespidae*) Synonym(s): unguiculatum
Villers,1789 TR DZ
697. **Dendarus (Pandarinus) piceus**
(*Olivier,1811*) (*Tenebrionidae*) Synonym(s):
piceus Olivier,1811 SY EG
698. **Denops albofasciatus**
(*Charpentier,1825*) (*Cleridae*) Synonym(s):
albofasciatus Charpentier,1825 PT ES LY TR IL
Pa
699. **Denticollis rubens Piller & Mitterpacher,1783** (*Elateridae*)
Synonym(s): rubens Piller & Mitterpacher,1783
AT BE B-H BG BY HV RU CZ DK EE FR DE
Cc GG HU IT LT MD NO PL RO YU SK SL
SE CH UA ES TR
700. **Derisa pallida Fennah,1964**
(*Flatidae*) Synonym(s): pallida Fennah,1964 EG
IL
701. **Dicranomyia (s.str.) chorea**
(*Meigen,1818*) (*Limoniidae*) Synonym(s):
chorea Meigen,1818 TR DZ Cc
702. **Dicranomyia (s.str.) goritiensis**
(*Mik,1864*) (*Limoniidae*) Synonym(s):
goritiensis Mik,1864 TR DZ UA Cm
703. **Dicranomyia (s.str.) mitis**
(*Meigen,1830*) (*Limoniidae*) Synonym(s):
mitis Meigen,1830 TR DZ Cc
704. **Dicranotropis hamata**
(*Boheman,1847*) (*Delphacidae*)
Synonym(s): hamata Boheman,1847 Cc DZ AT
BL BG CZ FI FR DE GB HU IT IE NL NO PL
RO ES SE TN RU At EE GG KG LV MD UA
YU
705. **Dicronychus exstinctus**
(*Erichson,1840*) (*Elateridae*) Synonym(s):
exstinctus Erichson,1840 EG IQ TR?
706. **Dicronychus versicolor (Mulsant & Guillebeau,1856)** (*Elateridae*) Synonym(s):
versicolor Mulsant & Guillebeau,1856 FR IT SL GR
TR?
707. **Dictyophara europaea**
(*Linnaeus,1767*) (*Dictyopharidae*)
Synonym(s): europaea Linnaeus,1767; #aeuropaea
Petagna,1787; europe Aucher-Elroy,1826; italica
Kirschbaum,1868; lutea Lang,1942 Cc AF AL AT
BL BG CN Ui CZ FR DE GR HU IT IQ PL PT
RO ES SW TN RU TR AM AZ GG KG KK MD
UA UZ YU
708. **Dictyophara striata Oshanin,1879**
(*Dictyopharidae*) Synonym(s): striata
Oshanin,1879 DZ CN EG IQ IL JO MA Cc AZ
KG RU TJ TM UZ
709. **Dilatempusa aegyptiaca (Giglio-Tos,1917)** (*Empusidae*) Synonym(s):
aegyptiaca Giglio-Tos,1917; dilaticollis Lombardo,1992
EG BF ET
710. **Diolcogaster claritibia (Papp,1959)**
(*Braconidae*) Synonym(s): claritibia Papp,1959
TR DE RU KG Cc AM AZ GG FI Cn YU AT
TN SY
711. **Diplocolenus abdominalis**
(*Fabricius,1803*) (*Cicadellidae*)
Synonym(s): abdominalis Fabricius,1803 DZ AT
BE BG CS DK FI DE GB HU IT KP MN MA
NO PL RO ES SW Cc AM AZ EE Kmt KG KK
LV MD RU Sb UA YU
712. **Diplocolenus bohemani**
(*Zetterstedt,1840*) (*Cicadellidae*)
Synonym(s): bohemani Zetterstedt,1840;
calceolatus Boheman,1845; tiaratus Fieber,1869 AL
DZ AT BE BG CS DK FI FR DE IT NO PL RO
SE SW TN KG LV MD RU (Siberia) UA YU
713. **Dociostaurus (s.str.) maroccanus**
(*Thunberg,1815*) (*Acrididae*) Synonym(s):
maroccanus Thunberg,1815 MA TR
714. **Dolichogenidea breviventris**
(*Ratzeburg,1848*) (*Braconidae*)
Synonym(s): breviventris Ratzeburg,1848 TR EG
RU KP KR
715. **Dolichovespula sylvestris**
(*Scopoli,1763*) (*Vespidae*) Synonym(s):
sylvestris Scopoli,1763 ES Md DZ TN TR EG IL
IR GB CN MN
716. **Doratulina instabilis (Ribaut,1948)**
(*Cicadellidae*) Synonym(s): instabilis Ribaut,1948
AF CY EG GR IL IT LY TR
717. **Doratulina luxoriensis**
(*Linnavuori,1952*) (*Cicadellidae*)
Synonym(s): luxoriensis Linnavuori,1952 EG IL
718. **Doratura stylata (Boheman,1847)**
(*Cicadellidae*) Synonym(s): stylata
Boheman,1847; macroptera Kusnezov,1928 AL DZ
AT BE BG CS DK FI FR DE GB HU IT NL
NO PL PT ES SE SW TN EE Cc GG TR KG
KK LV MD RU Sb UA YU
719. **Doyenus dentatus Iwan,1996**
(*Tenebrionidae*) Synonym(s): dentatus Iwan,1996
MG

- 720. Doyenus uncus Iwan, 1996**
(Tenebrionidae) Synonym(s): uncus Iwan, 1996
MG
- 721. Drasterius bimaculatus (Rossi, 1790) (Elateridae)** Synonym(s): bimaculatus Rossi, 1790; #levantinus Roubal, 1924 DZ TR
- 722. Duilius seticulosa (Lethierry, 1874) (Cixiidae)** Synonym(s): seticulosa Lethierry, 1874; irrorata A. Costa, 1882; punctata Lallemand, 1929 AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ
- 723. Dysaphis lappae (Koch, 1854) (Aphididae)** Synonym(s): lappae Koch, 1854 ZA IR ES
- 724. Dystacta alticeps (Schaum, 1853) (Mantidae)** Synonym(s): alticeps Schaum, 1853; paradoxa Saussure, 1871 AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW
- 725. Dystactula grisea (Giglio-Tos, 1915) (Mantidae)** Synonym(s): grisea Giglio-Tos, 1915 ZA Ec
- 726. Dystactula kaltenbachii Roy, 2006 (Mantidae)** Synonym(s): kaltenbachii Roy, 2006 MW
- 727. Ectateus crenatus (Fairmaire, 1897) (Tenebrionidae)** Synonym(s): crenatus Fairmaire, 1897 ZR
- 728. Ectateus curtulus (Fairmaire, 1897) (Tenebrionidae)** Synonym(s): curtulus Fairmaire, 1897; calcaripes Gebien, 1904 CM ZR CF
- 729. Ectateus ghesquierei Koch, 1956 (Tenebrionidae)** Synonym(s): ghesquierei Koch, 1956 ZR
- 730. Ectateus laevistriatus (Fairmaire, 1897) (Tenebrionidae)** Synonym(s): laevistriatus Fairmaire, 1897 GN GH SL
- 731. Ectateus lamottei (Gridelli, 1954) (Tenebrionidae)** Synonym(s): lamottei Gridelli, 1954 SL
- 732. Ectateus latipennis Koch, 1956 (Tenebrionidae)** Synonym(s): latipennis Koch, 1956 ZR
- 733. Ectateus modestus (Fairmaire, 1887) (Tenebrionidae)** Synonym(s): modestus Fairmaire, 1887 CG ZR GA
- 734. Ectateus villieri Ardoin, 1965 (Tenebrionidae)** Synonym(s): villieri Ardoin, 1965 ZR
- 735. Edwardsiana lethierryi (Edwards, 1881) (Cicadellidae)** Synonym(s): lethierryi Edwards, 1881; chromata Rey, 1894; plurispinosa Wagner, 1935 DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU
- 736. Efflatouniella aegyptiaca Kröber, 1927 (Therevidae)** Synonym(s): aegyptiaca Kröber, 1927 EG
- 737. Elaea gestroi Capra, 1929 (Mantidae)** Synonym(s): gestroi Capra, 1929; pallida Chopard, 1941 EG ET LY SO MA YE SA
- 738. Elaea infumata Beier, 1931 (Mantidae)** Synonym(s): infumata Beier, 1931 KE
- 739. Elaea marchali (Reiche & Fairmaire, 1847) (Mantidae)** Synonym(s): marchali Reiche & Fairmaire, 1847; perlouides Saussure, 1869; somalica Schluthness-Schindler, 1898 DZ ET GN CM KE NG SN SD TD UG
- 740. Elymana sulphurella (Zetterstedt, 1828) (Cicadellidae)** Synonym(s): virescens Fabricius, 1794 (praeocc.); sulphurella Zetterstedt, 1828; combibus Matsumura, 1906; excisus Haupt, 1917 DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
- 741. Emelyanoviana mollicula (Boheman, 1845) (Cicadellidae)** Synonym(s): mollicula Boheman, 1845; fascialis Flor, 1861; florii Kirschbaum, 1868; albicans Lethierry, 1876 AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU
- 742. Empis (s.str.) caudatula Loew, 1867 (Empididae)** Synonym(s): caudatula Loew, 1867 TR AT CZ DK FR DE GB HU LT NL NO PL SK SL SE CH
- 743. Empis (s.str.) nigripes Fabricius, 1794 (Empididae)** Synonym(s): nigripes Fabricius, 1794 TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU
- 744. Empoasca decipiens Paoli, 1930 (Cicadellidae)** Synonym(s): decipiens Paoli, 1930; bifurcata Cerutti, 1939; meridiana Zachvatkin, 1946; minutissima Vilbaste, 1961 AF AT BG CS EG FR DE GB IR IQ IL IT JO LB LY MA NL PL RO ES SW TN TR GG Cc KK RU TJ TM UZ
- 745. Empoasca solani (Curtis, 1846) (Cicadellidae)** Synonym(s): solani Curtis, 1846; pteridis Dahlbom, 1850; solanituberosi Kollar, 1852; roseiventris Rey, 1894; tullgreni Ribaut, 1933; dlabolae Lindberg, 1960 AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU
- 746. Empoasca vitis (Göthe, 1875) (Cicadellidae)** Synonym(s): vitis Göthe, 1875; aurantiaca Lethierry, 1880; viticola Targioni-Tozzetti, 1888; subvaria Rey, 1894; vitium Paoli, 1931; punctata Kato, 1933; petiolata Cerutti, 1939 DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
- 747. Empusa fasciata Brullé, 1836 (Empusidae)** Synonym(s): fasciata Brullé, 1836 RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO

748. **Empusa guttula Thunberg, 1815**
(*Empusidae*) Synonym(s): guttula Thunberg, 1815
EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE
LY MA MG NA SO TZ TD TN
749. **Empusa hedenborgii Stal, 1877**
(*Empusidae*) Synonym(s): hedenborgii Stal, 1877
EG ET IR YE SO SA SD AE
750. **Empusa megaloccephala Gistel, 1856**
(*Empusidae*) Synonym(s): megaloccephala
Gistel, 1856 SD
751. **Empusa murati Chopard, 1940**
(*Empusidae*) Synonym(s): murati Chopard, 1940
MR
752. **Empusa pennata (Thunberg, 1815)**
(*Empusidae*) Synonym(s): clavata Goeze, 1778;
pauperata Rossi, 1783 nec F., 1781; pennata
Thunberg, 1815; variabilis Risso, 1826; egea
Charpentier, 1841; brachyptera Fischer v.
Waldheim, 1846; europaea Fieber, 1853; occidentalis
Fieber, 1853 DZ Cn LY MA TN ES PT Sa Si IT
753. **Engelepogon ravus (Loew, 1871)**
(*Asilidae*) Synonym(s): ravus Loew, 1871 TN YU
GR TR
754. **Ensina sonchi (Linnaeus, 1767)**
(*Tephritidae*) Synonym(s): sonchi Linnaeus, 1767
TR Cc IL Pa IR RU Sb Us JP CN Hw ET
755. **Entella (Euentella) gaerdesi**
Kaltenbach, 1996 (*Mantidae*) Synonym(s):
gaerdesi Kaltenbach, 1996 NA
756. **Entella (s.str.) angolensis**
Beier, 1937 (*Mantidae*) Synonym(s):
angolensis Beier, 1937 AO
757. **Entella (s.str.) angolica Beier, 1969**
(*Mantidae*) Synonym(s): angolica Beier, 1969
AO
758. **Entella (s.str.) brunni**
(Werner, 1923) (*Mantidae*) Synonym(s):
brunni Werner, 1923 NA
759. **Entella (s.str.) congica (Giglio-**
Tos, 1915) (*Mantidae*) Synonym(s): congica
Giglio-Tos, 1915 ZR
760. **Entella (s.str.) delalandi**
(Saussure, 1870) (*Mantidae*) Synonym(s):
delalandi Saussure, 1870; gracilipes Saussure, 1872
NA ZA Ec TZ ZW
761. **Entella (s.str.) ehrmanni Koçak &**
Kemal, 2008 (*Mantidae*) Synonym(s):
nebulosa Serville, 1839 nec Thunberg, 1815; ehrmanni
Koçak & Kemal, 2008 ZA Ec Nta Kzu
762. **Entella (s.str.) exilis (Giglio-**
Tos, 1915) (*Mantidae*) Synonym(s): exilis
Giglio-Tos, 1915 ZA Ec
763. **Entella (s.str.) femina (Karny, 1908)**
(*Mantidae*) Synonym(s): femina Karny, 1908
NA
764. **Entella (s.str.) grandis (Giglio-**
Tos, 1915) (*Mantidae*) Synonym(s): grandis
Giglio-Tos, 1915 TZ
765. **Entella (s.str.) machadoi Beier, 1969**
(*Mantidae*) Synonym(s): machadoi Beier, 1969
AO
766. **Entella (s.str.) meruensis**
Sjöstedt, 1909 (*Mantidae*) Synonym(s):
meruensis Sjöstedt, 1909 TZ KE
767. **Entella (s.str.) minor (Giglio-**
Tos, 1915) (*Mantidae*) Synonym(s): minor
Giglio-Tos, 1915 TZ
768. **Entella (s.str.) natalica Beier, 1955**
(*Mantidae*) Synonym(s): natalica Beier, 1955 ZA
Nta Kzu
769. **Entella (s.str.) obscura Beier, 1969**
(*Mantidae*) Synonym(s): obscura Beier, 1969 AO
770. **Entella (s.str.) orientalis (Giglio-**
Tos, 1915) (*Mantidae*) Synonym(s): orientalis
Giglio-Tos, 1915 MZ TZ ZA Tva Lpo
771. **Entella (s.str.) personata**
Beier, 1954 (*Mantidae*) Synonym(s):
personata Beier, 1954 ZR
772. **Entella (s.str.) pusilla Beier, 1953**
(*Mantidae*) Synonym(s): pusilla Beier, 1953 ZA
Tva Lpo
773. **Entella (s.str.) reussi (Giglio-**
Tos, 1915) (*Mantidae*) Synonym(s): reussi
Giglio-Tos, 1915 TZ
774. **Entella (s.str.) rudebecki Beier, 1955**
(*Mantidae*) Synonym(s): rudebecki Beier, 1955
ZA LS
775. **Entella (s.str.) rukwaensis**
Kaltenbach, 1990 (*Mantidae*) Synonym(s):
rukwaensis Kaltenbach, 1990 TZ
776. **Entella (s.str.) stegmanni**
Rehn, 1914 (*Mantidae*) Synonym(s):
stegmanni Rehn, 1914 TZ ZR
777. **Entella (s.str.) taborana (Giglio-**
Tos, 1915) (*Mantidae*) Synonym(s): taborana
Giglio-Tos, 1915 TZ
778. **Entella (s.str.) transvaalica**
Beier, 1955 (*Mantidae*) Synonym(s):
transvaalica Beier, 1955 ZA Tva Lpo ZW
779. **Entella (s.str.) vitticeps**
(Sjöstedt, 1909) (*Mantidae*) Synonym(s):
vitticeps Sjöstedt, 1909 KE MZ TZ
780. **Epitenodera brevipennis**
(Saussure, 1871) (*Mantidae*) Synonym(s):
brevipennis Saussure, 1871 SN TG TD
781. **Epitenodera capitata**
(Saussure, 1869) (*Mantidae*) Synonym(s):
capitata Saussure, 1869; ibana Giglio-Tos, 1912; iringana
Giglio-Tos, 1912; madimbana Giglio-Tos, 1912 AO ET
KE ZR MW MZ ZA Nta Kzu Tva Lpo ZW UG
Rz TZ
782. **Epitenodera equatoriana La**
Greca, 1993 (*Mantidae*) Synonym(s):
equatoriana La Greca, 1993 SD
783. **Epitenodera herbacea (Audinet-**
Serville, 1839) (*Mantidae*) Synonym(s):

- herbacea Audinet-Serville,1839 **GH CM MR SN SD TG**
- 784. Epitenodera houyi Werner,1928**
(*Mantidae*) Synonym(s): houyi Werner,1928 **BF CM NG SN**
- 785. Epitenodera nimbana Roy,1963**
(*Mantidae*) Synonym(s): nimbana Roy,1963 **BF GH GN CM ZR**
- 786. Eremoplana infelix Uvarov,1924**
(*Mantidae*) Synonym(s): ocellata Thunberg,1815 nec Oliv.,1792; infelix Uvarov,1924 **EG IL Pa JO LB SA SD**
- 787. Eretes griseus (Fabricius,1781)**
(*Dytiscidae*) Synonym(s): griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935 **ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG**
- 788. Eretes sticticus (Linnaeus,1767)**
(*Dytiscidae*) Synonym(s): sticticus Linnaeus,1767; helvolus Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus Wollaston,1861; subdiaphanus Wollaston,1861 **DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE**
- 789. Eretmocerus diversiciliatus Silvestri,1915 (Aphelinidae)** Synonym(s): diversiciliatus Silvestri,1915 **NG TR**
- 790. Erimyrmosa frater (E.Saunders,1899) (Mutillidae)**
Synonym(s): frater E.Saunders,1899 **DZ TN**
- 791. Euaresta bullans (Wiedemann,1830) (Tephritidae)**
Synonym(s): bullans Wiedemann,1830 **ES FR BG GR Cr HU IT YU MK MD SK TR IL Pa UA RU CN US PE AR ZA AU**
- 792. Eucampsipoda aegyptia (Macquart,1851) (Nycteribiidae)**
Synonym(s): aegyptia Macquart,1851 **TR LB IL Pa JO IR SA YE EG**
- 793. Euchomena madecassa Saussure,1870 (Mantidae)** Synonym(s): madecassa Saussure,1870 **MG**
- 794. Eumenes pomiformis (Fabricius,1781) (Vespidae)** Synonym(s): pomiformis Fabricius,1781 **MT TR UA Cm LB TN**
- 795. Euoniticellus pallens (Olivier,1789) (Scarabaeidae)** Synonym(s): pallens Olivier,1789 **MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN**
- 796. Eupelix cuspidata (Fabricius,1775) (Cicadellidae)** Synonym(s): cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948 **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU**
- 797. Eupteryx atropunctata (Goeze,1778) (Cicadellidae)** Synonym(s): atropunctata Goeze,1778; nigropunctata Schrank,1781; carpini Fourcroy,1785; tripunctata Gmelin,1790; melanostica Gmelin,1790; picta Fabricius,1794; aureola Boheman,1845; petasitidis Ferrari,1882; impunctata Cerutti,1939; marginata Cerutti,1939 **AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU**
- 798. Eupteryx collina (Flor,1861) (Cicadellidae)** Synonym(s): collina Flor,1861; florida Ribaut,1936 **AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG LV MD RU TJ UA UZ YU CA**
- 799. Eupteryx cypria (Ribaut,1948) (Cicadellidae)** Synonym(s): cypria Ribaut,1948 **CY EG IL JO TR KG**
- 800. Eupteryx melissae Curtis,1837 (Cicadellidae)** Synonym(s): melissae Curtis,1837 **DZ AT BE BG CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA**
- 801. Eupteryx stachydearum (Hardy,1850) (Cicadellidae)** Synonym(s): stachydearum Hardy,1850 **DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU**
- 802. Eupteryx vittata (Linnaeus,1758) (Cicadellidae)** Synonym(s): vittata Linnaeus,1758 **DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU**
- 803. Eupteryx zelleri (Kirschbaum,1868) (Cicadellidae)** Synonym(s): zelleri Kirschbaum,1868 **AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG YU**
- 804. Eurhadina concinna (Germar,1831) (Cicadellidae)** Synonym(s): concinna Germar,1831 **DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU**
- 805. Eurhadina pulchella (Fallén,1806) (Cicadellidae)** Synonym(s): pulchella Fallén,1806; ornatipennis Curtis,1837; lutea Hardy,1850; aurantiaca Snellen,1862; thoracica Fieber,1884; orientalis Dworakowska,1969 **DZ AT BE BG CS DK FI FR DE GB HU IE KP NL NO LV MD RU Us UA YU**
- 806. Eurybregma nigrolineata Scott,1875 (Delphacidae)** Synonym(s): nigrolineata Scott,1875 **AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR**
- 807. Eurychila tafratensis (Bergevin,1920) (Tettigometridae)** Synonym(s): tafratensis Bergevin,1920 **IL LY MA**
- 808. Euryphara cantans (Fabricius,1794) (Cicadidae)** Synonym(s): cantans Fabricius,1794 **DZ FR GR MA ES TN**

- 809. Euscelidius schenkii**
(Kirschbaum,1868) (*Cicadellidae*)
Synonym(s): schenkii Kirschbaum,1868; zetterstedti Melichar,1896 **AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU**
- 810. Euscelidius variegatus**
(Kirschbaum,1858) (*Cicadellidae*)
Synonym(s): variegatus Kirschbaum,1858; irroratus Scott,1875; doderi Ferrari,1888; maculosus Rey,1891; duplex Rey,1894 **DZ AT Az BE BG ES Cn CS FR DE GB IT MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU**
- 811. Euscelis alsius Ribaut,1952**
(*Cicadellidae*) Synonym(s): alsius Ribaut,1952 **BG FR IL IT MN MA PT ES GR TR KG KK UZ**
- 812. Euscelis distinguendus**
(Kirschbaum,1858) (*Cicadellidae*)
Synonym(s): distinguendus Kirschbaum,1858 **AL AT BG CS FI FR DE GR IQ IT NL NO PL PT RO SE TN TR EE RU UA YU**
- 813. Euscelis incisus (Kirschbaum,1858)**
(*Cicadellidae*) Synonym(s): plebeja Fallén,1806; incisus Kirschbaum,1858; obscurellus Kirschbaum,1858; pallidior Kirschbaum,1868; communis Edwards,1868; tessellatus Rey,1891; fusciventris Rey,1894; paradoxus Rey,1894; ochreata Haupt,1927; albingensis Wagner,1939; galiberti Ribaut,1952; subplebejus H.Müller,1954; superplebejus H.Müller,1954; aestivalis H.Müller,1954; vernalis H.Müller,1954 **AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU**
- 814. Euscelis lineolatus Brullé,1832**
(*Cicadellidae*) Synonym(s): lineolatus Brullé,1832; nitidus Curtis,1833; stictopterus Flor,1861; ochrosomus Kirschbaum,1868; bilunaris Rey,1891; bilobatus Wagner,1952 **AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU**
- 815. Eutagenia aegyptiaca Reitter,1889**
(*Tenebrionidae*) Synonym(s): aegyptiaca Reitter,1889; tunisea Normand,1936 **EG IT TN**
- 816. Euzonitis sexmaculata**
(Olivier,1789) (*Meloidae*) Synonym(s): sexmaculata Olivier,1789 **DZ ES IT Si TR TJ SY**
- 817. Eviropodus clanceyi Koch,1956**
(*Tenebrionidae*) Synonym(s): clanceyi Koch,1956 **ZA Ec Nta Kzu Est**
- 818. Eviropodus funebris (Mulsant & Rey,1953) (Tenebrionidae)** Synonym(s): funebris Mulsant & Rey,1953; alternans Fahraeus,1870 **ZA LS BW Tva Lpo Fs Ec**
- 819. Eviropodus lawrenceus Koch,1956**
(*Tenebrionidae*) Synonym(s): lawrenceus Koch,1956 **ZA Tva Mpu Nel**
- 820. Eviropodus punctatus Iwan,1998**
(*Tenebrionidae*) Synonym(s): punctatus Iwan,1998 **LS ZA Nta Kzu**
- 821. Exitianus capicola (Stal,1855)**
(*Cicadellidae*) Synonym(s): capicola Stal,1855; taeniaticeps Kirschbaum,1868; ragusai Haupt,1924; albipennis Haupt,1927 **AL DZ ES Cn CY EG FR GR HU IR IQ IL IT JO Md TR MA PT ES TJ**
- 822. Exitianus fasciolatus**
(Melichar,1911) (*Cicadellidae*) Synonym(s): fasciolatus Melichar,1911; vulneratus Bergevin,1925; unifasciatus Haupt,1930 **AF DZ ES Cn EG IR IT JO LY Md TN TR TM UZ**
- 823. Falcidius apterus (Fabricius,1794)**
(*Issidae*) Synonym(s): apterus Fabricius,1794; barbarica Turton,1802; limbatum A.Costa,1864; heydenii Kirschbaum,1868; striolatum Fieber,1877; areolatus A.Costa,1883 **DZ ES Cn FR GR IT MA IL ES SW TN RU**
- 824. Falcotoya minuscula**
(Horvath,1897) (*Delphacidae*) Synonym(s): minuscula Horvath,1897 **AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ**
- 825. Ficocyba ficaria (Horvath,1897)**
(*Cicadellidae*) Synonym(s): ficaria Horvath,1897 **BG FR IL IT Sa MA ES YU**
- 826. Forficula senegalensis Audinet-Serville,1839 (Forficulidae)** Synonym(s): senegalensis Audinet-Serville,1839 **TR SN**
- 827. Formicomus ionicus LaFerté & Sénectere,1847 (Anthicidae)** Synonym(s): ionicus LaFerté & Sénectere,1847 **DZ BG GR IT CY TR IR**
- 828. Frutoidia (s.str.) bisignata**
(Mulsant & Rey,1855) (*Cicadellidae*)
Synonym(s): bisignata Mulsant & Rey,1855; bactriana Zachvatkin,1947 **AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU**
- 829. Frutoidia (s.str.) sanguinosa**
(Rey,1891) (*Cicadellidae*) Synonym(s): sanguinosa Rey,1891; picta Melichar,1896 **FR IT LY TR Cc GG YU**
- 830. Gargara genistae (Fabricius,1775)**
(*Membracidae*) Synonym(s): genistae Fabricius,1775; okinawanus Matsumura,1775 **AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU**
- 831. Geomantis larvoides Pantel,1896**
(*Mantidae*) Synonym(s): larvoides Pantel,1896 **TR DZ**
- 832. Geothespis australis (Giglio-Tos,1916) (Mantidae)** Synonym(s): australis Giglio-Tos,1916 **NA AU?**
- 833. Gepus invisus Navas,1912**
(*Myrmeleonidae*) Synonym(s): invisus Navas,1912; scutellatus Klapalek,1914; tersus Navas,1936. **LY SD TN SA IR**
- 834. Glaphyrus opulentus Bedel,1885**
(*Glaphyridae*) Synonym(s): opulentus Bedel,1885 **MA**
- 835. Glyptopteryx quadricollis**
(Fairmaire,1887) (*Tenebrionidae*)

Synonym(s): quadricollis Fairmaire, 1887; forticollis Gebien, 1910 **TZ**

- 836. Goniagnathus brevis (Herrich-Schäffer, 1835) (Cicadellidae)** Synonym(s): brevis Herrich-Schäffer, 1835; annulipes Lucas, 1849 **AL DZ AT BE BG CY CS FR DE HU IR IL IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU**
- 837. Goniagnathus guttulinervis (Kirschbaum, 1868) (Cicadellidae)** Synonym(s): guttulinervis Kirschbaum, 1868; putoni Lethierry, 1874; laminatus Ivanoff, 1885; ferganensis Kusnezov, 1929 **AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ**
- 838. Goniagnathus palliatus (Lethierry, 1887) (Cicadellidae)** Synonym(s): palliatus Lethierry, 1887 **DZ EG IL LY MA AZ Cc RU Da**
- 839. Gonomyia (s.str.) conoviensis Barnes, 1924 (Limoniidae)** Synonym(s): conoviensis Barnes, 1924 **TR DZ Cc**
- 840. Gonypetella atra Giglio-Tos, 1915 (Mantidae)** Synonym(s): atra Giglio-Tos, 1915 **UG**
- 841. Gonypetella atrocephala Beier, 1930 (Mantidae)** Synonym(s): atrocephala Beier, 1930 **ZA Tva Lpo**
- 842. Gonypetella australis Giglio-Tos, 1915 (Mantidae)** Synonym(s): australis Giglio-Tos, 1915 **AO NA**
- 843. Gonypetella carinata Kaltenbach, 1990 (Mantidae)** Synonym(s): carinata Kaltenbach, 1990 **KE Elg TZ**
- 844. Gonypetella deletrix Rehn, 1927 (Mantidae)** Synonym(s): deletrix Rehn, 1927 **AO NA ZA Tva Lpo ZW**
- 845. Gonypetella flavicornis (Sjöstedt, 1909) (Mantidae)** Synonym(s): flavicornis Sjöstedt, 1909 **KE RW Ug Rz TZ**
- 846. Gonypetella fusca Giglio-Tos, 1915 (Mantidae)** Synonym(s): fusca Giglio-Tos, 1915 **UG**
- 847. Gonypetella fuscipes (Sjöstedt, 1909) (Mantidae)** Synonym(s): fuscipes Sjöstedt, 1909 **ET MW TZ**
- 848. Gonypetella infumata (Saussure, 1872) (Mantidae)** Synonym(s): infumata Saussure, 1872 **ZR**
- 849. Gonypetella ivoirensis Gillon & Roy, 1968 (Mantidae)** Synonym(s): ivoirensis Gillon & Roy, 1968 **CI**
- 850. Gonypetella kilimandjarica (Sjöstedt, 1909) (Mantidae)** Synonym(s): kilimandjarica Sjöstedt, 1909 **AO BW ZR TZ ZM ZW KE TZ**
- 851. Gonypetella punctata Giglio-Tos, 1915 (Mantidae)** Synonym(s): punctata Giglio-Tos, 1915 **CM KE ZR UG**

- 852. Grammacephalus pugio (Noualhier, 1895) (Cicadellidae)** Synonym(s): pugio Noualhier, 1895; turneri Evans, 1947; djirofticus Dlabola, 1960 **EG IR IL SY TR**
- 853. Graphocraerus ventralis (Fallén, 1806) (Cicadellidae)** Synonym(s): ventralis Fallén, 1806; punctifrons Germar, 1821 **AL AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU**
- 854. Graptodytes bilineatus (Sturm, 1835) (Dytiscidae)** Synonym(s): bilineatus Sturm, 1835; nigritarsis Sahlberg, 1882; hopffgarteni Schilsky, 1892; pervasus Gozis, 1914; narentinus Zimmermann, 1915 **AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR**
- 855. Gryllotalpa africana Beauvois, 1805 (Gryllotalpidae)** Synonym(s): africana Beauvois, 1805; oryctes Scudder, 1869; fossor Scudder, 1869; colini Rochebrune, 1884; formosana Chopard, 1931 nec Shiraki, 1930; microphthalmia Chopard, 1936; confusa Chopard, 1939 **ZA Kzu Nta SN ZR NG IR Ss CN TW**
- 856. Gryllotalpa debilis Gerstaecker, 1869 (Gryllotalpidae)** Synonym(s): debilis Gerstaecker, 1869; minr Brunn, 1901 **TZ Zz**
- 857. Gryllotalpa devia Saussure, 1877 (Gryllotalpidae)** Synonym(s): devia Saussure, 1877 **ZA**
- 858. Gryllotalpa elegans Chopard, 1934 (Gryllotalpidae)** Synonym(s): elegans Chopard, 1934 **ZR**
- 859. Gryllotalpa gryllotalpa (Linnaeus, 1758) (Gryllotalpidae)** Synonym(s): gryllotalpa Linnaeus, 1758; talpa Olivier, 1791; vulgaris Latreille, 1802 **TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RU UA TR IQ Bgd RE**
- 860. Gryllotalpa maroccana Baccetti, 1987 (Gryllotalpidae)** Synonym(s): maroccana Baccetti, 1987 **MA**
- 861. Gryllotalpa minuta Burmeister, 1838 (Gryllotalpidae)** Synonym(s): minuta Burmeister, 1838 **ZA TZ**
- 862. Grypotes puncticollis (Herrich-Schäffer, 1834) (Cicadellidae)** Synonym(s): puncticollis Herrich-Schäffer, 1834; pinetellus Zetterstedt, 1840; fallax Kirschbaum, 1868 **DZ AT BE CS DK FI FR DE GB IT NL NO PL PT ES TN TR EE LV UA YU**
- 863. Grypotes staurus Ivanoff, 1885 (Cicadellidae)** Synonym(s): staurus Ivanoff, 1885; australis Haupt, 1927 **DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU**
- 864. Gymnopleurus flagellatus (Fabricius, 1787) (Scarabaeidae)** Synonym(s): flagellatus Fabricius, 1787 **RU Cc**

- AZ KG SY IT FR MA DZ TN LY EG AM IR
AF Ch IL Pa
- 865. *Gymnopleurus geoffroyi***
Fuessly,1785 (*Scarabaeidae*) Synonym(s):
geoffroyi Fuessly,1785 RU TR Cc AM DE AT GR
Rd EG DZ TN IR
- 866. *Gymnopleurus mopsus***
(Pallas,1781) (*Scarabaeidae*) Synonym(s):
mopsus Pallas,1781 RU UA KG TM TR IL Pa Cc
YU MK BG IT HU FR SK MA DZ TN LY EG
- 867. *Gymnopleurus smaragdinus***
Fahraeus,1857 (*Scarabaeidae*) Synonym(s):
smaragdinus Fahraeus,1857 UG
- 868. *Haematoloma dorsatum***
(Ahrens,1812) (*Cercopidae*) Synonym(s):
dorsatum Ahrens,1812 DZ BE FR DE GR IT NL
PT ES SW TR YU
- 869. *Hapalogymnes gymnes* (Rehn,1927)**
(*Iridopterygidae*) Synonym(s): gymnes
Rehn,1927 ZW ZA Tva Lpo
- 870. *Hapalomantis (Bolbira) congica***
congica Giglio-Tos,1915 (*Iridopterygidae*)
Synonym(s): congica Giglio-Tos,1915 ZR
- 871. *Hapalomantis (Bolbira) congica***
Giglio-Tos,1915 (*Iridopterygidae*)
Synonym(s): congica Giglio-Tos,1915 AO ZR
- 872. *Hapalomantis (Bolbira) congica***
katangica (Beier,1935) (*Iridopterygidae*)
Synonym(s): katangica Beier,1935 AO ZR
- 873. *Hapalomantis (Bolbira) lacualis***
Giglio-Tos,1915 (*Iridopterygidae*)
Synonym(s): lacualis Giglio-Tos,1915 AO MW
- 874. *Hapalomantis (Bolbira) minima***
(Werner,1906) (*Iridopterygidae*)
Synonym(s): minima Werner,1906 KE TZ ZW
- 875. *Hapalomantis (s.str.) abyssinica***
Beier,1931 (*Iridopterygidae*) Synonym(s):
abyssinica Beier,1931 ET SO
- 876. *Hapalomantis (s.str.) orba***
(Stal,1856) (*Iridopterygidae*) Synonym(s):
orba Stal,1856; mendionalis Saussure,1871 KE MZ
TZ ZA Nta Kzu
- 877. *Hapalomantis (s.str.) rhombochir***
(Werner,1908) (*Iridopterygidae*)
Synonym(s): rhombochir Werner,1908 AO GH
Bio KE
- 878. *Hardya tenuis* (Germar,1821)**
(*Cicadellidae*) Synonym(s): tenuis Germar,1821;
badiellus Kirschbaum,1868; fulvopicta Sahlberg,1871;
confusa Rey,1894 AL? DZ AT BE ES Cn CS FI
FR DE HU IT MA NL PL PT RO ES SE SW
TN AZ GG Cc KG LV? RU UA YU
- 879. *Harpagomantis tricolor***
(Linnaeus,1758) (*Hymenopodidae*)
Synonym(s): tricolor Linnaeus,1758; paradoxa
Goeze,1778; lobata Fabricius,1781; quadricornis
Stoll,1813; spinocula Serville,1839 ZA Ec Nta Kzu
Spb Tva Mdk Fs NA BW LS MZ ZW
- 880. *Hecalus eximius***
(Kirschbaum,1868) (*Cicadellidae*)
Synonym(s): eximius Kirschbaum,1868; reticulatus
Linnavuori,1962 AF EG IR IL IT
- 881. *Hecalus glaucescens* (Fieber,1866)**
(*Cicadellidae*) Synonym(s): glaucescens
Fieber,1866; sulcatus Fieber,1866; aegyptiacus
Signoret,1879; arenarius Horvath,1897 AF BG CY
CS EG HU IR IQ IL IT Si JO MA TR AM AZ
GG Cc KG KK RU TJ TM UZ YU
- 882. *Heliocopris hamadryas***
(Fabricius,1775) (*Scarabaeidae*)
Synonym(s): hamadryas Fabricius,1775 UG
- 883. *Helionidia longifalx***
(Linnavuori,1953) (*Cicadellidae*)
Synonym(s): ongifalx Linnavuori,1953 EG IL
- 884. *Hemicrepidius niger***
(Linnaeus,1758) (*Elateridae*) Synonym(s):
niger Linnaeus,1758 TR AL AZ Cc BE BG BY
HV RU CZ DK EE FI FR DE GG HU IT LT
LV NL NO PL RO SL SK
- 885. *Hemiempusa capensis***
(Burmeister,1838) (*Empusidae*)
Synonym(s): capensis Burmeister,1838;
purpunnensis Audinet-Serville,1839; wahlbergi
Stal,1856 (part); phantasma Rehn,1949 ZA Ec Gau
Pre Tva Lpo ZW RW TZ UG ZR KE GH CI
AO ET
- 886. *Hemiempusa fronticornis***
(Stoll,1813) (*Empusidae*) Synonym(s):
fronticornis Stoll,1813; nympha Stoll,1813; wahlbergi
Stal,1856 (part) ZA Nta Kzu
- 887. *Hephathus freyi* (Fieber,1868)**
(*Cicadellidae*) Synonym(s): freyi Fieber,1868
DZ BG CS FR IT MA ES TR YU
- 888. *Hephathus nanus* (Herrich-Schäffer,1835)** (*Cicadellidae*) Synonym(s):
nanus Herrich-Schäffer,1835 AL AT BE BG CS FI
FR DE GB HU IT JO MA NL IL PL PT RO ES
SY AM AZ GG Cc TR KG KK LV MD RU Sb
UA UZ YU
- 889. *Heterochaeta bernardii* Roy,1973**
(*Mantidae*) Synonym(s): bernardii Roy,1973 AO
GA CM NG SN UG
- 890. *Heterochaeta girardi* Roy,1975**
(*Mantidae*) Synonym(s): girardi Roy,1975 CI
GH NG
- 891. *Heterochaeta kumari* Roy,1975**
(*Mantidae*) Synonym(s): kumari Roy,1975 CI
GH KE NG SN UG
- 892. *Heterochaeta occidentalis***
Beier,1963 (*Mantidae*) Synonym(s):
occidentalis Beier,1963 BW KE NA ZA Ec
- 893. *Heterochaeta orientalis* Kirby,1904**
(*Mantidae*) Synonym(s): orientalis Kirby,1904
ET KE SO SD TZ
- 894. *Heterochaeta pantherina***
(Saussure,1872) (*Mantidae*) Synonym(s):
pantherina Saussure,1872 EG AO GN YE MR NE
SO SA SD TD

895. **Heterochaeta reticulata Roy,1977**
(*Mantidae*) Synonym(s): reticulata Roy,1977 **ZR TZ ZW**
896. **Heterochaeta strachani**
(**Kirby,1904**) (*Mantidae*) Synonym(s): strachani Kirby,1904 **BJ BF GH GN ML NG LR SN SL**
897. **Heterochaeta tenuipes**
(**Westwood,1841**) (*Mantidae*) Synonym(s): tenuipes Westwood,1841 **AO BF CM ZR MR SN**
898. **Heterochaeta zavattarii La Greca,1951** (*Mantidae*) Synonym(s): zavattarii La Greca,1951 **ET KE TZ**
899. **Heteropogon manicatus**
(**Meigen,1820**) (*Asilidae*) Synonym(s): manicatus Meigen,1820 **MA DZ FR Co ES TR**
900. **Heteropogon manni Loew,1854**
(*Asilidae*) Synonym(s): manni Loew,1854 **GR DZ TR**
901. **Heterotropus sudanensis**
Becker,1922 (*Bombyliidae*) Synonym(s): sudanensis Becker,1922 **SD**
902. **Hirticomus hispidus (Rossi,1792)**
(*Anthicidae*) Synonym(s): hispidus Rossi,1792 **Cn DZ LT SE RU AF KG Sb TR**
903. **Hyalestes luteipes Fieber,1876**
(*Cixiidae*) Synonym(s): luteipes Fieber,1876 **Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM**
904. **Hyalestes obsoletus Signoret,1865**
(*Cixiidae*) Synonym(s): obsoletus Signoret,1865; albolimbatus Kirschbaum,1868; flavovarius Kusnezov,1935 **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU**
905. **Hycleus polymorphus (Pallas,1771)**
(*Meloidae*) Synonym(s): polymorphus Pallas,1771 **DZ GR TR Cc RU KG Sb TM SY**
906. **Hygrobia hermanni**
(**Fabricius,1775**) (*Hygrobiidae*)
Synonym(s): hermanni Fabricius,1775 **DZ MA TN TR UA**
907. **Hypsicorypha gracilis**
(**Burmeister,1838**) (*Empusidae*)
Synonym(s): gracilis Burmeister,1838; longifrons Saussure,1870; juliae Krauss,1892; guichardi La Greca,1952 **Cn TN EG DZ LY SA SO NE OM**
908. **Hysteropterum grylloides**
(**Fabricius,1794**) (*Issidae*) Synonym(s): grylloides Fabricius,1794 **AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU**
909. **Hysteropterum nervosum**
Fieber,1877 (*Issidae*) Synonym(s): nervosum Fieber,1877 **DZ GR IT IL ES YU**
910. **Idiocerus lituratus (Fallén,1806)**
(*Cicadellidae*) Synonym(s): lituratus Fallén,1806 **AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU**
911. **Idiocerus poecilus (Herrich-Schäffer,1835)** (*Cicadellidae*) Synonym(s): poecilus Herrich-Schäffer,1835 **AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU**
912. **Idiocerus populi (Linnaeus,1761)**
(*Cicadellidae*) Synonym(s): populi Linnaeus,1761 **DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL PT RO ES TR Cc AZ EE KG LV RU Sb UA YU**
913. **Idiocerus stigmatalis Lewis,1834**
(*Cicadellidae*) Synonym(s): stigmatalis Lewis,1834 **DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU**
914. **Idiodonus cruentatus (Panzer,1799)**
(*Cicadellidae*) Synonym(s): cruentatus Panzer,1799; simulans Ribaut,1952 **AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA**
915. **Idolomantis diabolica**
(**Saussure,1869**) (*Empusidae*) Synonym(s): diabolica Saussure,1869 **ET KE MW SO TZ UG**
916. **Idolomorpha dentifrons Saussure & Zehntner,1895** (*Empusidae*) Synonym(s): dentifrons Saussure & Zehntner,1895 **ET ZA Ec Tva Lpo UG TZ Zz SO SD MZ KE**
917. **Idolomorpha lateralis**
(**Burmeister,1838**) (*Empusidae*)
Synonym(s): lateralis Burmeister,1838; defoliata Audinet-Serville,1839; spinifrons Saussure,1859 **AO BF CI GH CM LR KE MZ SN SL SD TZ TG**
918. **Idolomorpha madagascariensis**
Westwood,1889 (*Empusidae*) Synonym(s): madagascariensis Westwood,1889 **MG**
919. **Idolomorpha sagitta Sjöstedt,1900**
(*Empusidae*) Synonym(s): sagitta Sjöstedt,1900 **ZR**
920. **Illidops butalidis (Marshall,1888)**
(*Braconidae*) Synonym(s): butalidis Marshall,1888 **TR DE CH GB BG CZ YU HU TN**
921. **Iris coeca Uvarov,1931** (*Tarachodidae*)
Synonym(s): coeca Uvarov,1931 **EG YE SA SD**
922. **Iris deserti Uvarov,1923**
(*Tarachodidae*) Synonym(s): deserti Uvarov,1923 **DZ TD TN**
923. **Iris oratoria (Linnaeus,1758)**
(*Tarachodidae*) Synonym(s): oratoria Linnaeus,1758; dentata Goeze,1778; bella Germar,1817; minima Charpentier,1825; fenestrata Brullé,1832 **ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA**
924. **Iris senegalensis Beier,1931**
(*Tarachodidae*) Synonym(s): senegalensis Beier,1931; longicollis Chopard,1940 **SN MR NE TD**
925. **Irwinella nuba (Wiedemann,1828)**
(*Therevidae*) Synonym(s): nuba Wiedemann,1828 **SD**

- 926. *Ischnodes sanguinicollis* (Panzer,1793) (Elateridae)** Synonym(s): sanguinicollis Panzer,1793 **TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY**
- 927. *Ischnomantis aethiopica* Giglio-Tos,1916 (Mantidae)** Synonym(s): aethiopica Giglio-Tos,1916 **ET SO**
- 928. *Ischnomantis fasciata* Giglio-Tos,1916 (Mantidae)** Synonym(s): fasciata Giglio-Tos,1916 **EG ET**
- 929. *Ischnomantis fatiloqua* (Stal,1856) (Mantidae)** Synonym(s): fatiloqua Stal,1856 **AO NA ZA Ec Nta Kzu Tva Lpo ZW ZR**
- 930. *Ischnomantis gigas* (Saussure,1870) (Mantidae)** Synonym(s): gigas Saussure,1870 **BF CM MR SN SD TG**
- 931. *Ischnomantis gracilis* Giglio-Tos,1916 (Mantidae)** Synonym(s): gracilis Giglio-Tos,1916 **KE SO**
- 932. *Ischnomantis media* Rehn,1901 (Mantidae)** Synonym(s): media Rehn,1901 **ET KE SO**
- 933. *Ischnomantis perfida* (Guérin-Méneville & Lefebvre,1849) (Mantidae)** Synonym(s): perfida Guérin-Méneville & Lefebvre,1849; guerinii Reiche & Fairmaire,1847; attarensis Werner,1907 **EG ET SD**
- 934. *Ischnomantis spinigera* Schulthess-Schindler,1898 (Mantidae)** Synonym(s): spinigera Schulthess-Schindler,1898 **ET KE SO UG**
- 935. *Ischnomantis usambarica* Sjöstedt,1909 (Mantidae)** Synonym(s): usambarica Sjöstedt,1909 **TZ**
- 936. *Ischnomantis werneri* Giglio-Tos,1909 (Mantidae)** Synonym(s): werneri Giglio-Tos,1909 **BF GN SM TG**
- 937. *Ischnura fountainei* (Morton,1905) (Coenagrionidae)** Synonym(s): fountainei Morton,1905 **TR EG Sn IQ Cc AZ**
- 938. *Issus coleoptratus* (Fabricius,1781) (Issidae)** Synonym(s): coleoptratus Fabricius,1781 **DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ MD UA YU**
- 939. *Jassargus obtusivalvis* (Kirschbaum,1868) (Cicadellidae)** Synonym(s): obtusivalvis Kirschbaum,1868; picturatus Fieber,1869 **AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU**
- 940. *Javesella dubia* (Kirschbaum,1868) (Delphacidae)** Synonym(s): dubia Kirschbaum,1868; nitidipennis Kirschbaum,1868; pargasensis Reuter,1880; difficilis Edwards,1888 **AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ**
- 941. *Javesella pellucida* (Fabricius,1794) (Delphacidae)** Synonym(s): pellucida Fabricius,1794; striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; variicollis Rey,1894 **Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU**
- 942. *Jubrinia distincta* Linnavuori,1962 (Cicadellidae)** Synonym(s): distincta Linnavuori,1962 **EG Pa IL**
- 943. *Kelisia guttula* (Germar,1818) (Delphacidae)** Synonym(s): guttula Germar,1818; pascuorum Ribaut,1934; distincta Metcalf,1943; fulva Metcalf,1943 **AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU**
- 944. *Kelisia ribauti* Wagner,1938 (Delphacidae)** Synonym(s): ribauti Wagner,1938 **Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ**
- 945. *Krombeinella tenietensis* (André,1900) (Mutillidae)** Synonym(s): tenietensis André,1900 **DZ TN**
- 946. *Kybos populi* (Edwards,1908) (Cicadellidae)** Synonym(s): populi Edwards,1908; tremulae Zachvatkin,1953 **BE BG CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA**
- 947. *Laburru quadratus* (Forel,1864) (Cicadellidae)** Synonym(s): quadratus Forel,1864; limbatus Ferrari,1882; atrata Ribaut,1942; deleta Ribaut,1942 **FR IT LY MA ES SW TN AM Cc**
- 948. *Lacon punctatus* (Herbst,1779) (Elateridae)** Synonym(s): punctatus Herbst,1779 **DZ GR TR**
- 949. *Lampyris algerica* Ancey,1869 (Lampyridae)** Synonym(s): algerica Ancey,1869; mucronata Olivier,1884; mutabilis Olivier,1884 **DZ MA TN**
- 950. *Lampyris exilis* Olivier,1894 (Lampyridae)** Synonym(s): exilis Olivier,1894; numidica Normand,1934 **DZ TN**
- 951. *Lampyris nervosa* Olivier,1883 (Lampyridae)** Synonym(s): nervosa Olivier,1883; barbara Olivier,1884 **DZ IL Pa Js Hf JO Amm TR**
- 952. *Laodelphax striatellus* (Fallén,1826) (Delphacidae)** Synonym(s): striatellus Fallén,1826; lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900; nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyna Metcalf,1943 **Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP**

953. **Leptocola gracillima**
Gerstaecker,1883 (*Mantidae*) Synonym(s):
gracillima Gerstaecker,1883 **CM NG**
954. **Leptocola phthisica**
(Saussure,1869) (*Mantidae*) Synonym(s):
phthisica Saussure,1869; giraffa Karsch,1894 **AO BF**
GH GN SN KE TZ TG
955. **Leptocola seriepunctata**
Karsch,1892 (*Mantidae*) Synonym(s):
seriepunctata Karsch,1892 **AO ZR**
956. **Leptocola stanleyana**
(Westwood,1889) (*Mantidae*) Synonym(s):
stanleyana Westwood,1889; lignea Karsch,1892 **GA**
CM ZR MZ TZ TG
957. **Leptodelphax cyclops Haupt,1927**
(*Delphacidae*) Synonym(s): cyclops Haupt,1927
CY IT Si TR EG IL
958. **Leptomastix algerica Trjapitzin**
(*Encyrtidae*) Synonym(s): **DZ TR**
959. **Lepyronia coleoptrata**
(Linnaeus,1758) (*Cercopidae*) Synonym(s):
coleoptrata Linnaeus,1758; unifasciata Fabricius,1781;
angulata Fabricius,1794; grossa Uhler,1896 **Cc AF**
AL DZ AT BE BG CS DK FI FR DE GR HU
IQ IT MN NL NO PL PT RO AM AZ EE TR
GG KG KK LV MD RU Sb TJ UA UZ YU
960. **Lestes parvidens Artobolevski,1929**
(*Lestidae*) Synonym(s): parvidens
Artobolevski,1929 **ES SY DZ DK TR Rd CY**
961. **Ligaria aberrans (Karny,1908)**
(*Mantidae*) Synonym(s): aberrans Karny,1908
BW NA ZW
962. **Ligaria affinis Kaltenbach,1996**
(*Mantidae*) Synonym(s): affinis Kaltenbach,1996
BW ZA Tva Lpo ZM ZW
963. **Ligaria brevicollis Stal,1877**
(*Mantidae*) Synonym(s): brevicollis Stal,1877;
umtalica Giglio-Tos,1915 **MZ ZW ZA Tva Lpo**
BW MW NA ZM ZW
964. **Ligaria brevis Giglio-Tos,1915**
(*Mantidae*) Synonym(s): brevis Giglio-Tos,1915
KE TZ UG
965. **Ligaria chopardi Giglio-Tos,1915**
(*Mantidae*) Synonym(s): chopardi Giglio-Tos,1915
ET KE
966. **Ligaria clara (Audinet-Serville,1839)** (*Mantidae*) Synonym(s):
clara Audinet-Serville,1839 **SN**
967. **Ligaria culicivora (Giglio-Tos,1915)**
(*Mantidae*) Synonym(s): culicivora Giglio-Tos,1915 **AO**
968. **Ligaria dentata Giglio-Tos,1915**
(*Mantidae*) Synonym(s): dentata Giglio-Tos,1915
NA
969. **Ligaria denticollis (Werner,1916)**
(*Mantidae*) Synonym(s): denticollis Werner,1916
ET TZ
970. **Ligaria inexpectata**
Kaltenbach,1996 (*Mantidae*) Synonym(s):
inexpectata Kaltenbach,1996 **NA ZW**
971. **Ligaria quadrinotata Stal,1877**
(*Mantidae*) Synonym(s): quadrinotata Stal,1877;
fortis Karny,1908 **ET KE TZ ZA Tva Lpo Gau**
Pre ZM ZW
972. **Ligariella bicornuta**
Kaltenbach,1996 (*Mantidae*) Synonym(s):
bicornuta Kaltenbach,1996 **NA**
973. **Ligariella diabolica Beier,1969**
(*Mantidae*) Synonym(s): diabolica Beier,1969
AO
974. **Ligariella gracilis (Karny,1908)**
(*Mantidae*) Synonym(s): gracilis Karny,1908
NA ZA
975. **Ligariella trigonalis**
(Saussure,1899) (*Mantidae*) Synonym(s):
trigonalis Saussure,1899; jucunda Saussure,1899;
pertinens Karny,1908; australis Giglio-Tos,1915;
bolivarii Giglio-Tos,1915; damarae Giglio-Tos,1915;
ZA Ec NA
976. **Ligentella beieri Kaltenbach,1996**
(*Mantidae*) Synonym(s): beieri Kaltenbach,1996
NA
977. **Ligentella lacualis Kaltenbach,1996**
(*Mantidae*) Synonym(s): lacualis Kaltenbach,1996
ZR RW
978. **Ligentella zairensis**
Kaltenbach,1996 (*Mantidae*) Synonym(s):
zairensis Kaltenbach,1996 **ZR**
979. **Liguropia juniperi (Lethierry,1876)**
(*Cicadellidae*) Synonym(s): juniperi
Lethierry,1876; menozii Haupt,1930 **DZ CY FR IT**
Sa Si TN TR YU
980. **Limnophora exuta (Kowarz,1893)**
(*Muscidae*) Synonym(s): exuta Kowarz,1893 **IT**
Si DE PL CZ AT HU LY? Cc? RU
981. **Limotettix striola (Fallén,1806)**
(*Cicadellidae*) Synonym(s): striola Fallén,1806;
frenatus Germar,1821; ferganensis Dubovsky,1966
AL DZ AT BE Az BG CN CY CS DK FI FR DE
GB IT IE JP KP MN NL NO PL PT RO ES SE
SW TR AZ Cc EE GG KG LV MD RU Sb UA
YU CA
982. **Lindenia tetraphylla (Van Der Linden,1825)** (*Gomphidae*) Synonym(s):
tetraphylla Van Der Linden,1825; inkitii Bartenev,1929
TR DZ EG Cc AM GR YU IQ IL Pa
983. **Lispe apicalis Mik,1869** (*Muscidae*)
Synonym(s): apicalis Mik,1869 **MA DZ AT HU**
TR IR
984. **Lispe caesia Meigen,1826** (*Muscidae*)
Synonym(s): caesia Meigen,1826 **MA DZ TN LY**
EG Cn ES IT Sa Si DE PL CZ AT HU SY IL
TR RU
985. **Lispe elkantarae Becker,1907**
(*Muscidae*) Synonym(s): elkantarae Becker,1907
DZ TR?
986. **Livia mediterranea Loginova,1974**
(*Psyllidae*) Synonym(s): mediterranea
Loginova,1974 **Cc UA Cm TR BG IL Pa DZ**
987. **Lucanus (Pseudolucanus)**
barbarossa Fabricius,1801 (*Lucanidae*)

- Synonym(s): barbarossa Fabricius,1801 MA PT ES DZ TN
- 988. *Lydus algiricus* (Linnaeus,1758)**
(*Meloidae*) Synonym(s): algiricus Linnaeus,1758 DZ LY IL Pa
- 989. *Macracanthopus costalis* (Werner,1909)** (*Mantidae*) Synonym(s): costalis Werner,1909 ZR
- 990. *Macracanthopus schoutedei* (Chopard,1929)** (*Mantidae*) Synonym(s): schoutedei Chopard,1929 AO ZR
- 991. *Macracanthopus seydeli* Roy,1995** (*Mantidae*) Synonym(s): seydeli Roy,1995 AO ZR ZW
- 992. *Macrodanuria elongata* (Borre,1883)** (*Mantidae*) Synonym(s): elongata Borre,1883; phasmoides Sjöstedt,1900 CI GA GH GN CM
- 993. *Macropsidius dispar* (Fieber,1868)** (*Cicadellidae*) Synonym(s): dispar Fieber,1868 FR HU IT ES TN Cc GG KG KK RU Sb AF UA YU
- 994. *Macropsis glandacea* (Fieber,1868)** (*Cicadellidae*) Synonym(s): glandacea Fieber,1868 AT BE CS FR DE GB HU MA PL RO ES GG Cc RU Sb UA YU
- 995. *Macropsis megerlei* (Fieber,1868)** (*Cicadellidae*) Synonym(s): megerlei Fieber,1868 DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU
- 996. *Macropsis prasina* (Boheman,1852)** (*Cicadellidae*) Synonym(s): prasina Boheman,1852 DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
- 997. *Macropsis scutellata* (Boheman,1845)** (*Cicadellidae*) Synonym(s): scutellata Boheman,1845 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
- 998. *Macrosteles ramosus* Ribaut,1952** (*Cicadellidae*) Synonym(s): ramosus Ribaut,1952; quadricornis Lindberg,1954; orientalis Mitjaev,1969 nec Vilb.,1968 FR GR Md MA ES EH KG YU
- 999. *Macrosteles sexnotatus* (Fallén,1806)** (*Cicadellidae*) Synonym(s): sexnotatus Fallén,1806; devastans Guérin-Méneville,1852; didymus Mulsant & Rey,1855; diminuta Lethierry,1876; binotata Rey,1894; submaculata Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
- 1000. *Madotrogus* (*Micramphimallon*) *sinaicus* Baraud,1975** (*Scarabaeidae*) Synonym(s): sinaicus Baraud,1975 EG Sn
- 1001. *Mantasoa lebbei* Meriguet,2005** (*Mantidae*) Synonym(s): lebbei Meriguet,2005 MG
- 1002. *Mantasoa macula* (Saussure & Zehntner,1895)** (*Mantidae*) Synonym(s): macula Saussure & Zehntner,1895 MG
- 1003. *Mantilia ehrmanni* Roy,1992** (*Mantidae*) Synonym(s): ehrmanni Roy,1992 KE
- 1004. *Mantis beieri* Roy,1999** (*Mantidae*) Synonym(s): beieri Roy,1999 ZR
- 1005. *Mantis insignis* Beier,1954** (*Mantidae*) Synonym(s): insignis Beier,1954 AO GN ZR
- 1006. *Mantis religiosa* (Linnaeus,1758)** (*Mantidae*) Synonym(s): religiosa Linnaeus,1758 PL MK TR JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
- 1007. *Mantispa aphavexelte* U.Aspöck & H.Aspöck,1994** (*Mantispidae*) Synonym(s): aphavexelte U.Aspöck & H.Aspöck,1994; #aphavexellte Dobosz,2007 TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur
- 1008. *Mantispa styriaca* (Poda,1761)** (*Mantispidae*) Synonym(s): styriaca Poda,1761; pagana Fabricius,1775; hauseri Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
- 1009. *Megacephala euphratica* Dejean,1822** (*Carabidae*) Synonym(s): euphratica Dejean,1822 IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
- 1010. *Megatelus contractus* (Klug,1845)** (*Scarabaeidae*) Synonym(s): contractus Klug,1845 IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET
- 1011. *Megophthalmus scanicus* (Fallén,1806)** (*Cicadellidae*) Synonym(s): scanicus Fallén,1806; ? scutata Germar,1821; bipunctatus Curtis,1833; pallidipennis Hardy,1850; vilis Snellen van Vollenhoven,1862; innotata Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU
- 1012. *Megulopa sahlbergorum* Lindberg,1924** (*Cicadellidae*) Synonym(s): sahlbergorum Lindberg,1924 EG IL MA
- 1013. *Melanotus* (*s.str.*) *tenebrosus* (Erichson,1841)** (*Elateridae*) Synonym(s): tenebrosus Erichson,1841 TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH
- 1014. *Melanotus* (*s.str.*) *villosus* (Fourcroy,1785)** (*Elateridae*) Synonym(s): rufipes Herbst,1784; villosus Fourcroy,1785 GR DZ TR

- 1015. *Meligethes incanus* Sturm, 1845**
(*Nitidulidae*) Synonym(s): incanus Sturm, 1845
DZ FR TR Cc IR UZ KG
- 1016. *Meloe autumnalis* Olivier, 1792**
(*Meloidae*) Synonym(s): autumnalis Olivier, 1792
ES IT Si Sa TR DZ Cc
- 1017. *Meloe brevicollis* Panzer, 1793**
(*Meloidae*) Synonym(s): brevicollis Panzer, 1793
DZ ES IT Sa Si TR RU KG TJ MN TM
- 1018. *Meloe cavensis* Petagna, 1819**
(*Meloidae*) Synonym(s): cavensis Petagna, 1819;
purpurascens Germar, 1834; sardous Gené, 1836; aeneus
Laporte, 1840; latreillei Marseul, 1867 ES FR GR
TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
- 1019. *Meloe erythrocnemus* Pallas, 1782**
(*Meloidae*) Synonym(s): erythrocnemus
Pallas, 1782 DZ IT Si TR Cc RU Sb UA Cm KG
TJ TM IR AF
- 1020. *Meloe mediterraneus* Müller, 1925**
(*Meloidae*) Synonym(s): mediterraneus
Müller, 1925 ES FR GB TR HU HV IT Si LY
YU LB IL Pa JO
- 1021. *Meloe proscarabaeus* Linnaeus, 1758** (*Meloidae*) Synonym(s):
proscarabaeus Linnaeus, 1758 ES DZ IT Sa Si RU
Sb Cc SY TR AF TJ KG
- 1022. *Meloe rufiventris* Germar, 1817**
(*Meloidae*) Synonym(s): rufiventris Germar, 1817;
coriarius Brandt & Erichson, 1832; reticulatus Brandt &
Ratzeburg, 1833; cyanicornis Escherich, 1889 FR DE
IT RU Cc TR GR HU PL RO UA LB LY JO IQ
AF
- 1023. *Meloe rugosus* Marsham, 1802**
(*Meloidae*) Synonym(s): rugosus Marsham, 1802
ES IT RU DZ Cc TR TM
- 1024. *Mesoptylus impictifrons* (Horvath, 1911)** (*Cercopidae*) Synonym(s):
impictifrons Horvath, 1911 EG IL JO LB SY TR
- 1025. *Mesostena puncticollis* Solier, 1835**
(*Tenebrionidae*) Synonym(s): puncticollis
Solier, 1835 TR JO SA SY IR IQ EG
- 1026. *Micantulina* (*Micantulina*) micantula (Zetterstedt, 1840)**
(*Cicadellidae*) Synonym(s): micantula
Zetterstedt, 1840; quinquepunctata Melichar, 1900;
fieberi Metcalf, 1968 DZ AT CS DK FI MN NO
PL SE SW GG Cc KG KK RU Sb At
- 1027. *Microptilis deces* Tobias, 1964**
(*Braconidae*) Synonym(s): deces Tobias, 1964
BE FI KP KR MA RU AT TR DE IT NL HU
GB KG
- 1028. *Microptilis flavipalpis* Brullé, 1832**
(*Braconidae*) Synonym(s): flavipalpis Brullé, 1832
TR BG DE GB FI FR KP KR HU MN TN
- 1029. *Microptilis fordii* Nixon, 1970**
(*Braconidae*) Synonym(s): fordii Nixon, 1970 TR
IL Pa TN MN
- 1030. *Microtelus carenceps* Reiche & Sauley, 1857** (*Tenebrionidae*) Synonym(s):
carenceps Reiche & Sauley, 1857 LB Bei SY Hal
EG IL Pa
- 1031. *Microtelus lethierryi* Reiche** (*Tenebrionidae*) Synonym(s): MA DZ TN
- 1032. *Microthespis dmitriewi* Werner, 1908** (*Mantidae*) Synonym(s):
dmitriewi Werner, 1908 ET YE IR IL Pa OM PK
SO AE
- 1033. *Miomantis abyssinica* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s): abyssinica
Giglio-Tos, 1911 ET RW TZ BI
- 1034. *Miomantis acutipes* Beier, 1969**
(*Mantidae*) Synonym(s): acutipes Beier, 1969
AO ZW
- 1035. *Miomantis affinis* Sjöstedt, 1909**
(*Mantidae*) Synonym(s): affinis Sjöstedt, 1909
KE TZ
- 1036. *Miomantis alata* (Giglio-Tos, 1917)**
(*Mantidae*) Synonym(s): alata Giglio-Tos, 1917
TZ
- 1037. *Miomantis amanica* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s): amanica
Giglio-Tos, 1911 TZ Ani
- 1038. *Miomantis andreinii* (Giglio-Tos, 1917)** (*Mantidae*) Synonym(s): andreinii
Giglio-Tos, 1917 ET
- 1039. *Miomantis annulipes* (Werner, 1916)** (*Mantidae*) Synonym(s):
annulipes Werner, 1916 TZ UG
- 1040. *Miomantis aurantiaca* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s): aurantiaca
Giglio-Tos, 1911; mombasica Giglio-Tos, 1911 KE Mb
TZ
- 1041. *Miomantis aurea* (Giglio-Tos, 1917)**
(*Mantidae*) Synonym(s): aurea Giglio-Tos, 1917
CI GH GN
- 1042. *Miomantis binotata* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s): binotata
Giglio-Tos, 1911 KE MW RW TZ TG BI
- 1043. *Miomantis bintumanensis* Roy, 1971**
(*Mantidae*) Synonym(s): bintumanensis Roy, 1971
SL
- 1044. *Miomantis brachyptera* (Saussure, 1899)** (*Mantidae*) Synonym(s):
brachyptera Saussure, 1899 ZA Ec
- 1045. *Miomantis brevipennis* Saussure, 1872** (*Mantidae*) Synonym(s):
brevipennis Saussure, 1872; asignata Rehn, 1914 TZ
Zz CF
- 1046. *Miomantis brunni* (Giglio-Tos, 1911)**
(*Mantidae*) Synonym(s): brunni Giglio-Tos, 1911;
bosia Rehn, 1912 AO KE ZR UG Rz
- 1047. *Miomantis buettneri* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s): buettneri
Giglio-Tos, 1911 ZA Tva Lpo UG
- 1048. *Miomantis caffra* Saussure, 1871**
(*Mantidae*) Synonym(s): caffra Saussure, 1871
ZA Ec Nta Kzu Tva Lpo NZ
- 1049. *Miomantis cinnabarina* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s):
cinnabarina Giglio-Tos, 1911 TZ

- 1050. *Miomantis ciprianii* La Greca,1939**
(*Mantidae*) Synonym(s): ciprianii La Greca,1939
ZR
- 1051. *Miomantis coxalis* Saussure,1898**
(*Mantidae*) Synonym(s): coxalis Saussure,1898
AO ZA Ec Nta Kzu Tva Lpo NA LS
- 1052. *Miomantis devylder***
(**Sjöestedt,1924**) (*Mantidae*) Synonym(s):
devylder Sjöestedt,1924 ZR
- 1053. *Miomantis diademata***
(**Werner,1916**) (*Mantidae*) Synonym(s):
diademata Werner,1916 CM
- 1054. *Miomantis ehrenbergi***
(**Werner,1928**) (*Mantidae*) Synonym(s):
ehrenbergi Werner,1928 EG
- 1055. *Miomantis equalis* (Rehn,1904)**
(*Mantidae*) Synonym(s): equalis Rehn,1904 TZ
ZA Kzu Nta
- 1056. *Miomantis exilis* (Giglio-Tos,1911)**
(*Mantidae*) Synonym(s): exilis Giglio-Tos,1911;
australis Beier,1930 AO ET BW ZA Ec Fs Nta
Kzu Tva Lpo NA KE SO
- 1057. *Miomantis fallax* (Giglio-Tos,1917)**
(*Mantidae*) Synonym(s): fallax Giglio-Tos,1917
KE TZ
- 1058. *Miomantis feminina* Beier,1930**
(*Mantidae*) Synonym(s): feminina Beier,1930
ET
- 1059. *Miomantis fenestrata***
(**Fabricius,1781**) (*Mantidae*) Synonym(s):
fenestrata Fabricius,1781; vitrata Olivier,1792; nana
Stoll,1813 ZA Ec Tva Lpo ZR LS MZ NA RW
SO UG
- 1060. *Miomantis gyldenstolpei***
Sjöstedt,1924 (*Mantidae*) Synonym(s):
gyldenstolpei Sjöstedt,1924 UG
- 1061. *Miomantis helenae* (Giglio-Tos,1914)**
(*Mantidae*) Synonym(s): helenae
Giglio-Tos,1914 MW ZW ZA Tva Lpo
- 1062. *Miomantis kibweziana* (Giglio-Tos,1911)**
(*Mantidae*) Synonym(s):
kibweziana Giglio-Tos,1911; moerana Giglio-Tos,1917
KE UG Rz TZ ZA Tva Lpo
- 1063. *Miomantis kilimandjarica***
Sjöstedt,1909 (*Mantidae*) Synonym(s):
kilimandjarica Sjöstedt,1909; irrorata Giglio-Tos,1911
KE TZ UG
- 1064. *Miomantis lacualis* (Giglio-Tos,1911)**
(*Mantidae*) Synonym(s): lacualis
Giglio-Tos,1911 ET KE MW RW SO TZ UG BI
- 1065. *Miomantis lamtoensis* Gillon & Roy,1968**
(*Mantidae*) Synonym(s):
lamtoensis Gillon & Roy,1968 BF CI GH
- 1066. *Miomantis longicollis***
Saussure,1898 (*Mantidae*) Synonym(s):
longicollis Saussure,1898 KE UG
- 1067. *Miomantis milmlena* (Giglio-Tos,1917)**
(*Mantidae*) Synonym(s): milmlena
Giglio-Tos,1917 ET CM SO TG
- 1068. *Miomantis minuta* (Giglio-Tos,1911)**
(*Mantidae*) Synonym(s): minuta Giglio-Tos,1911
ZA Ec
- 1069. *Miomantis misana* (Giglio-Tos,1911)**
(*Mantidae*) Synonym(s): misana Giglio-Tos,1911
AO GN CM ZR TG
- 1070. *Miomantis mombasica* (Giglio-Tos,1911)**
(*Mantidae*) Synonym(s):
mombasica Giglio-Tos,1911 KE Mb RW TZ BI
- 1071. *Miomantis monacha***
(**Fabricius,1787**) (*Mantidae*) Synonym(s):
monacha Fabricius,1787; vitrata Olivier,1792; forficata
Stoll,1813 ZA Ec Tva Lpo MZ
- 1072. *Miomantis montana* (Giglio-Tos,1911)**
(*Mantidae*) Synonym(s): montana
Giglio-Tos,1911 ET KE RW TZ UG BI
- 1073. *Miomantis multipunctata***
(**Werner,1915**) (*Mantidae*) Synonym(s):
multipunctata Werner,1915 ZR
- 1074. *Miomantis nairobiensis***
(**Bolivar,1922**) (*Mantidae*) Synonym(s):
nairobiensis Bolivar,1922 KE Nai
- 1075. *Miomantis natalica* Beier,1930**
(*Mantidae*) Synonym(s): natalica Beier,1930
NA ZA Nta Kzu Tva Lpo ZW
- 1076. *Miomantis ornata* (Giglio-Tos,1911)**
(*Mantidae*) Synonym(s): ornata Giglio-Tos,1911
KE TZ
- 1077. *Miomantis paykulii* Stal,1871**
(*Mantidae*) Synonym(s): paykulii Stal,1871;
savignyi Saussure,1872; pharaonica Saussure,1898;
senegalensis Schulthess-Schindler,1899 IL Pa EG
BF CI GH CM KE MR MZ NE SN TG TD UG
ZW
- 1078. *Miomantis pellucida***
(**Saussure,1870**) (*Mantidae*) Synonym(s):
pellucida Saussure,1870 SN
- 1079. *Miomantis planivertex***
Sjöstedt,1909 (*Mantidae*) Synonym(s):
planivertex Sjöstedt,1909 TZ
- 1080. *Miomantis prasina***
(**Burmeister,1838**) (*Mantidae*)
Synonym(s): prasina Burmeister,1838 ZA Ec
- 1081. *Miomantis preussi* Karsch,1892**
(*Mantidae*) Synonym(s): preussi Karsch,1892;
gracilis Karsch,1892 CM
- 1082. *Miomantis pygmaea* (Giglio-Tos,1917)**
(*Mantidae*) Synonym(s): pygmaea
Giglio-Tos,1917 ET KE RW TZ UG BI
- 1083. *Miomantis quadripunctata***
Saussure,1898 (*Mantidae*) Synonym(s):
quadripunctata Saussure,1898 ZA Ec Nta Kzu
Tva Lpo ZR MZ NA TZ ZW UG
- 1084. *Miomantis rebeli* Beier,1929**
(*Mantidae*) Synonym(s): rebeli Beier,1929 TZ
- 1085. *Miomantis rehni* (Giglio-Tos,1911)**
(*Mantidae*) Synonym(s): rehni Giglio-Tos,1911
MZ
- 1086. *Miomantis rouxi* (Werner,1926)**
(*Mantidae*) Synonym(s): rouxi Werner,1926 CI

- 1087. *Miomantis rubra* Beier, 1929**
(*Mantidae*) Synonym(s): rubra Beier, 1929 TZ
- 1088. *Miomantis sangarana* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s): sangarana Giglio-Tos, 1911 TZ
- 1089. *Miomantis saussurei* Schulthess-Rechberg, 1899** (*Mantidae*) Synonym(s): saussurei Schulthess-Rechberg, 1899 MZ ZA Nta Kzu SO
- 1090. *Miomantis scabricollis* Gerstraecker, 1883** (*Mantidae*) Synonym(s): scabricollis Gerstraecker, 1883 AO GH
- 1091. *Miomantis semialata* Saussure, 1871** (*Mantidae*) Synonym(s): semialata Saussure, 1871 ZA Ec Nta Kzu SZ ZW NA TZ
- 1092. *Miomantis sjostedti* Giglio-Tos, 1917** (*Mantidae*) Synonym(s): sjostedti Giglio-Tos, 1917 TZ
- 1093. *Miomantis steelae* (Uvarov, 1935)** (*Mantidae*) Synonym(s): steelae Uvarov, 1935 CM
- 1094. *Miomantis tangana* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s): tangana Giglio-Tos, 1911 KE TZ
- 1095. *Miomantis tenuis* (Giglio-Tos, 1917)** (*Mantidae*) Synonym(s): tenuis Giglio-Tos, 1917 KE TZ
- 1096. *Miomantis togana* (Giglio-Tos, 1917)** (*Mantidae*) Synonym(s): togana Giglio-Tos, 1917 CI GH GN CM TG
- 1097. *Miomantis usambanca* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s): usambanca Giglio-Tos, 1911 TZ
- 1098. *Miomantis vitrea* (Giglio-Tos, 1917)** (*Mantidae*) Synonym(s): vitrea Giglio-Tos, 1917 KE TZ
- 1099. *Miomantis wittei* Beier, 1954** (*Mantidae*) Synonym(s): wittei Beier, 1954 ZR RW BI
- 1100. *Mocydia crocea* (Herrich-Schäffer, 1837)** (*Cicadellidae*) Synonym(s): nervosus Curtis, 1835 (praeocc.); crocea Herrich-Schäffer, 1837; oxypterus Kirschbaum, 1868 AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM MD RU Da Cc UA YU
- 1101. *Mocydiopsis attenuata* (Germar, 1821)** (*Cicadellidae*) Synonym(s): attenuata Germar, 1821; rupicapra Marshall, 1861; ambigua Fieber, 1885 AL DZ AT BG CS DK FR DE GB HU IT LU NL PL RO SW TN Cc GG MD UA YU
- 1102. *Modicogryllus* (*Modicogryllus*) *algius* (Saussure, 1877)** (*Gryllidae*) Synonym(s): algius Saussure, 1877 DZ TR
- 1103. *Molophilus* (s.str.) *propinquus* (Egger, 1863)** (*Limoniidae*) Synonym(s): propinquus Egger, 1863 TR DZ RU Sb
- 1104. *Muirodelphax aubei* (Perris, 1857)** (*Delphacidae*) Synonym(s): aubei Perris, 1857; cognata Fieber, 1866; protrusa Fieber, 1866; obsoleta Kirschbaum, 1868; obscurinervis Kirschbaum, 1868; altaicus Vilbaste, 1965 Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
- 1105. *Musca calleva* Walker, 1849** (*Muscidae*) Synonym(s): calleva Walker, 1849; mimetica Malloch, 1941 SC ZW ZA MG Sk Cn EG TR
- 1106. *Musca sorbens* Wiedemann, 1830** (*Muscidae*) Synonym(s): sorbens Wiedemann, 1830 SL SC MG MU RE Sk DZ MA TN IT Si Sa? TR RU AU
- 1107. *Mylabris calida* (Pallas, 1784)** (*Meloidae*) Synonym(s): calida Pallas, 1784 TR Cc RU KG AF IR SY BG DZ
- 1108. *Mylabris cincta* Olivier, 1811** (*Meloidae*) Synonym(s): cincta Olivier, 1811; #cincat Kaszab, 1968 TR AF Cc GR SY IR DZ
- 1109. *Mylabris sinuata* Klug, 1845** (*Meloidae*) Synonym(s): sinuata Klug, 1845 LY CY SY TR
- 1110. *Mylabris syriaca* Klug, 1845** (*Meloidae*) Synonym(s): syriaca Klug, 1845 TR IR SY EG GR SD
- 1111. *Mylabris variabilis* (Pallas, 1782)** (*Meloidae*) Synonym(s): variabilis Pallas, 1782 TR Cc RU DZ KG TM
- 1112. *Myriochile* (s.str.) *melancholica* (Fabricius, 1798)** (*Carabidae*) Synonym(s): melancholica Fabricius, 1798 MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
- 1113. *Myrmilla* (s.str.) *calva* (Villers, 1789)** (*Mutillidae*) Synonym(s): calva Villers, 1789; triareolata Spinola, 1841; distincta Lepeletier, 1845; agrestis Lepeletier, 1845; incompleta Lepeletier, 1845; hastata Costa, 1858; andalusiana Skorikov, 1927 AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
- 1114. *Myrmilla* (s.str.) *doumerguei* (André, 1901)** (*Mutillidae*) Synonym(s): doumerguei André, 1901 DZ
- 1115. *Myrmilla* (s.str.) *erythrocephala* (Latreille, 1792)** (*Mutillidae*) Synonym(s): erythrocephala Latreille, 1792; latreillei Meyer, 1794; cornuta Olivier, 1811; megacephala Costa, 1858; bison Costa, 1887 AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
- 1116. *Myrmosa atra* Panzer, 1801** (*Mutillidae*) Synonym(s): melanocephala Fabricius, 1793 (praeocc.); atra Panzer, 1801; nigra Latreille, 1809; bicolor Baer, 1848; melanaria Blanchard, 1849; #rufomaculata Hoffer, 1938; erythrocephala Yarrow, 1954 SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
- 1117. *Namamantis cruciata* (Beier, 1953)** (*Mantidae*) Synonym(s): cruciata Beier, 1953 ZA Ec

- 1118. *Namamantis nigropunctata* Kaltenbach,1996** (*Mantidae*) Synonym(s): nigropunctata Kaltenbach,1996 **ZA Ec**
- 1119. *Nampista auriventris* (Guérin-Méneville,1838)** (*Mantispidae*) Synonym(s): auriventris Guérin-Méneville,1838; apicalis Loew,1843; speciosa Navas,1914 **GR Rd EG OM**
- 1120. *Nanomutilla vaucheri* (Tournier,1895)** (*Mutillidae*) Synonym(s): vaucheri Tournier,1895 **ES SY MA DZ**
- 1121. *Nemoptera aegyptiaca* Rambur,1842** (*Nemopteridae*) Synonym(s): aegyptiaca Rambur,1842 **IL EG**
- 1122. *Nemotelus* (s.str.) *anchora* Loew,1846** (*Stratiomyidae*) Synonym(s): anchora Loew,1846; sculus Jaennicke,1866; persicus Pleske,1937 **IT Si MT RU IL IR DZ TN**
- 1123. *Nemotelus* (s.str.) *brachystomus* Loew,1846** (*Stratiomyidae*) Synonym(s): brachystomus Loew,1846; plagiatus Schiner,1857; luteicornis Egger,1859; punctiventris Becker,1902; aegyptiacus Lindner,1925; turcorum Szilady,1941; pleskei Nartshuk,1969 **YU HU RO IT BG AL GR TR CY RU Cc IL EG**
- 1124. *Nemotelus* (s.str.) *pantherinus* (Linnaeus,1758)** (*Stratiomyidae*) Synonym(s): pantherinus Linnaeus,1758; marginatus Fabricius,1775; marginellus Gmelin,1790; muticus Schrank,1803; nigritus Meigen,1804; fraternus Loew,1846; gracilis Loew,1846; satunini Pleske,1937; zelleri Pleske,1937; albirostris Szilady,1941; caucasicus Nartshuk,1969; punctirostris Lindner,1974 **GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA**
- 1125. *Neoaliturus dubiosus* (Matsumura,1908)** (*Cicadellidae*) Synonym(s): dubiosus Matsumura,1908; ruscinonensis Ribaut,1952; infirmus Young & Frazier,1954 **IT FR LY MA RO ES EH TN TR RU KG TJ**
- 1126. *Neoaliturus inscriptis* (Haupt,1927)** (*Cicadellidae*) Synonym(s): inscriptis Haupt,1927 **CY IL MA**
- 1127. *Neoaliturus tenellus* (Baker,1896)** (*Cicadellidae*) Synonym(s): tenellus Baker,1896; ignavus Matsumura,1908; egyptiacus Matsumura,1908; indivisus Haupt,1927; ambiguosus Young & Frazier,1954; zygophylli Lindberg,1954 **DZ ES Cn EG FR IR IL IT Si LY ES TN KG**
- 1128. *Neocilnia gracilis* Beier,1930** (*Mantidae*) Synonym(s): gracilis Beier,1930 **ZA Ec**
- 1129. *Neodanuria bolauana* (Saussure,1869)** (*Mantidae*) Synonym(s): bolauana Saussure,1869; superciliaris Gerstraecker,1869 **KE SO TZ**
- 1130. *Neolimnus egyptiacus* (Matsumura,1908)** (*Cicadellidae*) Synonym(s): egyptiacus Matsumura,1908 **EG IR IQ IL JO**
- 1131. *Neolophonotus zogreus* Londt,1986** (*Asilidae*) Synonym(s): zogreus Londt,1986 **ZA**
- 1132. *Neolophonotus zopherus* Londt,1986** (*Asilidae*) Synonym(s): zopherus Londt,1986 **ZA**
- 1133. *Neolophonotus zulu* Londt,1985** (*Asilidae*) Synonym(s): zulu Londt,1985 **ZA Nta Kzu**
- 1134. *Neophilaenus albipennis* (Fabricius,1798)** (*Cercopidae*) Synonym(s): albipennis Fabricius,1798 **DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR**
- 1135. *Neophilaenus campestris* (Fallén,1805)** (*Cercopidae*) Synonym(s): campestris Fallén,1805; parvula Vismara,1877 **Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU**
- 1136. *Neophilaenus exclamationis* (Thunberg,1784)** (*Cercopidae*) Synonym(s): exclamationis Thunberg,1784 **AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA**
- 1137. *Neophilaenus lineatus* (Linnaeus,1758)** (*Cercopidae*) Synonym(s): lineatus Linnaeus,1758 **AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ**
- 1138. *Neotherevella citrina* (Becker,1902)** (*Therevidae*) Synonym(s): citrina Becker,1902 **EG IL Pa**
- 1139. *Nephotettix modulatus* Melichar,1912** (*Cicadellidae*) Synonym(s): modulatus Melichar,1912 **EG IL MA TN**
- 1140. *Nilomantis edmundsi* Roy,1975** (*Iridopterygidae*) Synonym(s): edmundsi Roy,1975 **GH CF**
- 1141. *Nilomantis floweri* Werner,1907** (*Iridopterygidae*) Synonym(s): floweri Werner,1907; tenella Giglio-Tos,1915; arabica Beier,1930 **ET IR YE MR NE OM SA SD TD**
- 1142. *Nisia nervosa* (Motschulsky,1863)** (*Meenoplidae*) Synonym(s): nervosa Motschulsky,1863; atrovencosus Lethierry,1888 **GR TR EG IL CN JP KP KR MA**
- 1143. *Nohoveus palpalis* (Klapalek,1914)** (*Myrmeleonidae*) Synonym(s): palpalis Klapalek,1914 **DZ SA IR**
- 1144. *Noterus clavicornis* (De Geer,1774)** (*Noteridae*) Synonym(s): clavicornis De Geer,1774 **TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU**
- 1145. *Noterus crassicornis* (O.F.Müller,1776)** (*Noteridae*) Synonym(s): crassicornis O.F.Müller,1776 **TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE**

- IT Ch LT MK MD NL NO PL RU Sb SK SL
SE UA YU
- 1146. Notus flavipennis**
(Zetterstedt,1828) (*Cicadellidae*)
Synonym(s): flavipennis Zetterstedt,1828;
orichalcea Dahlbom,1850; marginatus Sahlberg,1871;
armata Buckton,1891; armata Haupt,1912 (praeocc.);
haupti Oshanin,1912 DZ? AT BE BG CS DK FI
FR DE GB HU IE IT? MN EE KG PL RO ES
SW EE KG KK LV RU At Sb UA UZ
- 1147. Nycteribia (Acrocholidia) vexata**
Westwood,1835 (*Nycteribiidae*)
Synonym(s): vexata Westwood,1835 MA DZ TN
LY EG PT ES FR BE CH DE CZ PL AT HU
RO YU BG AL GR TR Cc IL Pa AZ GG UA
TM IQ IR
- 1148. Nycteribia (s.str.) kolenatii**
Theodor & Moscona,1954 (*Nycteribiidae*)
Synonym(s): kolenatii Theodor & Moscona,1954
IE GN DK NO SE FI NL PT FR IT AT CH DE
PL CZ HU RO MK TR EE
- 1149. Nycteribia (s.str.) latreillii**
(Leach,1817) (*Nycteribiidae*) Synonym(s):
latreillii Leach,1817 MA DZ TN LY PT ES IT FR
BE NL DE CH PL CZ HU RO YU AL BG GR
TR IL Pa KK TM TJ AF
- 1150. Nycteribia (s.str.) pedicularia**
Latreille,1805 (*Nycteribiidae*) Synonym(s):
pedicularia Latreille,1805 DZ TN ES FR IT CH
YU RO BG AL GR TR CY IL Pa IR
- 1151. Nycteribia (s.str.) schmidlii**
Schiner,1853 (*Nycteribiidae*) Synonym(s):
schmidlii Schiner,1853 MA DZ TN PT ES FR IT
CH DE CZ HU RO YU AL BG GR TR CY IL
Pa LB Cc AZ GG UA TM IR AF
- 1152. Ochridia albrechti Jago,1977**
(*Acrididae*) Synonym(s): albrechti Jago,1977 SD
- 1153. Ochridia cretacea (Bolivar,1914)**
(*Acrididae*) Synonym(s): cretacea Bolivar,1914;
pictifemur Salfi,1928 SO ET
- 1154. Ochridia filicornis (Krauss,1902)**
(*Acrididae*) Synonym(s): filicornis Krauss,1902
DZ IL Pa
- 1155. Ochridia gracilis (Krauss,1902)**
(*Acrididae*) Synonym(s): gracilis Krauss,1902
DZ ET EG TZ
- 1156. Ochridia johnstoni (Salfi,1931)**
(*Acrididae*) Synonym(s): johnstoni Salfi,1931
SD
- 1157. Ochridia martini (Bolivar,1908)**
(*Acrididae*) Synonym(s): martini Bolivar,1908
ET
- 1158. Ochridia nubica (Werner,1913)**
(*Acrididae*) Synonym(s): nubica Werner,1913
SD
- 1159. Ochridia pachypes Chopard,1950**
(*Acrididae*) Synonym(s): brevipes Chopard,1947;
pachypes Chopard,1950 MR
- 1160. Odontomyia angulata**
(Panzer,[1798]) (*Stratiomyidae*)
Synonym(s): angulata Panzer,[1798]; vulpina
Panzer,[1798]; hydroptia Meigen,1822; latifasciata
Macquart,1834; brevicornis Loew,1840; ruficornis
Zetterstedt,1842; hydrophila Loew,1846 SE PL DE
ES IT GR RU TR IL IR AF CN MA DZ EG TM
Sb TJ KK KG Kmt Sh Krl
- 1161. Odontomyia discolor Loew,1846**
(*Stratiomyidae*) Synonym(s): discolor
Loew,1846; limbata Macquart,1849 nec Meig.,1822
MA DZ FR Co RO ES IT GR TR IL AF
- 1162. Odontomyia flavissima (Rossi,1790)**
(*Stratiomyidae*) Synonym(s): flavissima
Rossi,1790; decora Meigen,1822; infusca
Meigen,1830; semiviolacea Brullé,1832; nigripes
Macquart,1847; laufferi Strobl,1909 MA DZ TN ES
IT AT CZ GR SY TR IL Cc GG AZ
- 1163. Oedipoda miniata (Pallas,1771)**
(*Acrididae*) Synonym(s): miniata Pallas,1771;
salinus Gmelin,1790; gratiosa Audinet-Serville,1838;
perurbana Steinmann,1965 MA DZ TN TR TJ KG
Aa RU
- 1164. Oenas afer (Linnaeus,1767)**
(*Meloidae*) Synonym(s): afer Linnaeus,1767;
atrata Fabricius,1775 DZ TR
- 1165. Oliarus concolor Fieber,1876**
(*Cixiidae*) Synonym(s): concolor Fieber,1876 DZ
GR TN Cc AZ KG KK RU Da TJ UA UZ
- 1166. Oliarus obscurus (Signoret,1865)**
(*Cixiidae*) Synonym(s): obscurus Signoret,1865;
signatus Fieber,1876 EG FR IT Sa Cc AM AZ
RU UA
- 1167. Oliarus pallens (Germar,1821)**
(*Cixiidae*) Synonym(s): pallens Germar,1821;
stenocephalus Haupt,1917; suezensis Matsumura,1910;
modestus Haupt,1927 Cc AF DZ CZ EG IR IL IT
JO LY PT RO ES TR AM AZ GG KG KK MD
RU TJ TM UA UZ YU
- 1168. Ommatissus binotatus Fieber,1876**
(*Tropiduchidae*) Synonym(s): binotatus
Fieber,1876 DZ CN GR IQ LY MA
- 1169. Omocestus (s.str.) africanus**
Harz,1970 (*Acrididae*) Synonym(s):
africanus Harz,1970 MA
- 1170. Omocestus (s.str.) harzi Nadig,1988**
(*Acrididae*) Synonym(s): harzi Nadig,1988 MA
- 1171. Omocestus (s.str.) nadigi Harz,1987**
(*Acrididae*) Synonym(s): nadigi Harz,1987 DZ
- 1172. Omomantis sigma Rehn,1949**
(*Mantidae*) Synonym(s): sigma Rehn,1949 ZR
- 1173. Omomantis tigrina Giglio-Tos,1916**
(*Mantidae*) Synonym(s): tigrina Giglio-Tos,1916
SO TZ
- 1174. Omomantis zebrata**
(Charpentier,1843) (*Mantidae*)
Synonym(s): zebrata Charpentier,1843; suavis
Brancsik,1897; pardalina Saussure,1899 ZA Ec Nta
Kzu Tva Lpo ZW KE
- 1175. Oncopsis flavicollis (Linnaeus,1761)**
(*Cicadellidae*) Synonym(s): flavicollis
Linnaeus,1761; diadema Fabricius,1794; triangularis
Fabricius,1794; fruticola Fallén,1806; fuscula
Gravenhorst,1807; nigrifolius Zetterstedt,1828;

- obscurus Zetterstedt,1828; pallens Zetterstedt,1828;
personatus Curtis,1837; pulchellus Curtis,1837;
reticulatus Curtis,1837; frontalis Curtis,1837; capucinus
Zetterstedt,1840; dubius Fieber,1868; ochraceus
Rey,1894; transitus Rey,1894; hyalina Wagner,1944;
luteomarginata Wagner,1944 **DZ AT BE BG CS
DK FI FR DE GB HU IT IE MN NL NO PL
PT RO ES SE SW SY TN TR AM EE GG KG
KK LV MD RRU (Siberia) UA UZ YU**
- 1176. Onitis alexis Klug,1835 (Scarabaeidae)**
Synonym(s): alexis Klug,1835 **MA DZ TN LY
Cy EG Co FR ES TR IL Pa**
- 1177. Onitis ezechias Reiche &
Saulcy,1856 (Scarabaeidae)** Synonym(s):
ezechias Reiche & Saulcy,1856 **EG SY Dms IL Pa**
- 1178. Onitis ringenbachi Keith,2007**
(Scarabaeidae) Synonym(s): ringenbachi
Keith,2007 **LY Cy**
- 1179. Onthophagus (Euonthophagus)
amyntas (Olivier,1789) (Scarabaeidae)**
Synonym(s): amyntas Olivier,1789 **RU KK KG
UZ TJ TM AT HU BG HV GR Cr TR SY JO IL
Pa EG Sn LB**
- 1180. Onthophagus (Euonthophagus)
amyntas alces (Fabricius,1792)**
(Scarabaeidae) Synonym(s): alces Fabricius,1792;
hybneri Fabricius,1792 **AT HU BG HV GR Cr TR
SY JO IL Pa EG Sn LB**
- 1181. Onthophagus (Euonthophagus)
atramentarius (Ménétriés,1832)**
(Scarabaeidae) Synonym(s): atramentarius
Ménétriés,1832 **Cc SY CY IR TR BG GR IL Pa
EG**
- 1182. Onthophagus (Euonthophagus)
bedeli (Reitter,1891) (Scarabaeidae)**
Synonym(s): bedeli Reitter,1891 **DZ LY Cy SY
IR AF**
- 1183. Onthophagus (Euonthophagus)
crocatus Mulsant,1873 (Scarabaeidae)**
Synonym(s): crocatus Mulsant,1873 **DZ**
- 1184. Onthophagus (Furconthophagus)
furcatus (Fabricius,1781) (Scarabaeidae)**
Synonym(s): furcatus Fabricius,1781 **RU Cc AM
AZ GG TM SY TR IQ SA MA**
- 1185. Onthophagus (Palaeonthophagus)
conspersus Reitter,1892 (Scarabaeidae)**
Synonym(s): conspersus Reitter,1892 **TZ AF**
- 1186. Onthophagus (Palaeonthophagus)
nebulosus Reiche,1864 (Scarabaeidae)**
Synonym(s): nebulosus Reiche,1864 **IL Pa SA
LY Cy**
- 1187. Onthophagus (Palaeonthophagus)
opacicollis Reitter,1893 (Scarabaeidae)**
Synonym(s): opacicollis Reitter,1893 **BG GR HV
AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR
IT Si**
- 1188. Onthophagus (Palaeonthophagus)
vacca (Linnaeus,1767) (Scarabaeidae)**
Synonym(s): vacca Linnaeus,1767 **RU MD Ur
AZ Cc TM TR SY IR MA Az GR Cr**
- 1189. Onthophagus (s.str.) pictus
Reitter,1893 (Scarabaeidae)** Synonym(s):
pictus Reitter,1893 **EG SY ZR SD**
- 1190. Onthophagus (s.str.) sellatus
Klug,1845 (Scarabaeidae)** Synonym(s):
sellatus Klug,1845 **EG LR SD ER BJ NG CM ST
GN ZR GA AO SY CY LY Cy**
- 1191. Onthophagus (s.str.) taurus
(Schreber,1759) (Scarabaeidae)**
Synonym(s): taurus Schreber,1759 **RU Cc GG
UA Cm IR TM UZ MA DZ TN SY IQ AF TR
US Tx**
- 1192. Opatroides punctulatus Brullé,1832**
(Tenebrionidae) Synonym(s): punctulatus
Brullé,1832; parvulus Faldermann,1837 **TR Cc RU
Sb ET SO**
- 1193. Opatroides thoracicus
Rosenh.,1856 (Tenebrionidae)** Synonym(s):
thoracicus Rosenh.,1856 **ES MA DZ**
- 1194. Opilo taeniatus (Klug,1842)**
(Cleridae) Synonym(s): taeniatus Klug,1842 **CZ
YU AT Cc Cr GR LY Cy GR SY TR IL Pa**
- 1195. Oplodontha viridula
(Fabricius,1775) (Stratiomyidae)**
Synonym(s): viridula Fabricius,1775; canina
Panzer,[1798]; jejuna Schrank,1803; dentata
Meigen,1804; holosericea Olivier,1812; lunata
Olivier,1812; subvittata Meigen,1822; bimaculata
Meigen,1835; personata Loew,1846; interrupta
Loew,1846; heydeni Jaennicke,1866 **DZ CH YU
HV DE TR IL MN CN**
- 1196. Opsius jucundus (Lethierry,1871)**
(Cicadellidae) Synonym(s): jucundus
Lethierry,1871 **AF DZ EG IR IQ TR Cc AZ KG
RU TJ**
- 1197. Opsius lethierryi Wagner,1942**
(Cicadellidae) Synonym(s): lethierryi
Wagner,1942 **AF DZ BG ES Cn EG FR IQ IL IT
Md MA TN TR YU**
- 1198. Opsius pallasi (Lethierry,1874)**
(Cicadellidae) Synonym(s): pallasi Lethierry,1874
DZ EG GR IL TN Cc AZ KG KK RU TJ UZ
- 1199. Opsius scutellaris (Lethierry,1874)**
(Cicadellidae) Synonym(s): scutellaris
Lethierry,1874 **AF DZ ES Cn CN EG IL LY MA
TN**
- 1200. Opsius stactogalus Fieber,1866**
(Cicadellidae) Synonym(s): stactogalus
Fieber,1866; tamaricis Kirschbaum,1868; heydeni
Fieber,1872; spinulosus Della Guistina,1981 **DZ AT
Az AT BE ES Cn CY CS EG FR DE GB GR
HU IT LY MA NL PL PT RO ES SE SW TN
TR AM GG Cc MD RU TJ UA UZ YU**
- 1201. Orosius orientalis
(Matsumura,1914) (Cicadellidae)**
Synonym(s): orientalis Matsumura,1914; albicinctus
Distant,1918; filigranus Haupt,1927 **PT ES EG IQ
IL Pa Md MA TR**
- 1202. Oryctes (Rykanoryctes)
agamemnon Burmeister,1824**

- (*Scarabaeidae*) Synonym(s): agamemnon
Burmeister,1824 EG Sn IL Pa SD SO SA AF PK
- 1203. Osmanius dellacasai**
(*Petrovitz,1970*) (*Scarabaeidae*)
Synonym(s): dellacasai Petrovitz,1970 LY
- 1204. Osmia (Tergosmia) tergestensis**
Ducke,1897 (*Megachilidae*) Synonym(s):
tergestensis Ducke,1897; wolynica Noskiewicz,1922
MA IT UA TR
- 1205. Osmylus fulvicephalus**
(*Scopoli,1763*) (*Osmylidae*) Synonym(s):
fulvicephalus Scopoli,1763 AL AT BE B-H BG CZ
DK EE GB FR GR NL HU IT IE LT MK PL
RO RU ES SL SE CH UA YU TR
- 1206. Otomantis aurita (Saussure & Zehntner,1895)** (*Hymenopodidae*)
Synonym(s): aurita Saussure & Zehntner,1895
MG TZ
- 1207. Otomantis capirica Giglio-Tos,1915**
(*Hymenopodidae*) Synonym(s): capirica Giglio-
Tos,1915; xenocentrus Werner,1915 AO CM ZR
- 1208. Otomantis casaica Giglio-Tos,1915**
(*Hymenopodidae*) Synonym(s): casaica Giglio-
Tos,1915 ZR
- 1209. Otomantis rendalli (Kirby,1899)**
(*Hymenopodidae*) Synonym(s): rendalli
Kirby,1899 ZM
- 1210. Otomantis scutigera Bolivar,1890**
(*Hymenopodidae*) Synonym(s): scutigera
Bolivar,1890; africana Saussure & Zehntner,1895
MW MZ TZ ZA Tva Lpo
- 1211. Oxycara aethiopum Gredl.,1877**
(*Tenebrionidae*) Synonym(s): aethiopum
Gredl.,1877 SD
- 1212. Oxycara hegetericum Reiche & Saulcy,1857** (*Tenebrionidae*) Synonym(s):
hegetericum Reiche & Saulcy,1857 EG IL Pa
- 1213. Oxycara productum**
Peyerimhoff,1907 (*Tenebrionidae*)
Synonym(s): productum Peyerimhoff,1907 EG
Sn
- 1214. Oxycara pygmaeum Reiche & Saulcy,1857** (*Tenebrionidae*) Synonym(s):
pygmaeum Reiche & Saulcy,1857 IL Pa EG
- 1215. Oxycera trilineata (Linnaeus,1767)**
(*Stratiomyidae*) Synonym(s): trilineata
Linnaeus,1767; graeca Pontoppidan,1763; hypoleon
Linnaeus,1767; fasciata Geoffroy,1785; proxima
Loew,1873; collaris Brunetti,1889; transfasciata
Pleske,1925; ferghanensis Pleske,1925; ucrainica
Paramonov,1926; bucheti Seguy,1930; angustistomata
Lindner,1938 SE DE FR GB Cc GG Tbl UZ Fe
UA RU Sr Ur GR TR IL MN CN MA DZ
- 1216. Oxythrips acutipes Sjöstedt,1930**
(*Mantidae*) Synonym(s): acutipes Sjöstedt,1930
AO ZR
- 1217. Oxythrips brevicollis Beier,1930**
(*Mantidae*) Synonym(s): brevicollis Beier,1930
ET
- 1218. Oxythrips dumonti Chopard,1941**
(*Mantidae*) Synonym(s): dumonti Chopard,1941
SN
- 1219. Oxythrips flavipennis**
(**Chopard,1941**) (*Mantidae*) Synonym(s):
flavipennis Chopard,1941 SN
- 1220. Oxythrips longicollis Beier,1931**
(*Mantidae*) Synonym(s): longicollis Beier,1931
CI KE SO
- 1221. Oxythrips longipennis**
Chopard,1941 (*Mantidae*) Synonym(s):
longipennis Chopard,1941 BF CI GH ML NE
- 1222. Oxythrips mammillata**
Sjöstedt,1930 (*Mantidae*) Synonym(s):
mammillata Sjöstedt,1930 ET
- 1223. Oxythrips maroccana**
(**Bolivar,1908**) (*Mantidae*) Synonym(s):
maroccana Bolivar,1908 MA
- 1224. Oxythrips meridionalis**
Kaltenbach,1996 (*Mantidae*) Synonym(s):
meridionalis Kaltenbach,1996 AO BW
- 1225. Oxythrips nilotica Giglio-Tos,1916** (*Mantidae*) Synonym(s): nilotica
Giglio-Tos,1916 DZ MA SD TD YE SA
- 1226. Oxythrips noctivaga La Greca,1952** (*Mantidae*) Synonym(s):
noctivaga La Greca,1952 ET SO
- 1227. Oxythrips parva Beier,1937**
(*Mantidae*) Synonym(s): parva Beier,1937 ET
KE SO
- 1228. Oxythrips pellucida**
Chopard,1938 (*Mantidae*) Synonym(s):
pellucida Chopard,1938 KE
- 1229. Oxythrips senegalensis**
Saussure,1870 (*Mantidae*) Synonym(s):
senegalensis Saussure,1870 DZ CM LY SN TD
- 1230. Oxythrips sudanensis Giglio-Tos,1916** (*Mantidae*) Synonym(s): sudanensis
Giglio-Tos,1916 ET SD
- 1231. Oxythrips tricolor Chopard,1941**
(*Mantidae*) Synonym(s): tricolor Chopard,1941
LY
- 1232. Oxythrips villiersi Chopard,1950**
(*Mantidae*) Synonym(s): villiersi Chopard,1950
SD
- 1233. Oxyrhachis egyptiana Distant,1915**
(*Membracidae*) Synonym(s): egyptiana
Distant,1915 EG IL IT JO MA SY TN TR CN Ui
YU
- 1234. Oxythyrea pantherina (Gory & Percheron,1833)** (*Scarabaeidae*)
Synonym(s): pantherina Gory & Percheron,1833
MA LY Cy
- 1235. Oxythyrea tripolitana Reitter,1891**
(*Scarabaeidae*) Synonym(s): tripolitana
Reitter,1891 TN Gf LY Cy
- 1236. Pachnoda marginata (Drury,1773)**
(*Scarabaeidae*) Synonym(s): marginata
Drury,1773 UG

- 1237. Pachyscelis crinita Solier, 1836**
(Tenebrionidae) Synonym(s): crinita Solier, 1836
DZ IL Pa
- 1238. Pachyscelis henoni S  nac, 1887**
(Tenebrionidae) Synonym(s): henoni S  nac, 1887
DZ TN
- 1239. Pachyscelis tuberculifera Lucas, 1858** (Tenebrionidae) Synonym(s): tuberculifera Lucas, 1858; dayensis Mulsant & Godart, 1865; serieperlata Fairmaire, 1876 DZ
- 1240. Pagiphora annulata (Brull  , 1832)** (Cicadidae) Synonym(s): annulata Brull  , 1832
AL DZ BG CS GR TN TR YU
- 1241. Palpares cephalotes (Klug, 1834)** (Myrmeleonidae) Synonym(s): cephalotes Klug, 1834; subducens Walker, 1853; sollicitus Walker, 1853. EG SA AF
- 1242. Palpares dispar Navas, 1912** (Myrmeleonidae) Synonym(s): dispar Navas, 1912
SA EG
- 1243. Paluda vitripennis (Flor, 1861)** (Cicadellidae) Synonym(s): vitripennis Flor, 1861; andropoginis Haupt, 1924; graminis Haupt, 1935; monticola Ribaut, 1939; parvispinus Wagner, 1947; hibernica Le Quesne, 1964; orientalis Vilbaste, 1965; lalahani Kalkandelen, 1972 DZ AT BG CS DK FI FR DE HU IE IT MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
- 1244. Paracardiophorus musculus (Erichson, 1840)** (Elateridae) Synonym(s): musculus Erichson, 1840 AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN
- 1245. Paracilnia neavei Werner, 1909** (Mantidae) Synonym(s): neavei Werner, 1909
ZR TZ ZW
- 1246. Paracinema acutipennis (Bolivar, 1914)** (Acrididae) Synonym(s): acutipennis Bolivar, 1914 UG
- 1247. Paracinema luculenta Karsch, 1896** (Acrididae) Synonym(s): luculenta Karsch, 1896; guillielmi S  jstedt, 1923 TG ZR
- 1248. Paracinema tricolor (Thunberg, 1815)** (Acrididae) Synonym(s): tricolor Thunberg, 1815; sylvestris Thunberg, 1815; superba Bolivar, 1905; terminale Bolivar, 1908; madecassa Key, 1936; montana Key, 1936; sudanensis Key, 1936 DZ PT ES SA As TR MG SD ET TZ ZR
- 1249. Paradorydium dimorphum Linnavuori, 1962** (Cicadellidae) Synonym(s): dimorphum Linnavuori, 1962 IL TN
- 1250. Paradorydium paradoxum (Herrich-Sch  ffer, 1837)** (Cicadellidae) Synonym(s): paradoxum Herrich-Sch  ffer, 1837; lanceolatum Burmeister, 1839 DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU
- 1251. Paragomphus genei (Selys, 1841)** (Gomphidae) Synonym(s): genei Selys, 1841; hageni Selys, 1870; excelsus Costa, 1884; atratus Selys, 1885; rusticatus Fraser, 1928 TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk
- 1252. Paragus pusillus Stuckenberg, 1954** (Syrphidae) Synonym(s): pusillus Stuckenberg, 1954 ZA
- 1253. Paraligaria jeanneli (Chopard, 1914)** (Mantidae) Synonym(s): jeanneli Chopard, 1914 KE
- 1254. Paraligaria malawica Beier, 1969** (Mantidae) Synonym(s): malawica Beier, 1969 MW
- 1255. Paralimnus picturatus Haupt, 1930** (Cicadellidae) Synonym(s): picturatus Haupt, 1930; lindneri Fahringer, 1942; subtilis Linnavuori, 1964 EG JO MN TR KG MD RU
- 1256. Paramantis natalensis (Stal, 1856)** (Mantidae) Synonym(s): natalensis Stal, 1856; moesta Werner, 1915 ZA Nta Kzu AO ET CM ZR KE TZ ZW
- 1257. Paramantis niasana (Giglio-Tos, 1912)** (Mantidae) Synonym(s): niasana Giglio-Tos, 1912 KE TZ ZW
- 1258. Paramantis ottei Ko  ak & Kemal, 2008** (Mantidae) Synonym(s): prasina Serville, 1839 nec Burmeister, 1838; ottei Ko  ak & Kemal, 2008 ZA Ec CI GH GN KE KM MG TZ TG RE
- 1259. Paramantis sacra (Thunberg, 1815)** (Mantidae) Synonym(s): sacra Thunberg, 1815
ZA Ec Tva Lpo UG
- 1260. Paramantis togana (Giglio-Tos, 1915)** (Mantidae) Synonym(s): togana Giglio-Tos, 1915 CM LR TZ TG
- 1261. Paramantis victoriana (Werner, 1908)** (Mantidae) Synonym(s): victoriana Werner, 1908; mitiana Giglio-Tos, 1912 AO CM ZR UG Rz TZ
- 1262. Paramantis viridis (Saussure, 1872)** (Mantidae) Synonym(s): viridis Saussure, 1872
MG ZA Nta Kzu CM ZR
- 1263. Paramesus obtusifrons (Stal, 1853)** (Cicadellidae) Synonym(s): obtusifrons Stal, 1853
AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
- 1264. Paramyrmosa brunnipes (Lepeletier, 1845)** (Mutillidae) Synonym(s): brunnipes Lepeletier, 1845; cognata Costa, 1858 DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
- 1265. Paramyrmosa punica Suarez, 1979** (Mutillidae) Synonym(s): punica Suarez, 1979 TN
- 1266. Paraseverinia finoti (Chopard, 1943)** (Mantidae) Synonym(s): finoti Chopard, 1943 DZ MA LY

- 1267. *Parasphendale affinis* (Giglio-Tos, 1915) (*Mantidae*)** Synonym(s): *affinis* Giglio-Tos, 1915 **ET KE SO**
- 1268. *Parasphendale africana* Giglio-Tos, 1915 (*Mantidae*)** Synonym(s): *africana* Giglio-Tos, 1915 **KE SO TZ**
- 1269. *Parasphendale agrionina* (Gerstaecker, 1869) (*Mantidae*)** Synonym(s): *agrionina* Gerstaecker, 1869; *vineta* Gerstaecker, 1869 **ET KE TZ**
- 1270. *Parasphendale albicosta* Chopard, 1938 (*Mantidae*)** Synonym(s): *albicosta* Chopard, 1938 **ET KE**
- 1271. *Parasphendale costalis* (Kirby, 1904) (*Mantidae*)** Synonym(s): *costalis* Kirby, 1904 **ZA Tva Lpo ZW TZ KE ET SO UG**
- 1272. *Parasphendale ghindana* Giglio-Tos, 1915 (*Mantidae*)** Synonym(s): *ghindana* Giglio-Tos, 1915 **ET MZ SO**
- 1273. *Parasphendale minor* Schulthess-Schindler, 1898 (*Mantidae*)** Synonym(s): *minor* Schulthess-Schindler, 1898 **ET KE SO**
- 1274. *Parasphendale scioana* Giglio-Tos, 1915 (*Mantidae*)** Synonym(s): *scioana* Giglio-Tos, 1915 **ET**
- 1275. *Parasphendale stali* Sjöstedt, 1930 (*Mantidae*)** Synonym(s): *stali* Sjöstedt, 1930 **KE TZ ZW**
- 1276. *Parentella benguelae* (Saussure, 1869) (*Mantidae*)** Synonym(s): *benguelae* Saussure, 1869 **AO**
- 1277. *Parentella laticollis* (Karny, 1908) (*Mantidae*)** Synonym(s): *laticollis* Karny, 1908 **BW NA**
- 1278. *Parentella major* Giglio-Tos, 1915 (*Mantidae*)** Synonym(s): *major* Giglio-Tos, 1915 **BF GH CM NE SN TG**
- 1279. *Parentella parva* (Saussure, 1899) (*Mantidae*)** Synonym(s): *parva* Saussure, 1899 **TZ**
- 1280. *Penicillidia conspicua* Speiser, 1901 (*Nycteribiidae*)** Synonym(s): *conspicua* Speiser, 1901 **MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF**
- 1281. *Penicillidia dufourii* (Westwood, 1835) (*Nycteribiidae*)** Synonym(s): *dufourii* Westwood, 1835 **MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN**
- 1282. *Pentastira megista* Emeljanov, 1978 (*Cixiidae*)** Synonym(s): *megista* Emeljanov, 1978 **AF AZ BG Cc GR HU RO RU SL SY TR UA YU**
- 1283. *Pentastiridius leporinus* (Linnaeus, 1761) (*Cixiidae*)** Synonym(s): *leporinus* Linnaeus, 1761; *pallidus* Herrich-Schäffer, 1835 **AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU**
- 1284. *Penthimia nigra* (Goeze, 1778) (*Cicadellidae*)** Synonym(s): *nigra* Goeze, 1778; *aethyops* Schrank, 1781; *haemorrhoea* Schrank, 1781; *castanea* Gmelin, 1790; *biguttata* Gmelin, 1790 (*praeocc.*); *atra* Fabricius, 1794; *ruficollis* Fabricius, 1794; *thoracica* Panzer, 1799; *sanguinicollis* Fabricius, 1803; *maculata* Melichar, 1896; *caucasica* Kusnezov, 1931; *clavalis* Ribaut, 1952; *fulva* Ribaut, 1952; *maculipennis* Ribaut, 1952 **AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU**
- 1285. *Pentodon algerinum* Herbst, 1789 (*Scarabaeidae*)** Synonym(s): *algerinum* Herbst, 1789 **DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN**
- 1286. *Pentodon bidens* (Pallas, 1771) (*Scarabaeidae*)** Synonym(s): *bidens* Pallas, 1771 **IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ**
- 1287. *Pentodon variolopunctatus* Fairmaire, 1879 (*Scarabaeidae*)** Synonym(s): *variolopunctatus* Fairmaire, 1879 **LY EG Sn IL Pa SA**
- 1288. *Peripontius concolor* (Desbrochers, 1875) (*Elateridae*)** Synonym(s): *concolor* Desbrochers, 1875 **DZ SY TR**
- 1289. *Perissana circularis* (Linnavuori, 1952) (*Issidae*)** Synonym(s): *circularis* Linnavuori, 1952 **EG IL Pa**
- 1290. *Perkinsiella rivularis* Linnavuori, 1964 (*Delphacidae*)** Synonym(s): *rivularis* Linnavuori, 1964 **EG IL**
- 1291. *Perlamantis algerica* Giglio-Tos, 1913 (*Amorphoscelidae*)** Synonym(s): *algerica* Giglio-Tos, 1913 **DZ**
- 1292. *Perlamantis allibertii* Guérin-Méneville, 1843 (*Amorphoscelidae*)** Synonym(s): *allibertii* Guérin-Méneville, 1843; *tunetana* Bonnet & Finot, 1884 **FR ES DZ MA LY TN**
- 1293. *Phaleria acuminata* Küster, 1852 (*Tenebrionidae*)** Synonym(s): *acuminata* Küster, 1852; *tunisia* Reitter, 1916 **TN LY TR**
- 1294. *Phaonia cincta* (Zetterstedt, 1846) (*Muscidae*)** Synonym(s): *cincta* Zetterstedt, 1846 **MA? DE PL CZ AT HU SY TR**
- 1295. *Philaenus signatus* Melichar, 1896 (*Cercopidae*)** Synonym(s): *signatus* Melichar, 1896 **AF AL CY GR IQ IT MA ES TR YU**
- 1296. *Philaenus spumarius* (Linnaeus, 1758) (*Cercopidae*)** Synonym(s): *spumarius* Linnaeus, 1758 **AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU**

- 1297. *Phlepsius intricatus* (Herrich-Schäffer, 1838) (*Cicadellidae*)** Synonym(s): intricatus Herrich-Schäffer, 1838; octopunctatus Burmeister, 1838 **AF AL DZ AT BG CS FR DE HU IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ**
- 1298. *Phlepsius ornatus* (Perris, 1857) (*Cicadellidae*)** Synonym(s): ornatus Perris, 1857; maculatus Fieber, 1866; asiaticus Zachvatkin, 1945; angorensis Zachvatkin, 1945 **AF DZ FR DE IR IL LY RO ES TR KG KK TM UA**
- 1299. *Phloiocopus andresi* Schenkling, 1912 (*Cleridae*)** Synonym(s): andresi Schenkling, 1912 **EG SY IL Pa**
- 1300. *Phloiocopus basalis* (Klug, 1842) (*Cleridae*)** Synonym(s): basalis Klug, 1842 **EG Sn IL Pa CY TR**
- 1301. *Phradonoma hirsutulum* (Reiche, 1868) (*Dermestidae*)** Synonym(s): hirsutulum Reiche, 1868 **ER ET IL Pa SA SY TM**
- 1302. *Phradonoma nobile* (Reitter, 1881) (*Dermestidae*)** Synonym(s): nobile Reitter, 1881 **IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ**
- 1303. *Phycotettix paryphantus* (Lethierry, 1878) (*Cicadellidae*)** Synonym(s): paryphantus Lethierry, 1878; abalia Ferrari, 1884; rubrostriatus Loew, 1885 **DZ GR IT Sa MA ES TN**
- 1304. *Phyllognathus excavatus* (Forster, 1771) (*Scarabaeidae*)** Synonym(s): excavatus Forster, 1771; hauseri Reitter, 1894 **SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ**
- 1305. *Pictomantis rogenhoferi* (Saussure, 1872) (*Mantidae*)** Synonym(s): rogenhoferi Saussure, 1872; wernerii Sjöstedt, 1930 **TZ ZA Tva Lpo Nta Kzu ZW**
- 1306. *Piesma (Parapiesma) kolenatii* (Fieber, 1861) (*Piesmatidae*)** Synonym(s): laportei Kolenati, 1857 nec Fieb., 1844; kolenatii Fieber, 1861; caucasicum Péricart, 1973 **RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK BI Qu**
- 1307. *Piesma (Parapiesma) pupula* Puton, 1879 (*Piesmatidae*)** Synonym(s): pupula Puton, 1879 **DZ ES FR Co Sa HV**
- 1308. *Piesma (Parapiesma) quadratum* (Fieber, 1844) (*Piesmatidae*)** Synonym(s): quadratum Fieber, 1844; dilatatus Jakovlev, 1874; convexicollis Jakovlev, 1874; rotundicollis Rey, 1888; nigroscutellata Peneau, 1921; chiniana Drake & Maa, 1953; spergulariae Woodroffe, 1966 **DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW**
- 1309. *Piesma (s.str.) maculatum* (Laporte, 1833) (*Piesmatidae*)** Synonym(s): antica Stephens, 1829; maculatum Laporte, 1833; laportei Fieber, 1844; viridis Jakovlev, 1871 **MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN**
- 1310. *Pimelia abyssinia* Haag, 1876 (*Tenebrionidae*)** Synonym(s): abyssinia Haag, 1876 **ET**
- 1311. *Pimelia angulata* Fabricius, 1775 (*Tenebrionidae*)** Synonym(s): angulata Fabricius, 1775; spinosa Forskall, 1775; asperima Pallas, 1781 **EG SY**
- 1312. *Pimelia angulosa* Olivier, 1795 (*Tenebrionidae*)** Synonym(s): angulosa Olivier, 1795 **SN EG**
- 1313. *Pimelia arenacea* Solier, 1836 (*Tenebrionidae*)** Synonym(s): arenacea Solier, 1836 **DZ TN**
- 1314. *Pimelia derasa* Klug, 1830 (*Tenebrionidae*)** Synonym(s): derasa Klug, 1830 **EG SY**
- 1315. *Pimelia gibba* Fabricius, 1792 (*Tenebrionidae*)** Synonym(s): gibba Fabricius, 1792 **DZ**
- 1316. *Pimelia grandis* Klug, 1830 (*Tenebrionidae*)** Synonym(s): grandis Klug, 1830; sudanica Fairmaire, 1882 **EG ET SD SN**
- 1317. *Pimelia grossa* Fabricius, 1792 (*Tenebrionidae*)** Synonym(s): grossa Fabricius, 1792; inflata Herbst, 1799; barbara Solier, 1836 **DZ TN IT Si Sa**
- 1318. *Pimelia hierichontica* Reiche & Saulcy, 1857 (*Tenebrionidae*)** Synonym(s): hierichontica Reiche & Saulcy, 1857; arabica Solier, 1836 **SA SY EG**
- 1319. *Pimelia nilotica* Sénac, 1884 (*Tenebrionidae*)** Synonym(s): nilotica Sénac, 1884 **EG**
- 1320. *Pimelia pilifera* Sénac, 1884 (*Tenebrionidae*)** Synonym(s): pilifera Sénac, 1884 **DZ TN**
- 1321. *Pimelia platynota* Fairmaire, 1875 (*Tenebrionidae*)** Synonym(s): platynota Fairmaire, 1875 **MA**
- 1322. *Pimelia retrospinosa* Lucas, 1858 (*Tenebrionidae*)** Synonym(s): retrospinosa Lucas, 1858 **DZ**
- 1323. *Pimelia ryssos* Herbst, 1799 (*Tenebrionidae*)** Synonym(s): ryssos Herbst, 1799 **DZ**
- 1324. *Pimelia servillei* Solier, 1836 (*Tenebrionidae*)** Synonym(s): servillei Solier, 1836 **DZ**
- 1325. *Pimelia tunisea* Fairmaire, 1879 (*Tenebrionidae*)** Synonym(s): tunisea Fairmaire, 1879 **TN**
- 1326. *Pimelia urticata* Klug, 1830 (*Tenebrionidae*)** Synonym(s): urticata Klug, 1830 **EG**
- 1327. *Pithyotettix abietinus* (Fallén, 1806) (*Cicadellidae*)** Synonym(s): abietinus Fallén, 1806; proteus Herrich-Schäfer, 1834; pinastri Fieber, 1885

- DZ AT BE BG CS DK FI FR DE HU IT NL
NO PL RO ES SE SW EE LV RU Sb YU
- 1328. *Pittonotus theseus* (Germar,1817)**
(*Elateridae*) Synonym(s): theseus Germar,1817
GR LB EG TR
- 1329. *Platycerus caraboides***
(*Linnaeus,1758*) (*Lucanidae*) Synonym(s):
caraboides Linnaeus,1758; azurea Dalla Torre,1789;
viridis Dalla Torre,1789; rufipes Herbst,1790; virescens
Mulsant,1842; viridiaeneus Mulsant,1842; aeneus
Weise,1883; viridicollis Depoli,1917; carniolicus
Roubal,1919 SE FI DK GB NL BE FR ES DE
PL CZ SK CH AT HU RO SS B-H YU BG TR
SY RU IR MA TN CN Hun
- 1330. *Platymetopius* (s.str.) *obsoletus***
(*Signoret,1880*) (*Cicadellidae*) Synonym(s):
obsoletus Signoret,1880 EG FR IR IT MN IL TR
Cc AM AZ GG KG RU UA YU
- 1331. *Platymetopius* (s.str.) *undatus* (De Geer,1773)** (*Cicadellidae*) Synonym(s):
undatus De Geer,1773; flammigera Villers,1789;
chosensis Matsumura,1915; parvulus Linnavuori,1962
AT BE BG CS DK FI FR DE GB HU IL IT Si
KP NL NO PL PT RO ES SE SW TN TR Cc
AZ EE GG KG LV MD RU Sb At UA YU
- 1332. *Platymetopius major***
(*Kirschbaum,1868*) (*Cicadellidae*)
Synonym(s): major Kirschbaum,1868 AL DZ AT
BG CS DK FR DE IT JO NL PL RO SE TR
MD RU Sb UA YU
- 1333. *Platyproctus agraphopteron***
Bergevin,1932 (*Cicadellidae*) Synonym(s):
agraphopteron Bergevin,1932 DZ IL
- 1334. *Platypygus bellus* Loew,1869**
(*Mythicomyiidae*) Synonym(s): bellus Loew,1869
RU AM AZ GG Cc TR EG
- 1335. *Plesiocera algira* Macquart,1840**
(*Bombyliidae*) Synonym(s): algira Macquart,1840
DZ IT
- 1336. *Pleurophorus caesus***
(*Creutzer,1796*) (*Scarabaeidae*)
Synonym(s): caesus Creutzer,1796 RU MD UA
Cc GG TM TJ LY Cy MG Cc TR
- 1337. *Plistospilota camerunensis* Giglio-Tos,1917** (*Mantidae*) Synonym(s):
camerunensis Giglio-Tos,1917 CM
- 1338. *Plistospilota congica* Giglio-Tos,1917** (*Mantidae*) Synonym(s): congica
Giglio-Tos,1917 ZR
- 1339. *Plistospilota gasconi***
(*Rochebrune,1884*) (*Mantidae*)
Synonym(s): gasconi Rochebrune,1884 GM SN
- 1340. *Plistospilota guineensis* Roy,1965**
(*Mantidae*) Synonym(s): guineensis Roy,1965
CI GH GN LR
- 1341. *Plistospilota insignis* (Wood-Mason,1882)** (*Mantidae*) Synonym(s):
insignis Wood-Mason,1882 CM
- 1342. *Plistospilota mabirica* Giglio-Tos,1917** (*Mantidae*) Synonym(s): mabirica
Giglio-Tos,1917 ZR UG
- 1343. *Plistospilota maxima* Giglio-Tos,1917** (*Mantidae*) Synonym(s): maxima
Giglio-Tos,1917 CI CM ZR
- 1344. *Plistospilota nigerica* Giglio-Tos,1917** (*Mantidae*) Synonym(s): nigerica
Giglio-Tos,1917 AO CM NG
- 1345. *Plistospilota validissima* (Gerstaecker,1883)** (*Mantidae*)
Synonym(s): validissima Gerstaecker,1883 CI GA
GH CM ZR LR
- 1346. *Polistes dominulus* (Christ,1791)**
(*Vespidae*) Synonym(s): dominulus Christ,1791
IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG
JP GB DK SE UZ AF IR AM Cc IL Pa CA AU
- 1347. *Polistes gallicus* (Linnaeus,1767)**
(*Vespidae*) Synonym(s): gallicus Linnaeus,1767
YU MK TR FR IT GR IL DZ AF
- 1348. *Polistes nimpha* (Christ,1791)**
(*Vespidae*) Synonym(s): nimpha Christ,1791 DE
FR IT YU RO BG GR ES DZ DK GB BE NL
CZ TR IL
- 1349. *Polistes sulcifer* Zimmermann,1930**
(*Vespidae*) Synonym(s): sulcifer
Zimmermann,1930 Md ES TR DZ EG IL IR
- 1350. *Polysarca violacea* Schiner,1867**
(*Asilidae*) Synonym(s): violacea Schiner,1867
TN Cc RU DZ TR
- 1351. *Polyspilota aeruginosa***
(*Goeze,1778*) (*Mantidae*) Synonym(s):
aeruginosa Goeze,1778; rubromaculata Goeze,1778;
variegata Olivier,1792; adspersa Lichtenstein,1802;
pustulata Stoll,1813; striata Stoll,1813; signata
Thunberg,1815; nebulosa Thunberg,1815; catenata
Burmeister,1838; varia Burmeister,1838; vicina
Audinet-Serville,1839 AO ET GA GH GN CM CV
SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu
NA TZ Zz UG ZW
- 1352. *Polyspilota caffra* (Westwood,1889)**
(*Mantidae*) Synonym(s): caffra Westwood,1889
ZA Ec Tva Lpo ZW
- 1353. *Polyspilota comorana* Giglio-Tos,1911** (*Mantidae*) Synonym(s): comorana
Giglio-Tos,1911; fallax Giglio-Tos,1912 MZ KM
- 1354. *Polyspilota griffinii* Giglio-Tos,1911** (*Mantidae*) Synonym(s): griffinii Giglio-Tos,1911
GA CM
- 1355. *Polyspilota magna* Giglio-Tos,1911** (*Mantidae*) Synonym(s): magna Giglio-Tos,1911
ZA Ec Nta Kzu Tva Lpo
- 1356. *Polyspilota montana* Beier,1931** (*Mantidae*) Synonym(s): montana Beier,1931
ET
- 1357. *Polyspilota pavani* La Greca,1966** (*Mantidae*) Synonym(s): pavani La Greca,1966
ZR
- 1358. *Polyspilota robusta* Roy,1989** (*Mantidae*) Synonym(s): robusta Roy,1989 MG

- 1359. *Popa spurca crassa* Giglio-Tos, 1917** (*Mantidae*) Synonym(s): *crassa* Giglio-Tos, 1917 ET KE MG MW SO TZ UG
- 1360. *Popa spurca spurca* Stal, 1856** (*Mantidae*) Synonym(s): *spurca* Stal, 1856; *batesi* Saussure & Zehntner, 1895; *undata* Burr, 1900; *servillei* Giglio-Tos, 1907; *stuhlmanni* Rehn, 1914 AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
- 1361. *Popa spurca* Stal, 1856** (*Mantidae*) Synonym(s): *spurca* Stal, 1856; *batesi* Saussure & Zehntner, 1895; *undata* Burr, 1900; *servillei* Giglio-Tos, 1907; *stuhlmanni* Rehn, 1914 ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
- 1362. *Procraerus tibialis* (Lacordaire, 1835)** (*Elateridae*) Synonym(s): *tibialis* Lacordaire, 1835 TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
- 1363. *Prohierodula brunnea* La Greca, 1956** (*Mantidae*) Synonym(s): *brunnea* La Greca, 1956 ZR
- 1364. *Prohierodula congica* Beier, 1942** (*Mantidae*) Synonym(s): *congica* Beier, 1942 ZR
- 1365. *Prohierodula enghoffii* Lombardo, 1997** (*Mantidae*) Synonym(s): *enghoffii* Lombardo, 1997 UG
- 1366. *Prohierodula flavipennis* Karsch, 1892** (*Mantidae*) Synonym(s): *flavipennis* Karsch, 1892 CM
- 1367. *Prohierodula grassei* Roy, 1965** (*Mantidae*) Synonym(s): *grassei* Roy, 1965 GA ZR CF
- 1368. *Prohierodula laticollis* (Karsch, 1892)** (*Mantidae*) Synonym(s): *laticollis* Karsch, 1892 GA CM ZR CF
- 1369. *Prohierodula lineata* Roy, 1967** (*Mantidae*) Synonym(s): *lineata* Roy, 1967 ZR
- 1370. *Prohierodula mundamensis* Giglio-Tos, 1911** (*Mantidae*) Synonym(s): *mundamensis* Giglio-Tos, 1911 CM
- 1371. *Prohierodula nigrispinis* Roy, 1967** (*Mantidae*) Synonym(s): *nigrispinis* Roy, 1967 ZR
- 1372. *Prohierodula ornatipennis* (Bolivar, 1893)** (*Mantidae*) Synonym(s): *ornatipennis* Bolivar, 1893 GH CI Bio GO ZR NG SL
- 1373. *Prohierodula picta* (Gerstraecker, 1883)** (*Mantidae*) Synonym(s): *picta* Gerstraecker, 1883 GA CM
- 1374. *Prohierodula viridimarginata* La Greca, 1956** (*Mantidae*) Synonym(s): *viridimarginata* La Greca, 1956 ZR
- 1375. *Protaetia (Foveopotosia) judith* (Reiche, 1871)** (*Scarabaeidae*) Synonym(s): *judith* Reiche, 1871; *foveicauda* Reitter, 1898 TR CY SY LB IL Pa EG
- 1376. *Protaetia (Netocia) trojana* (Gory & Percheron, 1833)** (*Scarabaeidae*) Synonym(s): *trojana* Gory & Percheron, 1833 Cc AM GG GR BG TR AZ IR LY Cy DZ
- 1377. *Protaetia (Potosia) cuprea* (Fabricius, 1775)** (*Scarabaeidae*) Synonym(s): *cuprea* Fabricius, 1775 ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY
- 1378. *Psammotettix adriaticus* Wagner, 1959** (*Cicadellidae*) Synonym(s): *adriaticus* Wagner, 1959; *linnavuorii* Wagner, 1959 EG FR IL IT TN
- 1379. *Psammotettix alienus* (Dahlbom, 1850)** (*Cicadellidae*) Synonym(s): *alienus* Dahlbom, 1850; *breviceps* Kirschbaum, 1868; *flavidus* Fieber, 1869; *karafutonis* Matsumura, 1914 AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ EE KK MD RU Sb UA UZ YU
- 1380. *Psammotettix cephalotes* (Herrich-Schäffer, 1834)** (*Cicadellidae*) Synonym(s): *cephalotes* Herrich-Schäffer, 1834; *citrinellus* Kirschbaum, 1868; *sulphurellus* Kirschbaum, 1868; *tristis* Kirschbaum, 1868; *normani* Scott, 1881 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU
- 1381. *Psammotettix helvolus* (Kirschbaum, 1868)** (*Cicadellidae*) Synonym(s): *helvolus* Kirschbaum, 1868; *obtusiceps* Kirschbaum, 1868; *rhombifer* Fieber, 1869; *substriatus* Then, 1902 AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR
- 1382. *Psammotettix majusculus* Linnavuori, 1951** (*Cicadellidae*) Synonym(s): *majusculus* Linnavuori, 1951 CY EG IL TR Cc GG
- 1383. *Psammotettix sabulicola* (Curtis, 1837)** (*Cicadellidae*) Synonym(s): *sabulicola* Curtis, 1837; *arenicola* Sahlberg, 1871 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU
- 1384. *Psammotettix striatus* (Linnaeus, 1758)** (*Cicadellidae*) Synonym(s): *striatus* Linnaeus, 1758; *striata* Fabricius, 1794 (*praeocc.*); *strigatus* Germar, 1821; *varipennis* Herrich-Schäffer, 1838; *pallidus* Flor, 1861; *flavipennis* Scott, 1876; *amyoti* Vismara, 1878; *divergens* Rey, 1894; *capitatus* Matsumura, 1908; *immundus* Matsumura, 1908 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US
- 1385. *Pseudaraeopus bolivari* (Melichar, 1901)** (*Delphacidae*) Synonym(s): *bolivari* Melichar, 1901 ES Cn EG IR IL PT ES
- 1386. *Pseudodystacta braueri* (Karny, 1908)** (*Mantidae*) Synonym(s): *braueri* Karny, 1908 NA
- 1387. *Pseudoliarus fuscofasciatus* (Melichar, 1902)** (*Cixiidae*) Synonym(s): *fuscofasciatus* Melichar, 1902; *obliteratus*

- Kusnezov,1937; aegyptiacus Wagner,1954 **EG IR LY TN Cc AM RU TJ TM YE**
- 1388. Pseudophotopsis aegyptiaca (Bischoff,1920) (Mutillidae)** Synonym(s): aegyptiaca Bischoff,1920 **IL Pa EG LY SD TD**
- 1389. Pseudophotopsis biskrensis (André,1900) (Mutillidae)** Synonym(s): biskrensis André,1900 **DZ TN LY EG**
- 1390. Pseudophotopsis fumata Bischoff,1920 (Mutillidae)** Synonym(s): fumata Bischoff,1920 **IL Pa LY TN TD EH**
- 1391. Pseudophotopsis geyri (Bischoff,1920) (Mutillidae)** Synonym(s): geyri Bischoff,1920 **DZ SD**
- 1392. Pseudophotopsis komarovii (Radoszkowski,1885) (Mutillidae)** Synonym(s): komarovii Radoszkowski,1885; askhabadensis Radoszkowski,1885; oculosa Skorikov,1935; inductrix Skorikov,1935; asiatica Suarez,1965 **KG KK UZ TJ TM Kp IR CY EG DZ**
- 1393. Pseudophotopsis maura Bischoff,1920 (Mutillidae)** Synonym(s): maura Bischoff,1920 **IL Pa TN DZ LY EG TD**
- 1394. Pseudophotopsis orthophthalma (Skorikov,1935) (Mutillidae)** Synonym(s): orthophthalma Skorikov,1935 **KK UZ TN TJ TM**
- 1395. Pseudophotopsis rufothoracica Bischoff,1920 (Mutillidae)** Synonym(s): rufothoracica Bischoff,1920 **EG**
- 1396. Pseudostagmatoptera vitripennis Beier,1931 (Mantidae)** Synonym(s): vitripennis Beier,1931; infuscata Roy,1973 **GA CM ZR**
- 1397. Pseudoyersinia inaspectata Lombardo,1985 (Mantidae)** Synonym(s): inaspectata Lombardo,1985 **DZ**
- 1398. Pseudoyersinia kabilica Lombardo,1985 (Mantidae)** Synonym(s): kabilica Lombardo,1985 **DZ**
- 1399. Pseudoyersinia occidentalis Bolivar,1914 (Mantidae)** Synonym(s): occidentalis Bolivar,1914 **MA**
- 1400. Pseudoyersinia salvinae Lombardo,1985 (Mantidae)** Synonym(s): salvinae Lombardo,1985 **DZ**
- 1401. Pteropyx hyalinus Haupt,1927 (Cicadellidae)** Synonym(s): hyalinus Haupt,1927 **EG IL**
- 1402. Puer maculatus (Olivier,1789) (Ascalaphidae)** Synonym(s): maculatus Olivier,1789 **FR DZ IL Pa**
- 1403. Pycnomalla splendens (Fabricius,1787) (Stratiomyidae)** Synonym(s): splendens Fabricius,1787; rufitarsis Macquart,1838; jordanica Lindner,1974 **ES PT RU Cc AM IL MA DZ TN**
- 1404. Ranissus acucephalus Fieber,1866 (Dictyopharidae)** Synonym(s): acucephalus Fieber,1866 **DZ? GR**
- 1405. Recilia coronifera (Marshall,1866) (Cicadellidae)** Synonym(s): coronifera Marshall,1866; coroniceps Kirschbaum,1868; i-album Scott,1881 **AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU**
- 1406. Recilia horvathi (Then,1896) (Cicadellidae)** Synonym(s): horvathi Then,1896 **AT BG CS DE IT MN RO TN GG Cc KG UA YU**
- 1407. Recilia schmidtgeni (Wagner,1939) (Cicadellidae)** Synonym(s): schmidtgeni Wagner,1939 **AL AT BG CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU**
- 1408. Reptalus (s.str.) panzeri (Loew,1883) (Cixiidae)** Synonym(s): panzeri Loew,1883 **Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU**
- 1409. Rhacimantis carinata Giglio-Tos,1915 (Mantidae)** Synonym(s): carinata Giglio-Tos,1915 **TZ**
- 1410. Rhomboderella gabonica Roy,1973 (Mantidae)** Synonym(s): gabonica Roy,1973 **GA**
- 1411. Rhomboderella parmata (La Greca,1955) (Mantidae)** Synonym(s): parmata La Greca,1955 **ZR**
- 1412. Rhomboderella scutata (Bolivar,1889) (Mantidae)** Synonym(s): scutata Bolivar,1889 **AO KE ZR TZ ZW**
- 1413. Rhomboderella thorectes Rehn,1949 (Mantidae)** Synonym(s): thorectes Rehn,1949 **ZR ZM**
- 1414. Rhynchium oculatum (Fabricius,1781) (Vespidae)** Synonym(s): oculatum Fabricius,1781 **TR OM IR EG**
- 1415. Rhytidodus decimusquartus (Schrank,1776) (Cicadellidae)** Synonym(s): decimusquartus Schrank,1776 **AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc KG MD RU UA UZ YU**
- 1416. Ribautodelphax albostratus (Fieber,1866) (Delphacidae)** Synonym(s): albostratus Fieber,1866; distinguenda Kirschbaum,1868 **AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU**
- 1417. Rivetina baetica (Rambur,1838) (Mantidae)** Synonym(s): fasciata Thunberg,1815; nec Olivier,1792; baetica Rambur,1838; maculipennis Gistel,1856; pallasii Fieber,1853 **MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa**
- 1418. Rogermantis natalensis Kaltenbach,1996 (Mantidae)** Synonym(s): natalensis Kaltenbach,1996 **ZA Nta Kzu**
- 1419. Rogermantis royi Kaltenbach,1996 (Mantidae)** Synonym(s): royi Kaltenbach,1996 **ZA Tva Lpo**

- 1420. Rueppellia semiflava**
Wiedemann, 1830 (*Therevidae*)
Synonym(s): semiflava Wiedemann, 1830 EG
- 1421. Salentia costalis (Wiedemann, 1824)**
(*Therevidae*) Synonym(s): costalis
Wiedemann, 1824 MA
- 1422. Saropogon pollinosus Loew, 1869**
(*Asilidae*) Synonym(s): pollinosus Loew, 1869
TN EG ES TR
- 1423. Scarabaeus armeniacus**
Ménétriés, 1832 (*Scarabaeidae*)
Synonym(s): armeniacus Ménétriés, 1832;
nigrociliatus Motschoulsky, 1849 RU Cc GG AM
AZ GG TR GR MK CY UA IQ IR IL Pa SY EG
- 1424. Scarabaeus puncticollis**
(Latreille, 1819) (*Scarabaeidae*)
Synonym(s): puncticollis Latreille, 1819 ES PT
MA DZ TN LY EG IL Pa CY Rd GR TR MK
IQ IR Cc AM
- 1425. Scarabaeus sacer Linnaeus, 1758**
(*Scarabaeidae*) Synonym(s): sacer Linnaeus, 1758
ES PT FR IT Si Sa Co AL GR HU BG TR RU
MA DZ TN LY EG MR SD ER SY IL Pa AF IN
RU Sb TM IQ IR
- 1426. Scarabaeus variolosus**
Fabricius, 1787 (*Scarabaeidae*) Synonym(s):
variolosus Fabricius, 1787 IT Si Sa MT YU BG
GR TR MA DZ TN
- 1427. Scaurus aegyptiacus Solier, 1838**
(*Tenebrionidae*) Synonym(s): aegyptiacus
Solier, 1838 EG TN IT Sa Si
- 1428. Scaurus algiricus Küster, 1848**
(*Tenebrionidae*) Synonym(s): algiricus
Küster, 1848 DZ
- 1429. Scaurus amplicollis Fairmaire, 1875**
(*Tenebrionidae*) Synonym(s): amplicollis
Fairmaire, 1875 DZ
- 1430. Scaurus angustus Reiche, 1864**
(*Tenebrionidae*) Synonym(s): angustus
Reiche, 1864 DZ
- 1431. Scaurus atratus Fabricius, 1775**
(*Tenebrionidae*) Synonym(s): atratus
Fabricius, 1775 IT Sa Si FR SY EG DZ GR
- 1432. Scaurus barbarus Solier, 1836**
(*Tenebrionidae*) Synonym(s): barbarus
Solier, 1836; rugicollis Reiche & Saulcy, 1857;
interruptus Baudi, 1875 LY TN SY
- 1433. Scaurus bougoni Fairmaire, 1883**
(*Tenebrionidae*) Synonym(s): bougoni
Fairmaire, 1883 TN
- 1434. Scaurus carinatus Solier, 1838**
(*Tenebrionidae*) Synonym(s): carinatus
Solier, 1838 EG
- 1435. Scaurus macricollis Allard, 1882**
(*Tenebrionidae*) Synonym(s): macricollis
Allard, 1882 IQ EG
- 1436. Scaurus ovipennis Fairmaire, 1875**
(*Tenebrionidae*) Synonym(s): ovipennis
Fairmaire, 1875 TN
- 1437. Scaurus puncticollis Solier, 1838**
(*Tenebrionidae*) Synonym(s): puncticollis
Solier, 1838 MA DZ TN LY SD SA ES FR Co IT
Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es
Cc AM IL Pa
- 1438. Scaurus tristis Olivier, 1795**
(*Tenebrionidae*) Synonym(s): tristis Olivier, 1795;
calcaratus Fabricius, 1798; gracilicornis Fairmaire, 1875;
gracilipes Solier, 1838; giganteus Küster, 1848; lugens
Küster, 1848 FR ES TN IT Sa Si
- 1439. Scaurus vagecostatus**
Fairmaire, 1879 (*Tenebrionidae*)
Synonym(s): vagecostatus Fairmaire, 1879 DZ
- 1440. Scaurus varvasi Solier, 1838**
(*Tenebrionidae*) Synonym(s): varvasi Solier, 1838
DZ EG
- 1441. Scaurus vicinus Solier, 1838**
(*Tenebrionidae*) Synonym(s): vicinus Solier, 1838
MA ES
- 1442. Scytomedes haemorrhoidalis**
(Fabricius, 1794) (*Asilidae*) Synonym(s):
haemorrhoidalis Fabricius, 1794; nubeculipennis
Costa, 1863; menstruus Loew, 1882 FR GR MA DZ
TN BG TR
- 1443. Selenocephalus obsoletus**
(Germar, 1817) (*Cicadellidae*) Synonym(s):
grisea Fabricius, 1794 (praeocc.); obsoletus
Germar, 1817; punctatonevrosus Stal, 1854 AL AT
BG CS FR HU IR IT Sa Si MA RO ES TN TR
AZ Cc MD UA YU
- 1444. Selenocephalus pallens**
Lindberg, 1948 (*Cicadellidae*) Synonym(s):
pallens Lindberg, 1948; obscurus Lindberg, 1953 CY
IL MA TN TR
- 1445. Severinia granulata**
(Saussure, 1870) (*Mantidae*) Synonym(s):
granulata Saussure, 1870 DZ TN MA KE MR NE
SN
- 1446. Severinia lemoroi (Finot, 1893)**
(*Mantidae*) Synonym(s): lemoroi Finot, 1893 DZ
MA TN LY
- 1447. Severinia ullrichi Ehrmann, 1996**
(*Mantidae*) Synonym(s): ullrichi Ehrmann, 1996
EG
- 1448. Sinaiella nebulosa Uvarov, 1924**
(*Mantidae*) Synonym(s): nebulosa Uvarov, 1924
EG OM SA
- 1449. Sinodendron cylindricum**
(Linnaeus, 1758) (*Lucanidae*) Synonym(s):
cylindricum Linnaeus, 1758; tenebroides Scopoli, 1777;
americanum Beauvois, 1805; aspromontanum
Müller, 1938 NO SE FI DK IE GB NL BE FR
ES DE PL SK CH AT HU IT SL AL BG TR RU
Cc Sb UA Cm KG MN CN Ui
- 1450. Smicromyrmylla ariasi**
(André, 1896) (*Mutillidae*) Synonym(s):
ariasi André, 1896; garciapavoni Suarez, 1975 ES MA
- 1451. Sogatella vibix (Haupt, 1927)**
(*Delphacidae*) Synonym(s): furcata
Matsumura, 1910; vibix Haupt, 1927; matsumurana
Metcalf, 1943; longifurcifera Esaki & Ishihara, 1947;

- panicola Ishihara,1949; dogensis Ishihara,1952;
catoptron Fennah,1963; parakolophon
Linnavuori,1973; diachenhea Kuoh,1977 **ES Az Cn
CY EG IR TR IQ IL JO LB MA UA Cm YU**
- 1452. Solygia sulcatifrons (Audinet-Serville,1839) (Mantidae)** *Synonym(s):* sulcatifrons Audinet-Serville,1839; grandis Saussure,1869 **BF GN CM SN TG**
- 1453. Somalithespis minor (Giglio-Tos,1916) (Mantidae)** *Synonym(s):* minor Giglio-Tos,1916 **ET SO**
- 1454. Speudotettix subfuscus (Fallén,1806) (Cicadellidae)** *Synonym(s):* subfuscus Fallén,1806; pectoralis Germar,1821; craticula Curtis,1837 **DZ AT BE BG CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU**
- 1455. Sphenella marginata (Fallén,1814) (Tephritidae)** *Synonym(s):* marginata Fallén,1814 **TR RU Sb Cc AF ES DZ**
- 1456. Sphodromantis abessinica Sjöstedt,1930 (Mantidae)** *Synonym(s):* Sphodromantis Stal,1871 **ET SO**
- 1457. Sphodromantis aethiopica La Greca & Lombardo,1987 (Mantidae)** *Synonym(s):* aethiopica La Greca & Lombardo,1987 **ET**
- 1458. Sphodromantis annobonensis Llorente,1967 (Mantidae)** *Synonym(s):* annobonensis Llorente,1967 **GN**
- 1459. Sphodromantis aurea Giglio-Tos,1917 (Mantidae)** *Synonym(s):* aurea Giglio-Tos,1917 **GH LR**
- 1460. Sphodromantis baccettii La Greca & Lombardo,1987 (Mantidae)** *Synonym(s):* baccettii La Greca & Lombardo,1987 **KE SO**
- 1461. Sphodromantis balachowskyi La Greca,1967 (Mantidae)** *Synonym(s):* balachowskyi La Greca,1967 **GA CF**
- 1462. Sphodromantis biocellata (Werner,1906) (Mantidae)** *Synonym(s):* biocellata Werner,1906; cavibrachia Werner,1915 **AO CM CF**
- 1463. Sphodromantis centralis Rehn,1914 (Mantidae)** *Synonym(s):* centralis Rehn,1914 **ET KE RW BI TZ UG CF**
- 1464. Sphodromantis citernii Giglio-Tos,1917 (Mantidae)** *Synonym(s):* citernii Giglio-Tos,1917 **ET SO**
- 1465. Sphodromantis congica Beier,1931 (Mantidae)** *Synonym(s):* congica Beier,1931 **AO ZR NG**
- 1466. Sphodromantis conspicua La Greca,1967 (Mantidae)** *Synonym(s):* conspicua La Greca,1967 **SN BF**
- 1467. Sphodromantis elegans Sjöstedt,1930 (Mantidae)** *Synonym(s):* elegans Sjöstedt,1930 **ET BF GN ZR MR NE SN**
- 1468. Sphodromantis elongata (La Greca,1969) (Mantidae)** *Synonym(s):* elongata La Greca,1969 **ZR ZM**
- 1469. Sphodromantis fenestrata Giglio-Tos,1912 (Mantidae)** *Synonym(s):* fenestrata Giglio-Tos,1912; fulva Giglio-Tos,1912; uebina Giglio-Tos,1912 **ET KE SO SD TZ**
- 1470. Sphodromantis gastrica (Stal,1858) (Mantidae)** *Synonym(s):* gastrica Stal,1858; bicarinata Saussure,1869 **ET ZA Ec Nta Kzu Tva Lpo Fs MZ NA UG TZ Zz SO**
- 1471. Sphodromantis gestri Giglio-Tos,1912 (Mantidae)** *Synonym(s):* gestri Giglio-Tos,1912 **KE SO**
- 1472. Sphodromantis gracilicollis Beier,1930 (Mantidae)** *Synonym(s):* gracilicollis Beier,1930 **GA GH GN NG SN CF**
- 1473. Sphodromantis gracilis Lombardo,1991 (Mantidae)** *Synonym(s):* gracilis Lombardo,1991 **ZA Tva Lpo**
- 1474. Sphodromantis hyalina La Greca,1955 (Mantidae)** *Synonym(s):* hyalina La Greca,1955 **GA ZR CF**
- 1475. Sphodromantis kenya La Greca & Lombardo,1987 (Mantidae)** *Synonym(s):* kenya La Greca & Lombardo,1987 **KE MW UG**
- 1476. Sphodromantis kersteni (Gerstraecker,1869) (Mantidae)** *Synonym(s):* kersteni Gerstraecker,1869; christina Kirby,1904 **KE SD TZ**
- 1477. Sphodromantis lagrecai Lombardo,1989 (Mantidae)** *Synonym(s):* lagrecai Lombardo,1989 **KE TZ UG**
- 1478. Sphodromantis lineola (Burmeister,1838) (Mantidae)** *Synonym(s):* lineola Burmeister,1838 **AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW**
- 1479. Sphodromantis obscura Beier & Hocking,1965 (Mantidae)** *Synonym(s):* obscura Beier & Hocking,1965 **TZ**
- 1480. Sphodromantis pachinota La Greca & Lombardo,1987 (Mantidae)** *Synonym(s):* pachinota La Greca & Lombardo,1987 **ET SD**
- 1481. Sphodromantis pavonina La Greca,1955 (Mantidae)** *Synonym(s):* pavonina La Greca,1955 **AO CM ZR**
- 1482. Sphodromantis royi La Greca,1967 (Mantidae)** *Synonym(s):* royi La Greca,1967 **BF ML MR NE SN**
- 1483. Sphodromantis rubrostigma Werner,1916 (Mantidae)** *Synonym(s):* rubrostigma Werner,1916 **KE TZ**
- 1484. Sphodromantis rudolfae (Rehn,1901) (Mantidae)** *Synonym(s):* rudolfae Rehn,1901 **ER KE SO TZ Zz**
- 1485. Sphodromantis tenuidentata Lombardo,1991 (Mantidae)** *Synonym(s):* tenuidentata Lombardo,1991 **TZ**
- 1486. Sphodromantis viridis (Forskal,1775) (Mantidae)** *Synonym(s):* viridis Forskal,1775; guttata Thunberg,1815; bimaculata

- Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933 **DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD**
- 1487. Sphyracephala beccarii (Rondani,1873) (Diopsidae)** Synonym(s): beccarii Rondani,1873 **ZA**
- 1488. Sphyracephala munroi Curran,1928 (Diopsidae)** Synonym(s): munroi Curran,1928 **ZA**
- 1489. Statilia apicalis (Saussure,1871) (Mantidae)** Synonym(s): apicalis Saussure,1871; guineensis Chopard,1954 **AU PG NC IN ID Clb Sba Tim PH GH GN ZR**
- 1490. Stenocranus minutus (Fabricius,1787) (Delphacidae)** Synonym(s): minutus Fabricius,1787; lineola Germar,1818; longifrons Boheman,1847; farinosa Buckton,1890; illabatus Rey,1894 **DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU**
- 1491. Stenopogon lehri Londt,1999 (Asilidae)** Synonym(s): lehri Londt,1999 **SO KE**
- 1492. Stenopyga (Agriomantis) casta (Gerstaecker,1883) (Mantidae)** Synonym(s): casta Gerstaecker,1883 **CM**
- 1493. Stenopyga (s.str.) belinga Roy,1973 (Mantidae)** Synonym(s): belinga Roy,1973 **GA**
- 1494. Stenopyga (s.str.) extera Karsch,1892 (Mantidae)** Synonym(s): extera Karsch,1892; lobulipes Karsch,1892 **CM LR**
- 1495. Stenopyga (s.str.) ipassa Roy,1973 (Mantidae)** Synonym(s): ipassa Roy,1973 **GA CF**
- 1496. Stenopyga (s.str.) rhodesiaca Beier,1973 (Mantidae)** Synonym(s): rhodesiaca Beier,1973 **ZW**
- 1497. Stenopyga (s.str.) tenera Werner,1908 (Mantidae)** Synonym(s): tenera Werner,1908 **TZ**
- 1498. Stenopyga (s.str.) ziela Roy,1963 (Mantidae)** Synonym(s): ziela Roy,1963 **GH GN ZR**
- 1499. Stenopygella orientalis Giglio-Tos,1916 (Mantidae)** Synonym(s): orientalis Giglio-Tos,1916 **KE TZ**
- 1500. Stenopygella reticulata (Werner,1916) (Mantidae)** Synonym(s): reticulata Werner,1916 **CM TZ**
- 1501. Stenopygella usambarica Beier,1935 (Mantidae)** Synonym(s): orientalis Werner,1916 nec Gigl.-Tos,1916; usambarica Beier,1935 **TZ**
- 1502. Stenosis dilutipes Reitter,1887 (Tenebrionidae)** Synonym(s): dilutipes Reitter,1887; reitteri Mars,1887 **TR SY EG Cc AM**
- 1503. Stenosis laevicollis Solier,1838 (Tenebrionidae)** Synonym(s): laevicollis Solier,1838 **DZ TN LY**
- 1504. Stenosis lateralis Reitter,1886 (Tenebrionidae)** Synonym(s): lateralis Reitter,1886 **SN ET EG**
- 1505. Stenosis punctiventris Eschscholtz,1831 (Tenebrionidae)** Synonym(s): punctiventris Eschscholtz,1831 **TR UA Cm ES DZ MA**
- 1506. Stenosis punica Pic,1905 (Tenebrionidae)** Synonym(s): punica Pic,1905 **TN**
- 1507. Stenosis ravasinii Gestro,1880 (Tenebrionidae)** Synonym(s): ravasinii Gestro,1880 **TN**
- 1508. Stiroma bicarinata (Herrich-Schäffer,1835) (Delphacidae)** Synonym(s): bicarinata Herrich-Schäffer,1835; mutabilis Boheman,1847; nasalis Boheman,1847; nigra Metcalf,1943; alpha Metcalf,1943; vittata Metcalf,1943 **Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA**
- 1509. Stratiomys africana (Szilady,1941) (Stratiomyidae)** Synonym(s): africana Szilady,1941 **DZ**
- 1510. Stratiomys cenisia Meigen,1822 (Stratiomyidae)** Synonym(s): cenisia Meigen,1822; flaviventris Loew,1846; ahngeri Pleske,1901; cypria Pleske,1902; kervillei Villeneuve,1912; planes James,1941 **FR CY RU TR Cc AM IL SY IR EG MA DZ TN**
- 1511. Stratiomys deserticolor Lindler,1930 (Stratiomyidae)** Synonym(s): deserticolor Lindler,1930 **EG**
- 1512. Stratiomys hispanica (Pleske,1901) (Stratiomyidae)** Synonym(s): hispanica Pleske,1901 **ES DZ**
- 1513. Stratiomys longicornis (Scopoli,1763) (Stratiomyidae)** Synonym(s): longicornis Scopoli,1763; tenebricus Harris,1776; strigata Fabricius,1781; tomentosa Schrank,1803; villosa Meigen,1804; nubeculosa Meigen,1804; thoracica Fabricius,1805; hirtuosa Meigen,1830; anubis Meigen,1830; flavifrons Macquart,1838; pallida Loew,1840; lambessiana Bigot,1879; flavolimbata A.Costa,1893; pleskei Wagner,1903; segnis Becker,1906; efflatouni Lindner,1925; surcoufi Seguy,1930; palaestinensis Lindner,1937; flavoscutella Lindner,1940 **IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG**
- 1514. Tabanus quatuornatatus Meigen,1820 (Tabanidae)** Synonym(s): quatuornatatus Meigen,1820; labaumeanus Enderlein,1925 **BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN**
- 1515. Tabanus regularis Jaennicke,1866 (Tabanidae)** Synonym(s): regularis Jaennicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999 **DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR**

- 1516. *Tachycixius pilosus* (Olivier, 1791)**
(*Cixiidae*) Synonym(s): pilosus Olivier, 1791; contaminata Germar, 1818; albicincta Germar, 1818; infumata Fieber, 1876; discicollis Rey, 1894; nigrita Haupt, 1931 AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU
- 1517. *Tamaricella adspersa* (Haupt, 1927)**
(*Cicadellidae*) Synonym(s): adspersa Haupt, 1927 EG IL JO
- 1518. *Tamaricella complicata* Dworakowska, 1972** (*Cicadellidae*)
Synonym(s): complicata Dworakowska, 1972 EG IL
- 1519. *Tamaricella cypria* (Ribaut, 1948)**
(*Cicadellidae*) Synonym(s): cypria Ribaut, 1948 CY EG IL TR
- 1520. *Tamaricella tamaricis* (Puton, 1872)**
(*Cicadellidae*) Synonym(s): tamaricis Puton, 1872; subpunctata Vilbaste, 1961 BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA
- 1521. *Tamaricella tangiharua* (Dlabola, 1957)** (*Cicadellidae*) Synonym(s): tangiharua Dlabola, 1957 AF EG IL
- 1522. *Tarachomantis alaotrana* Giglio-Tos, 1913** (*Mantidae*) Synonym(s): alaotrana Giglio-Tos, 1913 MG
- 1523. *Tarachomantis betsilea* (Saussure & Zehntner, 1895)** (*Mantidae*) Synonym(s): betsilea Saussure & Zehntner, 1895 MG
- 1524. *Tarachomantis caldwellii* (Bates, 1863)** (*Mantidae*) Synonym(s): caldwellii Bates, 1863; roseiventris Stal, 1877; brunneri Brancsik, 1893; malagassa Saussure & Zehntner, 1895 MG
- 1525. *Tarachomantis confusa* Giglio-Tos, 1912** (*Mantidae*) Synonym(s): confusa Giglio-Tos, 1912 MG
- 1526. *Tarachomantis hova* (Saussure & Zehntner, 1895)** (*Mantidae*) Synonym(s): hova Saussure & Zehntner, 1895 MG
- 1527. *Tarachomantis macula* (Saussure & Zehntner, 1895)** (*Mantidae*) Synonym(s): macula Saussure & Zehntner, 1895; madecassa Beier, 1935 MG
- 1528. *Tarachomantis rubiginosa* (Saussure & Zehntner, 1895)** (*Mantidae*) Synonym(s): rubiginosa Saussure & Zehntner, 1895 MG
- 1529. *Tarachomantis sakalava* (Saussure & Zehntner, 1895)** (*Mantidae*) Synonym(s): sakalava Saussure & Zehntner, 1895 MG
- 1530. *Tarsostenus univittatus* (Rossi, 1792)** (*Cleridae*) Synonym(s): univittatus Rossi, 1792 ES IT LY RU KP KR Cc AM Sb MN...
- 1531. *Taumantis cephalotes* (Gerstaecker, 1883)** (*Mantidae*) Synonym(s): cephalotes Gerstaecker, 1883 CM
- 1532. *Taumantis globiceps* Beier, 1969** (*Mantidae*) Synonym(s): globiceps Beier, 1969 MW ZA ZM ZW
- 1533. *Taumantis sigiana* (Giglio-Tos, 1911)** (*Mantidae*) Synonym(s): sigiana Giglio-Tos, 1911 TZ KE
- 1534. TAXON FAM SYNONYM SYNONYM1 RANGE**
- 1535. *Telomantis lamperti* (Werner, 1906)** (*Mantidae*) Synonym(s): lamperti Werner, 1906; usambarica Sjöstedt, 1909; madagassica Paulian, 1957 MG MW KE TZ
- 1536. *Telomantis robusta* Beier, 1950** (*Mantidae*) Synonym(s): robusta Beier, 1950 ZR
- 1537. *Tenebrio syriacus* Zoufal, 1892** (*Tenebrionidae*) Synonym(s): syriacus Zoufal, 1892 EG SY TR
- 1538. *Tenodera australasiae* (Leach, 1814)** (*Mantidae*) Synonym(s): australasiae Leach, 1814; darchii Mac Leay, 1827; tessellata Burmeister, 1838; intermedia Saussure, 1870 ZA GU MY Re PG Bsm NBr AU
- 1539. *Tenodera rungsi* Uvarov, 1935** (*Mantidae*) Synonym(s): rungsi Uvarov, 1935 MA
- 1540. *Tenodera superstitiona* (Fabricius, 1781)** (*Mantidae*) Synonym(s): superstitiona Fabricius, 1781; bokiana Giglio-Tos, 1907 MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
- 1541. *Tentyria cribricollis* Fairmaire, 1875** (*Tenebrionidae*) Synonym(s): cribricollis Fairmaire, 1875 TN
- 1542. *Tentyria duponti* Solier, 1835** (*Tenebrionidae*) Synonym(s): duponti Solier, 1835 EG
- 1543. *Tentyria excavata* Solier, 1835** (*Tenebrionidae*) Synonym(s): excavata Solier, 1835 DZ
- 1544. *Tentyria gibbicollis* Lucas, 1855** (*Tenebrionidae*) Synonym(s): gibbicollis Lucas, 1855 DZ TN
- 1545. *Tentyria glabra* (Fabricius, 1775)** (*Tenebrionidae*) Synonym(s): glabra Fabricius, 1775 EG
- 1546. *Tentyria latreillei* Solier, 1835** (*Tenebrionidae*) Synonym(s): latreillei Solier, 1835 DZ TN LY
- 1547. *Tentyria maroccana* Solier, 1835** (*Tenebrionidae*) Synonym(s): maroccana Solier, 1835 MA DZ
- 1548. *Tentyria mulsanti* Lucas, 1855** (*Tenebrionidae*) Synonym(s): mulsanti Lucas, 1855; oblongipennis Fairmaire, 1874 DZ TN
- 1549. *Tentyria palmeri* Crotch, 1872** (*Tenebrionidae*) Synonym(s): palmeri Crotch, 1872 EG Sn SA
- 1550. *Tentyria sinaitica* Peyerimhoff, 1907** (*Tenebrionidae*) Synonym(s): sinaitica Peyerimhoff, 1907 EG Sn

- 1551. *Tephritis postica* (Loew,1844)**
(*Tephritidae*) Synonym(s): *postica* Loew,1844
TR GG Cc IR IL Pa KG KK CN Ui DZ
- 1552. *Tephritis pulchra* (Loew,1844)**
(*Tephritidae*) Synonym(s): *pulchra* Loew,1844
TR DZ
- 1553. *Tephritomyia lauta* (Loew,1869)**
(*Tephritidae*) Synonym(s): *lauta* Loew,1869 TR
GR Cr IL Pa IR EG
- 1554. *Terellia luteola* (Wiedemann,1830)**
(*Tephritidae*) Synonym(s): *luteola*
Wiedemann,1830 TR ES IT GR LB IL TN EG
Sn KG
- 1555. *Terellia serratulae* (Linnaeus,1758)**
(*Tephritidae*) Synonym(s): *serratulae*
Linnaeus,1758 TR KG Cc AZ GG AM GR Cr IR
CN IQ SY IL Pa DZ RU Us
- 1556. *Tettigometra* (*Metroplaca*)
longicornis (Signoret,1866)**
(*Tettigometridae*) Synonym(s): *longicornis*
Signoret,1866 AF DZ FR DE GR IT RO SW TR
AM AZ KG RU TJ TM UZ YU
- 1557. *Tettigometra* (*Mitricephalus*)
leucophaea (Preyssler,1792)**
(*Tettigometridae*) Synonym(s): *leucophaea*
Preyssler,1792; *obliqua* Panzer,1799 Cc AF AL DZ
AT BE BG CS FR DE HU IL IT JO MN MA
NL NO PL RO ES SY TN TR AM AZ GG KG
MD RU Sb TJ UA UZ YU
- 1558. *Tettigometra* (s.str.)
impressopunctata Dufour,1846**
(*Tettigometridae*) Synonym(s): *impressopunctata*
Dufour,1846; *frontalis* Fieber,1865; *concolor*
Fieber,1865; *fasciata* Fieber,1865; *nitidula*
Kirschbaum,1868; *plagiata* Rey,1894; *viridula*
Melichar,1899; *clara* Metcalf,1932; *fasciolata*
Metcalf,1932 AL DZ AT BE CZ FR DE GB HU
IT Sa Si PL PT RO ES CH TN RU UA YU TR
- 1559. *Tettigometra* (s.str.) *virescens*
(Panzer,1799) (*Tettigometridae*)**
Synonym(s): *virescens* Panzer,1799; *dorsalis*
Latreille,1804 DZ AT BE CS FR DE GR HU IT
LY MA PL PT RO ES TN TR AZ LV UA YU
- 1560. *Tettigometra* (*Stirometra*) *costulata*
Fieber,1865 (*Tettigometridae*) Synonym(s):**
costulata Fieber,1865; *parviceps* Signoret,1866; *heydenii*
Kirschbaum,1868 AF DZ CY TR EG IR IL IT
JO MA PT ES SY TN AM AZ KG RU TJ TM
UZ YU
- 1561. *Tettigometra afra* Kirschbaum,1868**
(*Tettigometridae*) Synonym(s): *afra*
Kirschbaum,1868 DZ IL ES SY TN
- 1562. *Tettigometra atra* Hagenbach,1825**
(*Tettigometridae*) Synonym(s): *atra*
Hagenbach,1825 DZ AT BE CS FR DE HU IT
MN PL RO ES SW TN TR Cc AM AZ KG LV
RU Sb UA UZ YU
- 1563. *Tettigometra beckeri* Horvath,1909**
(*Tettigometridae*) Synonym(s): *beckeri*
Horvath,1909 DZ ES Cn MA ES TN TR KG UA
Cm
- 1564. *Tettigometra depressa* Fieber,1865**
(*Tettigometridae*) Synonym(s): *depressa*
Fieber,1865 DZ AT CS FR DE HU IR IT RO
AM RU Sb UA YU
- 1565. *Tettigometra impressifrons*
Mulsant-Rey,1855 (*Tettigometridae*)**
Synonym(s): *impressifrons* Mulsant-Rey,1855;
marginata Fieber,1876 DZ BE FR GR IT Si JO
MA ES SY TN
- 1566. *Tettigometra peliotaenia*
Fieber,1865 (*Tettigometridae*) Synonym(s):**
peliotaenia Fieber,1865 DZ GR IT RU
- 1567. *Thamnotettix* (s.str.) *confinis*
Zetterstedt,1828 (*Cicadellidae*)**
Synonym(s): *confinis* Zetterstedt,1828; *simplex*
Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula*
Zetterstedt,1840; *tincta* Zetterstedt,1840; *prominulus*
Reuter,1880; *rufescentipes* Strand,1913; *hoashii*
Matsumura,1915; *schlueteri* Haupt,1917 AT BE CY
CS FI FR DE GB HU IE IT KP NL NO PL RO
SE SW TN TR AM EE KG LV MD RU
(Siberia) UA YU
- 1568. *Thereva binotata* (Loew,1847)**
(*Therevidae*) Synonym(s): *binotata* Loew,1847
IT MT MA TN RU TR UA
- 1569. *Thereva pallipes* (Loew,1869)**
(*Therevidae*) Synonym(s): *pallipes* Loew,1869
RU EG
- 1570. *Thereva strigata* (Fabricius,1794)**
(*Therevidae*) Synonym(s): *strigata* Fabricius,1794;
latistrigata Kröber,1913; *thermophila* Trojan,1970 AT
CH BE CZ DE DK FR GB GR TR IT PL RO FI
YU RU UA MA
- 1571. *Thereva tuberculata* (Loew,1847)**
(*Therevidae*) Synonym(s): *tuberculata* Loew,1847;
subtilis Loew,1847; *algerica* Kröber,1913 MA DZ TR
ES FR IT MT RO
- 1572. *Tilloidea transversalis*
(Charpentier,1825) (*Cleridae*) Synonym(s):**
unifasciatus Rossi,1790; *transversalis* Charpentier,1825
ES LY Cy TR
- 1573. *Tipula* (*Savtshenkia*) *rufina*
Meigen,1818 (*Tipulidae*) Synonym(s): *rufina*
Meigen,1818 DZ Cc TR**
- 1574. *Tisma acutipennis*
(Westwood,1889) (*Mantidae*) Synonym(s):**
acutipennis Westwood,1889 MG
- 1575. *Tisma chopardi* Roy,2005 (*Mantidae*)**
Synonym(s): *chopardi* Roy,2005 MG
- 1576. *Tisma freyi* (Brancsik,1893)**
(*Mantidae*) Synonym(s): *freyi* Brancsik,1893
MG
- 1577. *Tisma grandidieri* (Saussure &
Zehntner,1895) (*Mantidae*) Synonym(s):**
grandidieri Saussure & Zehntner,1895 MG
- 1578. *Tisma pauliani* Roy,2005 (*Mantidae*)**
Synonym(s): *pauliani* Roy,2005 MG
- 1579. *Tisma peyrierasi* Roy,2005**
(*Mantidae*) Synonym(s): *peyrierasi* Roy,2005
MG

- 1580. Tismomorpha cherlonneixi**
Roy,1995 (*Mantidae*) Synonym(s):
cherlonneixi Roy,1995 **ZR**
- 1581. Tismomorpha inexpectata (La Greca,1966)** (*Mantidae*) Synonym(s):
inexpectata La Greca,1966 **ZR**
- 1582. Tismomorpha vitripennis**
(Bolivar,1908) (*Mantidae*) Synonym(s):
vitripennis Bolivar,1908 **GA CM ZR CF**
- 1583. Tolmerus senex (Wiedemann,1820)**
(*Asilidae*) Synonym(s): senex Wiedemann,1820
PT ES TR SY TN
- 1584. Toya propinqua (Fieber,1866)**
(*Delphacidae*) Synonym(s): propinqua
Fieber,1866; hamulata Kirschbaum,1868 **Cc AF AL**
DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ
IL IT JP JO LY MA PL PT RO ES TN TR RU
GG KG KK MD TJ UZ
- 1585. Trachyderma habelmanni**
Kraatz,1865 (*Tenebrionidae*) Synonym(s):
habelmanni Kraatz,1865 **EG**
- 1586. Trachyderma hispida**
(Forskal,1775) (*Tenebrionidae*) Synonym(s):
hispida Forskal,1775; latreillei Solier,1836; major
Baudi,1875 **IT Si SY SA IR SN**
- 1587. Trachyderma leprieuri Allard,1886**
(*Tenebrionidae*) Synonym(s): leprieuri
Allard,1886 **EG**
- 1588. Trachyderma lima (Petagna,1819)**
(*Tenebrionidae*) Synonym(s): lima Petagna,1819;
angustata Solier,1836 **TR EG GR IT Si**
- 1589. Tremulicerus mesopyrrhus**
(Kirschbaum,1868) (*Cicadellidae*)
Synonym(s): mesopyrrhus Kirschbaum,1868 **AF**
FR GR IT MA PT ES SW UA YU TR
- 1590. Trichodes affinis Chevrolat,1843**
(*Cleridae*) Synonym(s): affinis Chevrolat,1843
TR EG SY IL Pa
- 1591. Trichodes longissimus Abeille de Perrin,1881** (*Cleridae*) Synonym(s):
longissimus Abeille de Perrin,1881; angustifrons Abeille
de Perrin,1881 **TR Cc AM SY LB CY EG**
- 1592. Trichodes sipylus (Linnaeus,1758)**
(*Cleridae*) Synonym(s): sipylus Linnaeus,1758;
subfasciatus Kraatz,1873; frater Kraatz,1893;
fraterculus Zaitzev,1915 **TR EG IL Pa SY Cc AM**
Eri IR
- 1593. Tropidocephala andropogonis**
Horvath,1895 (*Delphacidae*) Synonym(s):
andropogonis Horvath,1895 **BG CZ GR HU SL**
YU TR
- 1594. Tropidocephala tuberipennis**
(Mulsant & Rey,1855) (*Delphacidae*)
Synonym(s): tuberipennis Mulsant & Rey,1855;
elegans O.Costa,1834 **AL DZ CY EG FR GR IL**
IT MA ES TN TR YU
- 1595. Tropidopola cylindrica**
(Marschall,1836) (*Acrididae*) Synonym(s):
cylindrica Marschall,1836; sicula Audinet-Serville,1838;
fasciculata Charpentier,1841; algeriana Uvarov,1922;
virescens Uvarov,1922 **DZ IT Si IQ Amr IR**
- 1596. Tropidopola cylindrica cylindrica**
(Marschall,1836) (*Acrididae*) Synonym(s):
cylindrica Marschall,1836; sicula Audinet-Serville,1838;
fasciculata Charpentier,1841; algeriana Uvarov,1922;
virescens Uvarov,1922 **DZ IT Si IQ Amr**
- 1597. Tropidopola nigerica Uvarov,1937**
(*Acrididae*) Synonym(s): nigerica Uvarov,1937
SD NE ML
- 1598. Trupanea amoena**
(Frauenfeld,1857) (*Tephritidae*)
Synonym(s): amoena Frauenfeld,1857 **TR ET IN**
LK AU
- 1599. Trupanea stellata (Fuesslin,1775)**
(*Tephritidae*) Synonym(s): stellata Fuesslin,1775
TR GB SE KG RU CN IN DZ IR
- 1600. Truxalis bolivari Dirsh,1951**
(*Acrididae*) Synonym(s): bolivari Dirsh,1951 **KE**
Mb
- 1601. Truxalis burti Dirsh,1951** (*Acrididae*)
Synonym(s): burti Dirsh,1951 **TZ**
- 1602. Truxalis grandis Klug,1830**
(*Acrididae*) Synonym(s): grandis Klug,1830 **EG**
- 1603. Truxalis johnstoni Dirsh,1951**
(*Acrididae*) Synonym(s): johnstoni Dirsh,1951
NE TD SN
- 1604. Truxalis nasuta (Linnaeus,1758)**
(*Acrididae*) Synonym(s): nasuta Linnaeus,1758;
annulatus Thunberg,1815; bilineatus Thunberg,1815;
nebulosus Thunberg,1815; miniata Klug,1830; obsoleta
Klug,1830; scalaris Klug,1830; variabilis Klug,1830;
unguiculata Rambur,1839; isabellina Fischer-
Waldheim,1846; klugii Fieber,1853 **Cn MA DZ TN**
TR
- 1605. Turrutus socialis (Flor,1861)**
(*Cicadellidae*) Synonym(s): socialis Flor,1861;
quadrivittatus Marshall,1866; inclusivalvis
Kirschbaum,1868; quinquevittatus Kirschbaum,1868;
flavinervis Kirschbaum,1868; onustus Fieber,1869;
fugax Horvath,1897; sinuatus Matsumura,1908 **DZ**
BE BG CN CS DK FI FR DE GB HU IE IT
MN NL PL RO SE SW Cc AM EE KG LV MD
RU Sb At
- 1606. Urophora mauritanica**
Macquart,1851 (*Tephritidae*) Synonym(s):
mauritanica Macquart,1851 **MA DZ LY TR AL**
GB GR Cr CY CZ FR MT IT Sa MK MD RU
KG KK UZ IL Pa
- 1607. Urophora quadrifasciata**
(Meigen,1826) (*Tephritidae*) Synonym(s):
quadrifasciata Meigen,1826 **TR KG IL Pa IR DZ**
CA
- 1608. Vermileo vermileo (Linnaeus,1758)**
(*Vermileonidae*) Synonym(s): vermileo
Linnaeus,1758 **AT BG FR IT YU SY EG DZ Cn**
- 1609. Vespa germanica (Fabricius,1793)**
(*Vespidae*) Synonym(s): germanica Fabricius,1793
Cn Az DZ TR Cc IR AF PK IN Ch KG Uk MN
CN Ui Mc RU Ur Sb Am Us Sh KP KR AU
NZ ZA CA US CL AR

- 1610. *Viridicerus ustulatus* (Mulsant & Rey, 1855)** (*Cicadellidae*) Synonym(s): viridis Schrank, 1801; ustulatus Mulsant & Rey, 1855; salicetorum Mulsant & Rey, 1855; prasinus Kirschbaum, 1868; **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**
- 1611. *Xestomyzina melanostoma* (Loew, 1856)** (*Therevidae*) Synonym(s): melanostoma (Loew, 1856) **EG**
- 1612. *Zarudnya interstitialis* Melichar, 1902** (*Flatidae*) Synonym(s): interstitialis Melichar, 1902 **EG IR LY TN**
- 1613. *Zonitis flava* Fabricius, 1775** (*Meloidae*) Synonym(s): flava Fabricius, 1775; praeusta Fabricius, 1792; thoracica Laporte, 1840 **DZ ES IT Si Sa TR SY IR TM**
- 1614. *Zonitis ruficollis* Frivaldsky, 1877** (*Meloidae*) Synonym(s): ruficollis Frivaldsky, 1877 **DZ MA LY Cy SY IL Pa Cr TR**
- 1615. *Zophosis (Oculosis) dilatata* Deyrolle, 1867** (*Tenebrionidae*) Synonym(s): dilatata Deyrolle, 1867 **TR SY EG GR Rd**
- 1616. *Zophosis (Oculosis) punctata* Brullé, 1832** (*Tenebrionidae*) Synonym(s): punctata Brullé, 1832 **TR IL Pa SY Cc AM EG IR TM**
- 1617. *Zophosis aelanitica* Peyerimhoff, 1907** (*Tenebrionidae*) Synonym(s): aelanitica Peyerimhoff, 1907 **EG Sn IL Pa**
- 1618. *Zophosis angustula* Reitter, 1916** (*Tenebrionidae*) Synonym(s): angustula Reitter, 1916 **TN Gf**
- 1619. *Zophosis carinata* Solier, 1834** (*Tenebrionidae*) Synonym(s): carinata Solier, 1834 **EG IL Pa**
- 1620. *Zophosis emiliana* Reitter, 1916** (*Tenebrionidae*) Synonym(s): emiliana Reitter, 1916 **MA**
- 1621. *Zophosis personata* Erichson, 1841** (*Tenebrionidae*) Synonym(s): personata Erichson, 1841 **DZ IL Pa**
- 1622. *Zophosis plana* (Fabricius, 1792)** (*Tenebrionidae*) Synonym(s): plana Fabricius, 1792 **SD EG IL Pa**
- 1623. *Zophosis punctulata* Olivier, 1795** (*Tenebrionidae*) Synonym(s): punctulata Olivier, 1795; angusta Wiedemann, 1823 **ZA IL Pa**
- 1624. *Zophosis pygmaea* Solier, 1834** (*Tenebrionidae*) Synonym(s): pygmaea Solier, 1834 **LY TN EG SY Dms**
- 1625. *Zophosis tunisea* Reitter, 1916** (*Tenebrionidae*) Synonym(s): tunisea Reitter, 1916 **TN**
- 1626. *Zorochros stibicki* (Leseigneur, 1970)** (*Elateridae*) Synonym(s): stibicki Leseigneur, 1970 **TR SL**
- 1627. *Zygina (s.str.) discolor* Horvath, 1897** (*Cicadellidae*) Synonym(s): discolor Horvath, 1897 **BG CS FR IL IT MA SW Cc GG KG MD UZ YU**
- 1628. *Zygina (s.str.) nivea* (Mulsant & Rey, 1855)** (*Cicadellidae*) Synonym(s): nivea Mulsant & Rey, 1855 **DZ BE CS FR DE GR HU IL IT MA PT ES TN MD UA YU**
- 1629. *Zyginidia (s.str.) scutellaris* (Herrich-Schäffer, 1838)** (*Cicadellidae*) Synonym(s): scutellaris Herrich-Schäffer, 1838 **AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU**

Scientific Note: Occurrence of an aberrant of *Melitaea cinxia* (Linnaeus) in Ankara Province (Turkey) (*Argynnidae*, *Lepidoptera*)


An aberrant individual of *Melitaea cinxia* (Linnaeus) was recorded on 19th May, 2007 at Güvenç village near Kazan (Kızılcahamam District, Ankara Province) by Dr. Ali Atahan (Figs. 1-2). The specimen is resemble to *M. cinxia* f. *superbella* Seven, 1996¹¹, but differs from it by the developed submarginal orange band with the black markings on both sides of the hindwing, which is typical for the species.

The specimen was recorded in a dry stream bed, together with other species, *Melitaea didyma*, *Eurodryas aurinia*, *Proterebia afra*, *Zerynthia deyrollei*, *Lycaena kefersteinii*, *Lycaena alciphron*, and *Polyommatus bellargus*. *Melitaea cinxia* was the dominant species among them (Ali Atahan pers. comm.).

This scientific note is prepared in name of Dr. Ali Atahan (Şanlıurfa)¹² with his kind permission A.Ö.K.

¹¹ Seven, S., 1996, Kuzey Anadolu'dan bir *Melitaea cinxia* (Linnaeus) formu hakkında (*Argynnidae*, *Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 26: 6-8, 2 şekil.

¹² alamecek@yahoo.com



Figs. 1, 2 – An aberrant individual of *Melitaea cinxia* (Linnaeus) at rest. Ankara Province, Kızılcahamam, Kazan, Güvenç village, 19th May 2007, photos A. Atahan ©



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)¹³, Miscellaneous Papers (ISSN 1015-8235)¹⁴, Memoirs (ISSN-8227)¹⁵, DVD Films¹⁶, Iconographia Insectorum¹⁷, Cesa Publications on African Lepidoptera (series)¹⁸, Cesa News [online]¹⁹, Cesa Books²⁰

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Lütfi Behçet, Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mails: cesa_tr@yahoo.com.tr - a_kocak@lycos.com

All serials are recorded regularly by the Zoological Record,
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NY, United Kingdom
ts-emea-york.dcsadmins@thomson.com

¹³ <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

¹⁴ <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

¹⁵ <http://www.cesa-tr.org/Memoirs.htm> -

¹⁶ <http://www.cesa-tr.org/CDF.htm>

¹⁷ <http://www.cesa-tr.org/Icon.htm>

¹⁸ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

¹⁹ <http://www.cesa-tr.org/Cesanews.htm>

²⁰ <http://www.cesa-tr.org/Cesabooks.htm>